



DEFINITIONS OF TERMS USED IN THE ANNUAL INDEXLIST REPORT

D: The Idaho Transportation Department maintenance district number. It can be 1 - 6.

Route: The Route Number of the Highway (097 means State Highway 97, 084 means Interstate 84).

MACS Code (Segment Code): six-digit number that identifies the section of highway according to the code in the Milepost and Coded Segment (MACS) System.

Beginning Milepost: The milepost at the beginning of the test section of highway.

Ending Milepost: The milepost at the ending of the test section of highway.

DIR: Refers to direction of testing on a divided highway. Ascending means in the direction of ascending mileposts. Descending means the opposite direction.

YEAR: Shows the year to which the indices correspond.

RI (Roughness Index): Formerly called PSI, this index is a 0 - 5 rating of the pavement section's roughness. This number is now obtained via profile measuring equipment.

CI (Crack Index): The CI is a rating similar to the RI, 5.0 corresponding to a section with little or no cracking and 0.0 representing sections with extreme cracking. Pavements are rated annually by the Pavement Management Engineer.

SN (Skid Number): A value (typically between 20 - 100) that represents a relative pavement friction index as measured by the locked-wheel skidmeter.

FINAL INDEX: This is the final pavement index for the section. It represents a weighted average of the CI and RI, based on factors such as traffic volume and traffic speed.

REMARKS: This area is to report any pavement related rehabilitation project for that pavement section and year. Also this area can be used for the user's own comments.

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
6	I-15	001330	111.859	117.247	ASC	1993	3.50	3.50	52	3.50			
						1994	3.80	3.50	34	3.65	0.01	MILL INLAY AND OVERLAY	1996
						1995	3.80	3.50	41	3.65	0.01	SEALCOAT	1997
						1996	4.00	3.50	38	3.75	0.07		
						1997	3.80	3.50	45	3.65	0.09		
						1998	3.90	3.00	54	3.45	0.07		
						1999	3.90	3.00	49	3.45	0.11		
						2000	3.90	5.00	49	4.43	0.12	PLANT MIX OVERLAY	2000
						2001	3.90	5.00	56	4.43	0.11		
						2002	3.70	5.00	56	4.33	0.12		
6	I-15	001330	111.859	117.247	DES	1993	3.50	2.50	53	3.00			
						1994	3.80	2.50	30	3.16	0.00		
						1995	3.80	2.50	38	3.15	0.00	MILL INLAY AND OVERLAY	1996
						1996	3.80	2.50	38	3.15	0.09	SEALCOAT	1997
						1997	3.80	2.50	47	3.16	0.12		
						1998	3.80	2.50	54	3.16	0.11		
						1999	3.80	2.50	51	3.16	0.11		
						2000	4.00	5.00	51	4.49	0.09	PLANT MIX OVERLAY	2000
						2001	4.00	5.00	51	4.49	0.08		
						2002	3.80	4.80	51	4.29	0.09		
6	I-15	001330	117.247	119.500	ASC	1993	3.50	2.40	52	2.95			
						1994	3.60	2.40	36	3.00	0.05		
						1995	3.60	2.40	38	3.00	0.05		
						1996	3.20	5.00	37	4.09	0.14		
						1997	3.80	5.00	49	4.39	0.09	SEALCOAT	1997
						1998	3.80	4.90	59	4.34	0.07		
						*1999	3.80	4.90	53	4.34	0.09		
						2000	3.90	5.00	49	4.44	0.07	PLANT MIX OVERLAY	2000
						2001	4.00	5.00	57	4.49	0.08		
						2002	3.70	5.00	57	4.34	0.09		
6	I-15	001330	117.247	119.500	DES	1993	3.30	2.40	53	2.85			
						1994	3.30	2.00	36	2.65	0.01		
						1995	3.30	2.00	38	2.65	0.01		
						1996	3.60	5.00	37	4.29	0.11		
						1997	3.70	5.00	48	4.34	0.13	SEALCOAT	1997
						1998	3.70	5.00	48	4.34	0.13		
						*1999	3.70	5.00	59	4.34	0.13		
						2000	3.80	5.00	49	4.39	0.08	PLANT MIX OVERLAY	2000
						2001	3.90	5.00	48	4.44	0.07		
						2002	3.70	5.00	48	4.34	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	I-15	001330	119.500	121.092	ASC	1993	3.50	2.40	52	2.95		
						1994	3.60	2.40	36	3.00	0.05	
						1995	3.60	2.40	38	3.00	0.05	
						1996	3.20	5.00	37	4.09	0.14	C.R.A.B.S.
						1997	3.80	5.00	49	4.39	0.09	
						1998	3.80	4.90	59	4.34	0.07	
						*1999	3.80	4.90	53	4.34	0.09	
						2000	3.90	4.90	53	4.39	0.08	
						2001	4.00	4.40	59	4.19	0.08	
						2002	3.80	4.40	59	4.09	0.08	
6	I-15	001330	119.500	121.092	DES	1993	3.30	2.40	53	2.85		
						1994	3.30	2.00	36	2.65	0.01	
						1995	3.30	2.00	38	2.65	0.01	
						1996	3.60	5.00	37	4.29	0.11	C.R.A.B.S.
						1997	3.70	5.00	48	4.34	0.13	
						1998	3.70	5.00	48	4.34	0.13	
						*1999	3.70	5.00	59	4.34	0.13	
						2000	3.80	5.00	61	4.39	0.14	
						2001	3.80	4.50	57	4.14	0.16	
						2002	3.80	4.50	57	4.14	0.15	
6	I-15	001330	121.092	128.000	ASC	1993	3.10	2.30	55	2.70		
						1994	3.00	2.30	38	2.65	0.01	
						1995	3.00	2.30	42	2.65	0.01	
						1996	3.10	2.30	43	2.70	0.12	C.R.A.B.S.
						*1997	3.10	2.30	37	2.70	0.12	
						1998	3.90	5.00	64	4.44	0.06	
						1999	3.90	5.00	58	4.44	0.07	
						2000	4.00	5.00	58	4.49	0.07	
						2001	4.00	5.00	61	4.49	0.08	
						2002	3.80	5.00	61	4.39	0.08	
6	I-15	001330	121.092	128.000	DES	1993	3.10	2.60	54	2.85		
						1994	2.80	2.50	37	2.65	0.00	
						1995	2.80	2.30	45	2.55	0.00	
						1996	3.00	2.30	43	2.65	0.12	C.R.A.B.S.
						*1997	3.00	2.00	44	2.50	0.11	
						1998	3.80	5.00	56	4.39	0.13	
						1999	3.80	5.00	60	4.39	0.13	
						2000	3.90	5.00	60	4.44	0.14	
						2001	3.90	5.00	56	4.44	0.15	
						2002	3.80	5.00	56	4.39	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	I-15	001330	128.000	135.148	ASC	1993	3.90	2.30	44	3.10		
						1994	3.70	2.30	24	3.00	0.09	
						*1995	3.70	2.30	23	3.00	0.09	
						1996	3.50	2.30	28	2.90	0.23	
						*1997	3.50	2.00	19	2.75	0.25	
						*1998	3.40	2.00	58	2.70	0.26	C.R.A.B.S.
						*1999	4.10	5.00	52	4.54	0.11	C.R.A.B.S.
						2000	3.60	5.00	47	4.29	0.05	C.R.A.B.S.
						2001	3.60	5.00	59	4.29	0.06	
						2002	3.40	5.00	59	4.19	0.06	
6	I-15	001330	128.000	135.148	DES	1993	3.20	2.90	54	3.05		
						1994	3.20	2.90	40	3.05	0.14	
						*1995	3.20	2.90	45	3.05	0.14	
						1996	3.60	2.90	42	3.25	0.28	
						*1997	3.40	2.90	41	3.15	0.27	
						*1998	3.30	2.80	58	3.05	0.13	C.R.A.B.S.
						*1999	4.00	5.00	57	4.49	0.07	C.R.A.B.S.
						2000	4.20	5.00	53	4.59	0.08	C.R.A.B.S.
						2001	4.30	5.00	52	4.64	0.09	
						2002	3.90	5.00	52	4.44	0.11	
6	I-15	001330	135.148	143.400	ASC	1993	3.90	2.30	44	3.10		
						1994	3.70	2.30	24	3.00	0.09	
						*1995	3.70	2.30	23	3.00	0.09	
						1996	3.50	2.30	28	2.90	0.23	
						*1997	3.50	2.00	19	2.75	0.25	
						*1998	3.40	2.00	58	2.70	0.26	
						*1999	4.10	5.00	52	4.54	0.11	C.R.A.B.S.
						2000	4.20	5.00	54	4.59	0.13	
						2001	4.20	5.00	59	4.59	0.13	
						2002	3.90	4.60	59	4.24	0.13	
6	I-15	001330	135.148	143.400	DES	1993	3.20	2.90	54	3.05		
						1994	3.20	2.90	40	3.05	0.14	
						*1995	3.20	2.90	45	3.05	0.14	
						1996	3.60	2.90	42	3.25	0.28	
						*1997	3.40	2.90	41	3.15	0.27	
						*1998	3.30	2.80	58	3.05	0.13	
						*1999	4.00	5.00	57	4.49	0.07	C.R.A.B.S.
						2000	4.00	5.00	57	4.49	0.09	
						2001	4.10	5.00	60	4.54	0.08	
						2002	3.80	5.00	60	4.39	0.10	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS									
6	I-15	001330	143.400	149.920	ASC	1993	3.40	2.00	58	2.70		HOT IN PLACE RECYCLE	1993								
						1994	3.70	3.50	36	3.60	0.01										
						*1995	3.70	3.30	38	3.50	0.01										
						1996	3.90	3.30	35	3.60	0.06			C.R.A.B.S.	1996						
						1997	3.60	3.30	37	3.45	0.08										
						1998	3.40	3.00	60	3.20	0.11										
						1999	4.00	5.00	56	4.49	0.13			C.R.A.B.S.	1999						
						2000	4.00	5.00	56	4.49	0.15										
						2001	4.00	4.80	59	4.39	0.16										
						2002	3.70	4.20	59	3.94	0.17										
						6	I-15	001330	143.400	149.920	DES			1993	3.40	2.00	56	2.70		HOT IN PLACE RECYCLE	1993
														1994	3.40	2.00	35	2.70	0.21		
*1995	3.40	2.00	41	2.70	0.21																
1996	3.70	5.00	57	4.34	0.10							C.R.A.B.S.	1996								
1997	3.70	5.00	52	4.34	0.09																
1998	3.70	5.00	63	4.34	0.11																
1999	3.70	5.00	59	4.34	0.11							C.R.A.B.S.	1999								
2000	3.70	4.50	59	4.09	0.13																
2001	3.70	3.30	63	3.50	0.14																
2002	3.30	3.30	63	3.30	0.16																
6	I-15	001330	149.920	158.860	ASC							1993	3.50	1.50	59	2.50		HOT IN PLACE RECYCLE WITH OVERLAY	1993		
												1994	3.80	3.50	39	3.65	0.00				
						*1995	3.80	3.50	48	3.65	0.00										
						1996	4.00	3.00	44	3.50	0.10										
						1997	3.80	3.00	43	3.40	0.10										
						1998	3.70	3.00	54	3.35	0.13										
						1999	3.60	2.80	51	3.20	0.13	C.R.A.B.S.	1999								
						2000	3.50	2.80	51	3.15	0.14										
						2001	3.50	2.40	59	2.95	0.15										
						2002	3.10	2.30	59	2.70	0.15										
						6	I-15	001330	149.920	158.860	DES	1993	3.50	3.00	60	3.25				HOT IN PLACE RECYCLE WITH OVERLAY	1993
												1994	3.40	3.00	44	3.20	0.02				
*1995	3.40	3.00	51	3.20	0.02																
1996	4.00	3.00	48	3.50	0.11																
1997	3.90	3.00	47	3.45	0.10																
1998	3.80	3.00	59	3.40	0.11																
1999	3.80	3.00	56	3.40	0.11							C.R.A.B.S.	1999								
2000	3.80	3.00	56	3.40	0.12																
2001	3.80	3.00	60	3.40	0.14																
2002	3.50	3.00	60	3.25	0.13																

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
6	I-15	001330	158.860	163.500	ASC	1993	3.60	1.50	60	2.55		HOT IN PLACE RECYCLE WITH OVERLAY 1993
						1994	3.80	3.50	38	3.65	0.00	
						1995	3.80	3.50	42	3.65	0.00	
						1996	4.00	3.40	40	3.70	0.08	
						1997	3.80	3.40	41	3.60	0.10	
						1998	3.70	3.00	52	3.35	0.12	
						1999	3.70	2.50	48	3.10	0.13	
						2000	3.60	2.50	48	3.05	0.13	
						2001	3.60	2.40	56	3.00	0.14	
						2002	3.20	2.30	56	2.75	0.15	
6	I-15	001330	158.860	163.500	DES	1993	3.60	4.50	59	4.04		HOT IN PLACE RECYCLE WITH OVERLAY 1993
						1994	3.60	4.50	45	4.04	0.01	
						1995	3.60	4.50	52	4.04	0.01	
						1996	4.30	4.50	52	4.39	0.07	
						1997	4.20	4.50	49	4.34	0.08	
						1998	4.10	4.50	62	4.29	0.07	
						1999	4.10	4.50	57	4.29	0.07	
						2000	4.10	4.50	57	4.29	0.07	
						2001	4.10	4.50	60	4.29	0.08	
						2002	3.80	4.50	60	4.14	0.08	
6	I-15	001330	163.500	166.503	ASC	1993	3.50	4.00	58	3.74		HOT IN PLACE RECYCLE WITH OVERLAY 1993
						1994	3.70	4.00	17	3.84	0.00	
						1995	3.70	4.00	22	3.84	0.00	
						1996	4.20	4.00	22	4.10	0.12	
						1997	4.00	4.00	22	4.00	0.14	
						1998	4.00	4.00	34	4.00	0.18	
						1999	4.00	4.00	35	4.00	0.22	
						2000	4.00	4.00	35	4.00	0.24	
						2001	4.00	3.80	48	3.90	0.27	
						2002	3.70	2.80	48	3.25	0.26	
6	I-15	001330	163.500	166.503	DES	1993	3.50	4.00	58	3.74		HOT IN PLACE RECYCLE WITH OVERLAY 1993
						1994	3.70	4.00	41	3.84	0.02	
						1995	3.70	4.00	46	3.84	0.02	
						1996	4.20	4.00	47	4.10	0.09	
						1997	4.00	4.00	48	4.00	0.08	
						1998	4.00	4.00	57	4.00	0.11	
						1999	4.00	4.00	53	4.00	0.11	
						2000	4.00	4.00	53	4.00	0.12	
						2001	4.00	4.00	57	4.00	0.12	
						2002	3.70	4.00	57	3.84	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
6	I-15	001330	166.503	167.660	ASC	1993	3.40	3.50	53	3.44		HOT IN PLACE RECYCLE WITH OVERLAY 1993
						1994	3.60	3.50	12	3.55	0.02	
						1995	3.60	3.50	13	3.55	0.02	
						1996	3.90	3.50	13	3.70	0.21	
						1997	3.90	3.50	17	3.70	0.13	C.R.A.B.S.
						1998	4.00	3.50	28	3.75	0.18	1997
						1999	3.90	3.50	20	3.70	0.22	
						2000	3.90	3.50	20	3.70	0.24	
						2001	3.90	3.50	39	3.70	0.27	
						2002	3.70	3.20	39	3.45	0.30	
6	I-15	001330	166.503	167.660	DES	1993	3.40	3.00	52	3.20		HOT IN PLACE RECYCLE WITH OVERLAY 1993
						1994	3.30	3.00	41	3.15	0.02	
						1995	3.30	3.00	48	3.15	0.02	
						1996	3.70	3.00	37	3.35	0.26	
						1997	3.70	3.00	33	3.35	0.21	C.R.A.B.S.
						1998	3.60	3.00	43	3.30	0.19	1997
						1999	3.60	3.00	50	3.30	0.30	
						2000	3.60	3.00	50	3.30	0.30	
						2001	3.60	5.00	56	4.29	0.30	
						2002	3.20	5.00	56	4.09	0.16	
6	I-15	001330	167.660	173.000	ASC	1993	3.20	2.40	60	2.80		HOT IN PLACE RECYCLE WITH OVERLAY 1993
						1994	3.20	2.40	39	2.80	0.00	
						1995	3.20	2.30	44	2.75	0.00	
						*1996	3.20	2.30	46	2.75	0.20	
						1997	4.20	5.00	48	4.59	0.09	C.R.A.B.S.
						1998	4.20	5.00	62	4.59	0.07	1997
						1999	4.20	4.80	54	4.49	0.09	
						2000	4.20	4.80	54	4.49	0.09	
						2001	4.20	4.80	59	4.49	0.11	
						2002	3.90	4.40	59	4.14	0.11	
6	I-15	001330	167.660	173.000	DES	1993	3.20	5.00	59	4.09		HOT IN PLACE RECYCLE WITH OVERLAY 1993
						1994	3.90	5.00	42	4.44	0.01	
						1995	3.90	5.00	53	4.44	0.01	
						*1996	4.40	5.00	53	4.69	0.08	
						1997	4.10	4.50	39	4.29	0.11	C.R.A.B.S.
						1998	4.10	4.50	57	4.29	0.09	1997
						1999	4.10	4.50	56	4.29	0.17	
						2000	4.00	4.50	56	4.24	0.16	
						2001	4.10	4.50	60	4.29	0.22	
						2002	3.70	4.50	60	4.09	0.21	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	I-15	001330	173.000	178.750	ASC	1993	3.20	2.40	60	2.80		
						1994	3.20	2.40	39	2.80	0.00	
						1995	3.20	2.30	44	2.75	0.00	
						*1996	3.20	2.30	46	2.75	0.20	
						1997	2.20	5.00	38	3.59	0.11	C.R.A.B.S.
						1998	3.60	5.00	64	4.29	0.08	
						1999	3.70	5.00	58	4.34	0.09	
						2000	3.70	5.00	58	4.34	0.11	
						2001	3.70	4.70	62	4.19	0.11	
						2002	3.60	4.70	62	4.14	0.12	
6	I-15	001330	173.000	178.750	DES	1993	3.20	5.00	59	4.09		
						1994	3.90	5.00	42	4.44	0.01	
						1995	3.90	5.00	53	4.44	0.01	
						*1996	4.40	5.00	53	4.69	0.08	
						1997	4.30	5.00	44	4.64	0.08	C.R.A.B.S.
						1998	4.20	5.00	61	4.59	0.11	
						1999	4.20	5.00	55	4.59	0.13	
						2000	4.20	5.00	55	4.59	0.13	
						2001	4.20	4.80	60	4.49	0.14	
						2002	3.90	4.80	60	4.34	0.16	
6	I-15	001330	178.750	179.500	ASC	1993	3.10	3.00	51	3.05		
						1994	3.00	3.00	29	3.00	0.00	
						1995	3.00	3.00	38	3.00	0.00	
						*1996	3.20	3.00	36	3.10	0.07	
						1997	2.90	5.00	37	3.94	0.09	C.R.A.B.S.
						1998	3.60	5.00	64	4.29	0.06	
						1999	3.70	5.00	57	4.34	0.05	
						2000	3.70	5.00	57	4.34	0.06	
						2001	3.70	4.60	65	4.14	0.07	
						2002	3.50	4.60	65	4.04	0.09	
6	I-15	001330	178.750	179.500	DES	1993	3.10	3.00	52	3.05		
						1994	3.30	3.00	34	3.15	0.00	
						1995	3.30	3.00	41	3.15	0.00	
						*1996	3.50	3.00	39	3.25	0.07	
						1997	4.40	4.50	45	4.44	0.07	C.R.A.B.S.
						1998	4.30	4.50	58	4.39	0.11	
						1999	4.30	4.50	40	4.39	0.12	
						2000	4.30	4.50	40	4.39	0.12	
						2001	4.30	4.50	55	4.39	0.12	
						2002	3.90	4.50	55	4.19	0.14	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
6	I-15	001330	179.500	181.210	ASC	1993	3.10	3.00	51	3.05		
						1994	3.00	3.00	29	3.00	0.00	
						1995	3.00	3.00	38	3.00	0.00	
						*1996	3.20	3.00	36	3.10	0.07	
						1997	3.00	2.50	27	2.75	0.07	
						1998	2.90	2.40	46	2.65	0.09	
						1999	2.90	2.40	37	2.65	0.10	
						2000	2.80	2.40	37	2.60	0.11	
						2001	2.80	5.00	55	3.89	0.11	
						2002	3.40	5.00	55	4.19	0.15	
6	I-15	001330	179.500	181.210	DES	1993	3.10	3.00	52	3.05		
						1994	3.30	3.00	34	3.15	0.00	
						1995	3.30	3.00	41	3.15	0.00	
						*1996	3.50	3.00	39	3.25	0.07	
						1997	3.10	3.00	37	3.05	0.08	
						1998	3.10	3.00	48	3.05	0.08	
						1999	3.00	2.90	38	2.95	0.07	
						2000	3.00	2.60	38	2.80	0.08	
						2001	3.00	2.60	57	2.80	0.09	
						2002	3.40	2.60	57	3.00	0.12	
6	I-15	001330	181.210	183.400	ASC	1993	3.40	3.00	45	3.20		
						1994	3.40	3.00	34	3.20	0.00	
						1995	3.40	3.00	39	3.20	0.00	
						1996	3.80	3.00	39	3.40	0.11	
						1997	3.60	3.00	34	3.30	0.11	
						*1998	3.50	3.00	45	3.25	0.12	
						*1999	3.60	3.00	41	3.30	0.13	
						2000	3.50	3.00	41	3.25	0.12	
						2001	3.60	5.00	54	4.29	0.12	
						2002	3.40	5.00	54	4.19	0.18	
6	I-15	001330	181.210	183.400	DES	1993	3.40	4.50	56	3.94		
						1994	3.40	4.50	39	3.94	0.01	
						1995	3.40	4.50	45	3.94	0.01	
						1996	3.80	4.50	42	4.14	0.07	
						1997	3.60	4.50	42	4.04	0.08	
						*1998	3.60	4.50	54	4.04	0.09	
						*1999	3.70	4.50	52	4.09	0.08	
						2000	3.60	4.50	53	4.04	0.10	
						2001	3.70	4.50	54	4.09	0.11	
						2002	3.50	4.50	54	3.99	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
6	I-15	001330	183.400	183.900	ASC	1993	3.40	3.00	45	3.20								
						1994	3.40	3.00	34	3.20	0.00							
						1995	3.40	3.00	39	3.20	0.00							
						1996	3.80	3.00	39	3.40	0.11							
						1997	3.60	3.00	34	3.30	0.11							
						*1998	3.50	3.00	45	3.25	0.12							
						*1999	3.60	3.00	41	3.30	0.13							
						2000	3.80	5.00	43	4.39	0.09	C.R.A.B.S.	2000					
						2001	3.90	5.00	60	4.44	0.10							
						2002	3.50	5.00	60	4.24	0.09							
						6	I-15	001330	183.400	183.900	DES	1993	3.40	4.50	56	3.94		
												1994	3.40	4.50	39	3.94	0.01	
1995	3.40	4.50	45	3.94	0.01													
1996	3.80	4.50	42	4.14	0.07													
1997	3.60	4.50	42	4.04	0.08													
*1998	3.60	4.50	54	4.04	0.09													
*1999	3.70	4.50	52	4.09	0.08													
2000	3.80	4.50	48	4.14	0.17							C.R.A.B.S.	2000					
2001	3.80	4.50	63	4.14	0.18													
2002	3.50	4.50	63	3.99	0.21													
6	I-15	001330	183.900	184.900	ASC							1993	3.40	3.00	45	3.20		
												1994	3.40	3.00	34	3.20	0.00	
						1995	3.40	3.00	39	3.20	0.00							
						1996	3.80	3.00	39	3.40	0.11							
						1997	3.60	3.00	34	3.30	0.11							
						*1998	3.50	3.00	45	3.25	0.12							
						1999	3.30	3.00	32	3.15	0.16							
						2000	3.70	5.00	32	4.34	0.10	C.R.A.B.S.	2000					
						2001	3.60	5.00	63	4.29	0.10							
						2002	3.60	5.00	63	4.29	0.09							
						6	I-15	001330	183.900	184.900	DES	1993	3.40	4.50	56	3.94		
												1994	3.40	4.50	39	3.94	0.01	
1995	3.40	4.50	45	3.94	0.01													
1996	3.80	4.50	42	4.14	0.07													
1997	3.60	4.50	42	4.04	0.08													
*1998	3.60	4.50	54	4.04	0.09													
1999	3.00	2.00	37	2.50	0.10													
2000	2.90	2.00	37	2.45	0.10							C.R.A.B.S.	2000					
2001	2.90	2.00	49	2.45	0.12													
2002	3.40	2.00	49	2.70	0.13													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	I-15	001330	184.900	189.860	ASC	1993	3.40	5.00	49	4.19		
						1994	3.50	4.00	33	3.74	0.03	
						1995	3.50	4.00	36	3.74	0.03	
						1996	3.60	4.00	38	3.79	0.24	
						1997	3.50	3.90	36	3.69	0.29	
						*1998	3.50	3.90	46	3.69	0.32	
						*1999	3.40	3.90	41	3.64	0.30	
						2000	3.70	5.00	42	4.34	0.15	C.R.A.B.S.
						2001	3.80	5.00	59	4.39	0.14	
						2002	3.60	4.80	59	4.19	0.15	
6	I-15	001330	184.900	189.860	DES	1993	3.40	5.00	57	4.19		
						1994	3.80	5.00	35	4.39	0.00	
						1995	3.80	5.00	41	4.39	0.00	
						1996	4.10	5.00	39	4.54	0.08	
						1997	4.00	5.00	40	4.49	0.08	
						*1998	3.90	5.00	50	4.44	0.12	
						*1999	3.80	4.80	48	4.29	0.10	
						2000	3.90	4.50	47	4.19	0.13	C.R.A.B.S.
						2001	3.90	4.50	49	4.19	0.15	
						2002	3.70	4.50	49	4.09	0.18	
6	I-15	001330	189.860	196.000	ASC	1993	3.40	5.00	49	4.19		
						1994	3.50	4.00	33	3.74	0.03	
						1995	3.50	4.00	36	3.74	0.03	
						1996	3.60	4.00	38	3.79	0.24	
						1997	3.50	3.90	36	3.69	0.29	
						*1998	3.50	3.90	46	3.69	0.32	
						1999	3.60	5.00	50	4.29	0.07	C.R.A.B.S.
						2000	3.80	5.00	50	4.39	0.08	
						2001	3.70	4.00	60	3.84	0.08	
						2002	3.40	4.00	60	3.69	0.08	
6	I-15	001330	189.860	196.000	DES	1993	3.40	5.00	57	4.19		
						1994	3.80	5.00	35	4.39	0.00	
						1995	3.80	5.00	41	4.39	0.00	
						1996	4.10	5.00	39	4.54	0.08	
						1997	4.00	5.00	40	4.49	0.08	
						*1998	3.90	5.00	50	4.44	0.12	
						1999	3.70	5.00	49	4.34	0.08	C.R.A.B.S.
						2000	4.00	5.00	49	4.49	0.16	
						2001	4.00	5.00	54	4.49	0.16	
						2002	3.70	5.00	54	4.34	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	I-15	001380	000.170	001.100	N	1993	2.70	1.40	48	2.02									
						*1994	2.70	1.40	48	2.02	0.23	SEALCOAT	1994						
						1995	2.70	1.40	48	2.02	0.23								
						1996	2.60	1.40	51	1.97	0.14								
						1997	2.50	1.40	51	1.92	0.13								
						*1998	2.40	1.40	51	1.87	0.17								
						1999	2.00	1.40	43	1.68	0.19								
						2000	2.20	1.40	49	1.78	0.12								
						2001	2.10	1.40	54	1.73	0.19								
						2002	2.30	1.40	54	1.83	0.11								
						6	I-15	001380	001.100	002.207	N	1993	2.70	1.40	48	2.02			
												*1994	2.70	1.40	48	2.02	0.23	SEALCOAT	1994
1995	2.70	1.40	48	2.02	0.23														
1996	2.60	1.40	51	1.97	0.14														
1997	2.50	1.40	51	1.92	0.13														
*1998	2.40	1.40	51	1.87	0.17														
1999	2.40	1.40	57	1.87	0.15														
2000	2.40	1.40	49	1.87	0.16														
2001	2.50	1.40	54	1.92	0.17														
2002	2.90	4.50	54	3.74	0.14														
6	I-15	001380	002.207	003.854	N							1993	2.40	5.00	48	3.80			
												1994	2.80	5.00	48	3.98	0.09	SEALCOAT	1994
						1995	2.80	5.00	48	3.99	0.09								
						1996	3.50	5.00	47	4.30	0.13								
						1997	3.40	5.00	47	4.25	0.13								
						1998	3.20	5.00	47	4.16	0.17								
						1999	3.10	5.00	47	4.12	0.19								
						2000	3.10	5.00	49	4.10	0.20								
						2001	3.20	5.00	54	4.14	0.23								
						2002	3.50	5.00	54	4.29	0.18								
						6	I-15	001380	003.854	004.526	N	1993	2.70	3.50	53	3.13			
												1994	3.00	3.50	53	3.26	0.07	NEW CONST OR RECONST (FLEX)	1993
1995	3.00	3.50	53	3.26	0.07														
1996	3.50	3.50	40	3.50	0.09														
1997	3.30	3.50	40	3.40	0.09														
1998	3.20	3.50	40	3.36	0.12														
1999	3.20	3.50	40	3.36	0.10														
2000	3.20	3.50	49	3.35	0.13														
2001	3.20	3.50	54	3.35	0.16														
2002	3.30	3.50	54	3.40	0.14														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	I-15	001380	004.526	005.104	N	1993	2.80	3.00	52	2.90		
						1994	3.10	3.00	52	3.04	0.08	
						1995	3.10	3.00	52	3.04	0.08	
						1996	3.60	3.00	52	3.27	0.07	
						1997	3.50	3.00	52	3.23	0.06	
						1998	3.30	3.00	52	3.13	0.09	
						1999	3.40	3.00	52	3.18	0.09	C.R.A.B.S.
						2000	3.40	3.00	49	3.18	0.11	
						2001	3.50	3.00	54	3.23	0.12	
						2002	3.20	3.00	54	3.09	0.11	
6	I-15	001380	005.104	005.536	N	1993	2.70	3.50	51	3.12		
						1994	2.70	3.00	51	2.86	0.18	
						1995	2.70	3.00	51	2.86	0.18	
						1996	3.60	3.00	48	3.28	0.15	
						1997	3.40	3.00	48	3.18	0.08	
						1998	3.40	3.00	48	3.18	0.03	
						1999	3.40	5.00	48	4.25	0.03	C.R.A.B.S.
						2000	3.50	5.00	49	4.29	0.05	
						2001	3.50	5.00	54	4.29	0.04	
						2002	3.30	5.00	54	4.19	0.03	
6	I-15	001380	005.536	005.888	N	1993	1.70	3.50	49	2.71		
						1994	0.90	3.00	49	2.08	0.18	
						1995	0.90	3.00	49	2.08	0.18	
						1996	2.20	3.00	44	2.65	0.23	
						1997	2.70	3.00	44	2.86	0.06	
						1998	2.70	3.00	44	2.86	0.06	
						1999	2.40	5.00	44	3.86	0.07	C.R.A.B.S.
						2000	2.50	5.00	49	3.91	0.08	
						2001	2.60	5.00	54	3.95	0.10	
						2002	2.50	5.00	54	3.91	0.08	
6	I-15	001380	005.888	006.315	N	1993	0.80	3.50	53	2.32		
						1994	1.90	3.00	53	2.52	0.26	
						1995	1.90	3.00	53	2.52	0.26	
						1996	2.30	3.00	50	2.69	0.23	
						1997	2.30	3.00	50	2.69	0.07	
						1998	2.30	3.00	50	2.69	0.05	
						1999	2.30	5.00	50	3.82	0.06	C.R.A.B.S.
						2000	2.40	5.00	49	3.86	0.08	
						2001	2.30	5.00	54	3.82	0.10	
						2002	2.50	5.00	54	3.91	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	I-15	001380	006.315	006.589	N	1993	0.50	2.50	50	1.60		
						1994	0.80	2.40	50	1.68	0.27	
						1995	0.80	2.20	50	1.57	0.27	
						1996	1.10	2.20	41	1.70	0.36	
						1997	0.90	2.20	41	1.61	0.27	
						1998	0.70	2.20	41	1.52	0.41	
						1999	1.20	5.00	41	3.27	0.10	MILL AND INLAY
						2000	1.50	5.00	49	3.40	0.11	
						2001	1.60	4.50	54	3.18	0.11	
						2002	1.80	4.50	54	3.27	0.11	
6	I-15	001380	006.589	006.850	N	1993	1.80	4.50	46	3.30		
						1994	1.00	4.50	46	2.93	0.17	
						1995	1.00	4.00	46	2.65	0.17	
						1996	1.90	4.00	38	3.06	0.15	
						1997	1.70	4.00	38	2.97	0.13	
						1998	1.60	4.00	38	2.92	0.18	
						1999	1.70	4.00	38	2.95	0.16	
						2000	2.00	4.00	49	3.09	0.15	
						2001	1.90	3.80	54	2.94	0.16	
						2002	2.00	3.80	54	2.99	0.15	
6	I-15	001380	006.850	007.230	N	1993	2.00	4.50	47	3.38		
						1994	1.60	4.50	47	3.20	0.05	
						1995	1.60	4.50	47	3.20	0.05	
						1996	2.40	4.50	40	3.56	0.12	
						1997	2.10	4.00	40	3.14	0.12	
						1998	1.80	4.00	40	3.01	0.13	
						1999	1.80	4.00	40	3.01	0.15	
						2000	1.70	4.00	49	2.96	0.16	
						2001	1.70	3.50	54	2.69	0.16	
						2002	1.80	3.50	54	2.73	0.17	
6	I-15	004050	000.990	001.150	N	1993	0.70	2.50	57	1.63		
						1994	2.80	2.50	35	2.64	0.19	
						1995	2.80	2.50	41	2.64	0.19	
						1996	2.20	4.00	39	3.13	0.08	PLANT MIX OVERLAY
						1997	1.90	4.00	40	2.99	0.12	
						1998	1.80	4.00	50	2.94	0.14	
						1999	1.90	4.00	49	2.99	0.13	
						2000	1.20	3.00	49	2.13	0.06	
						2001	1.50	3.00	54	2.27	0.12	
						2002	1.80	3.00	54	2.42	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
6	I-15	009004	000.000	000.509	N	1993	0.50		47	0.50		
						1994	0.40	3.00	47	1.74	0.53	
						1995	0.40	3.00	47	1.75	0.53	
						1996	3.00	2.50	40	2.74	0.08	
						1997	2.70	2.50	40	2.59	0.08	
						1998	2.70	2.50	40	2.59	0.09	
						1999	2.60	2.50	40	2.54	0.09	
						2000	2.60	2.50	49	2.54	0.09	
						*2001	2.70	2.00	54	2.33	0.10	
6	I-15	009005	000.000	000.279	N	1994	0.40	3.00	47	1.91	0.53	
						1995	0.40	3.00	47	1.91	0.53	
						1996	2.80	3.00	40	2.91	0.16	
						1997	2.80	3.00	40	2.91	0.16	
						1998	2.70	3.00	40	2.87	0.12	
						1999	2.30	3.00	40	2.70	0.14	
						2000	2.40	3.00	49	2.74	0.14	
						*2001	2.20	3.00	54	2.66	0.12	
6	U.S.-20	000852	100.000	100.152	N	2002	3.20	5.00	39	4.24	0.09	
6	U.S.-20	002070	263.770	267.426	N	1993	2.70	3.50	44	3.12		
						1994	2.80	3.50	42	3.16	0.36	
						1995	2.80	3.50	42	3.16	0.36	
						1996	3.20	3.50	50	3.35	0.24	
						1997	3.00	3.50	50	3.26	0.24	
						1998	2.90	3.50	50	3.21	0.26	
						1999	2.90	3.30	59	3.10	0.27	
						2000	2.90	3.30	59	3.10	0.27	
						2001	2.80	3.30	59	3.06	0.28	
						2002	2.70	3.30	59	3.01	0.25	
6	U.S.-20	002070	267.426	276.044	N	1993	2.90	3.50	44	3.21		
						1994	2.90	3.50	42	3.21	0.22	
						1995	2.90	3.50	42	3.21	0.22	
						1996	3.40	3.50	46	3.45	0.19	
						1997	3.10	3.50	46	3.30	0.17	
						1998	3.10	3.50	46	3.30	0.22	
						1999	3.00	2.90	58	2.94	0.22	
						2000	3.00	2.90	58	2.94	0.24	
						2001	3.00	2.90	58	2.94	0.21	
						2002	2.90	2.90	58	2.90	0.20	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS
6	U.S.-20	002070	276.044	282.837	N	1993	2.80	4.00	46	3.43		
						1994	2.70	3.50	42	3.11	0.24	
						1995	2.70	3.50	42	3.11	0.24	
						1996	3.30	3.50	49	3.40	0.17	
						1997	3.10	3.50	49	3.30	0.19	
						1998	3.00	3.50	49	3.26	0.21	
						1999	3.00	3.30	59	3.15	0.18	
						2000	2.90	3.30	59	3.10	0.23	
						2001	2.90	3.30	59	3.10	0.17	
						2002	2.90	3.30	59	3.10	0.18	
6	U.S.-20	002070	282.837	284.000	N	1993	2.50	3.50	49	3.02		
						1994	2.60	3.50	44	3.07	0.26	
						1995	2.60	3.50	44	3.07	0.26	
						1996	2.90	3.50	51	3.21	0.16	
						1997	3.50	5.00	51	4.28	0.10	C.R.A.B.S.
						1998	3.40	5.00	51	4.23	0.08	
						1999	3.50	5.00	66	4.28	0.08	
						2000	3.50	5.00	66	4.28	0.07	
						2001	3.40	4.40	66	3.92	0.07	
						2002	3.20	4.00	66	3.61	0.07	
6	U.S.-20	002070	284.000	288.700	N	1993	3.10	3.50	52	3.30		
						1994	3.20	3.50	38	3.35	0.26	
						1995	3.20	3.50	38	3.35	0.26	
						1996	3.40	3.50	43	3.45	0.19	
						1997	3.60	5.00	43	4.33	0.07	C.R.A.B.S.
						1998	3.50	5.00	43	4.28	0.07	
						1999	3.60	5.00	65	4.33	0.06	
						2000	3.60	5.00	65	4.33	0.06	
						2001	3.60	4.70	65	4.17	0.07	
						2002	3.30	4.70	65	4.03	0.06	
6	U.S.-20	002070	288.700	291.000	N	1993	2.80	3.50	60	3.16		
						1994	2.80	3.50	46	3.16	0.43	
						1995	2.80	3.10	46	2.95	0.43	
						1996	2.90	3.10	50	3.00	0.36	
						1997	3.80	5.00	50	4.42	0.06	C.R.A.B.S.
						1998	3.60	5.00	50	4.33	0.06	
						1999	3.60	5.00	65	4.33	0.05	
						2000	3.60	5.00	65	4.33	0.07	
						2001	3.60	5.00	65	4.33	0.06	
						2002	3.40	4.80	65	4.13	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	U.S.-20	002070	291.000	294.000	N	1993	2.70	3.50	56	3.11									
						1994	2.70	3.50	40	3.11	0.57								
						1995	2.70	3.00	40	2.85	0.57								
						*1996	2.80	3.00	44	2.90	0.41								
						1997	3.20	3.30	41	3.25	0.26	C.R.A.B.S.					1997		
						1998	3.10	3.30	41	3.20	0.29								
						1999	3.10	2.90	50	2.99	0.35								
						*2000	3.10	2.90	50	2.99	0.37								
						2001	3.50	5.00	62	4.28	0.05								
						2002	3.20	4.50	62	3.88	0.05								
						6	U.S.-20	002070	294.000	301.105	N	1993	3.00	3.50	57	3.26			
												1994	3.00	3.50	40	3.26	0.43		
*1995	3.00	3.30	40	3.15	0.43														
*1996	3.20	3.30	41	3.25	0.26														
1997	3.20	3.30	41	3.25	0.26														
1998	3.10	3.30	41	3.20	0.29														
1999	3.10	2.90	50	2.99	0.35														
*2000	3.10	2.90	50	2.99	0.37														
2001	3.30	5.00	50	4.18	0.11							C.R.A.B.S.					2001		
2002	3.30	5.00	50	4.19	0.13														
6	U.S.-20	002070	301.105	301.350	N							1993	3.00	3.50	57	3.26			
												1994	3.00	3.50	40	3.26	0.43		
						*1995	3.00	3.30	40	3.15	0.43								
						*1996	3.20	3.30	41	3.25	0.26								
						1997	3.20	3.30	41	3.25	0.26								
						1998	3.10	3.30	41	3.20	0.29								
						1999	3.10	2.90	50	2.99	0.35								
						*2000	3.10	2.90	50	2.99	0.37								
						2001	3.30	2.90	50	3.09	0.06								
						2002	3.30	2.90	50	3.09	0.08								
						6	U.S.-20	002070	301.350	303.600	N	1993	3.00	3.50	57	3.26			
												1994	3.00	3.50	40	3.26	0.43		
*1995	3.00	3.30	40	3.15	0.43														
1996	1.30	5.00	54	3.22	0.62							NEW CONST OR RECONST (FLEX)					1996		
1997	3.90	5.00	54	4.47	0.06														
1998	3.90	5.00	54	4.47	0.08														
1999	3.90	5.00	41	4.47	0.09														
2000	4.00	5.00	41	4.52	0.13														
2001	4.00	5.00	41	4.52	0.13														
2002	3.80	5.00	41	4.42	0.14														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	U.S.-20	002070	303.600	305.011	N	1993	2.30	2.80	37	2.55									
						*1994	2.60	2.00	27	2.28	0.24								
						1995	3.50	5.00	26	4.27	0.00	NEW CONST OR RECONST (FLEX)				1995			
						1996	3.90	5.00	43	4.47	0.05								
						1997	4.00	5.00	43	4.51	0.06								
						1998	3.30	5.00	43	4.18	0.09								
						1999	3.90	5.00	56	4.47	0.07								
						2000	3.90	5.00	56	4.47	0.10								
						2001	3.90	5.00	56	4.47	0.09								
						2002	3.60	5.00	56	4.32	0.10								
						6	U.S.-20	002070	305.011	305.566	N	1993	2.60	3.00	48	2.81			
												1994	2.40	2.00	30	2.18	0.13		
1995	3.50	5.00	30	4.31	0.00							NEW CONST OR RECONST (FLEX)							
1996	3.20	5.00	40	4.18	0.12														
1997	3.10	5.00	40	4.13	0.08														
1998	3.10	5.00	40	4.13	0.04														
1999	2.70	5.00	40	3.95	0.12														
2000	3.10	5.00	56	4.13	0.14														
2001	3.00	5.00	56	4.08	0.13														
2002	2.90	5.00	56	4.03	0.13														
6	U.S.-20	002070	305.566	306.056	N							1993	3.00	5.00	50	4.08			
												1994	3.20	5.00	35	4.17	0.00		
						1995	3.20	5.00	35	4.17	0.00								
						1996	3.70	5.00	41	4.40	0.06								
						1997	3.30	5.00	41	4.22	0.08								
						1998	3.00	5.00	41	4.08	0.19								
						1999	3.00	5.00	50	4.08	0.04								
						2000	3.20	5.00	50	4.17	0.06								
						2001	3.10	5.00	50	4.12	0.03								
						2002	3.30	4.80	50	4.10	0.04								
						6	U.S.-20	002070	306.056	306.514	N	1993	2.20	4.50	40	3.49			
												1994	2.80	4.50	25	3.76	0.17		
1995	2.80	4.50	25	3.76	0.17														
1996	3.10	4.50	34	3.89	0.12														
1997	2.90	4.50	34	3.80	0.12														
1998	2.20	4.50	34	3.49	0.13														
1999	2.80	4.50	40	3.76	0.20														
2000	2.80	4.50	40	3.75	0.28														
2001	2.60	4.50	40	3.66	0.26														
2002	2.50	4.50	40	3.62	0.30														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
6	U.S.-20	002070	306.514	306.900	N	1993	2.30	4.50	41	3.52			
						1994	2.20	4.50	26	3.48	0.13		
						1995	2.20	4.50	26	3.47	0.13		
						1996	2.80	4.50	35	3.74	0.10		
						1997	2.40	4.50	35	3.56	0.11		
						1998	2.40	4.50	35	3.56	0.11		
						1999	2.50	4.50	35	3.60	0.13		
						2000	2.50	4.50	40	3.60	0.13		
						2001	2.50	4.50	40	3.60	0.13		
						2002	2.40	4.40	40	3.51	0.21		
6	U.S.-20	002070	307.450	307.695	N	1993	1.00	3.00	48	2.10			
						1994	1.70	3.00	27	2.41	0.11		
						1995	1.70	3.00	27	2.42	0.11		
						1996	2.70	3.00	33	2.86	0.13		
						1997	2.40	3.00	33	2.73	0.11		
						1998	2.50	3.00	33	2.77	0.13		
						1999	2.40	3.00	47	2.73	0.15		
						2000	2.30	3.00	47	2.68	0.20		
						2001	3.20	3.00	47	3.08	1.23		
						2002	2.30	3.00	47	2.68	0.19	SEALCOAT	2002
6	U.S.-20	002070	307.695	308.442	ASC	1993	2.10	4.00	43	3.13			
						1994	2.00	4.00	30	3.08	0.16		
						1995	2.00	4.00	30	3.07	0.16		
						1996	2.80	4.00	35	3.44	0.06		
						1997	2.50	4.00	35	3.31	0.06		
						1998	2.30	4.00	35	3.22	0.08		
						1999	2.30	4.00	46	3.21	0.10		
						2000	2.40	3.50	46	2.98	0.11		
						2001	2.30	3.50	46	2.94	0.10		
						2002	2.50	3.50	46	3.03	0.14	SEALCOAT	2002
6	U.S.-20	002070	307.695	308.442	DES	1993	2.30	4.00	56	3.22			
						1994	2.70	4.00	56	3.40	0.02		
						1995	2.70	4.00	56	3.39	0.02		
						1996	3.30	4.00	34	3.67	0.11		
						1997	2.80	4.00	34	3.44	0.11		
						1998	2.80	4.00	34	3.44	0.11		
						1999	2.80	4.00	50	3.44	0.13		
						2000	2.80	4.00	50	3.44	0.14		
						2001	3.90	4.00	50	3.95	1.47		
						2002	2.90	4.00	50	3.49	0.14	SEALCOAT	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
6	U.S.-20	002070	308.442	309.134	ASC	1993	2.80	3.50	46	3.18			
						1994	3.00	3.50	30	3.27	0.10		
						1995	3.00	3.50	30	3.27	0.10		
						1996	3.60	3.50	37	3.54	0.10		
						1997	3.30	3.50	37	3.40	0.12		
						1998	3.30	3.50	37	3.40	0.14		
						1999	3.30	3.50	47	3.40	0.15		
						2000	3.30	3.50	47	3.40	0.17		
						2001	3.30	2.60	47	2.91	0.16		
						2002	3.30	2.50	47	2.86	0.20	SEALCOAT	2002
6	U.S.-20	002070	308.442	309.134	DES	1993	3.00	3.50	56	3.27			
						1994	3.00	3.50	56	3.27	0.20		
						1995	3.00	3.50	56	3.27	0.20		
						1996	3.70	3.50	34	3.59	0.16		
						1997	3.40	3.50	34	3.45	0.16		
						1998	3.30	3.50	34	3.40	0.18		
						1999	3.30	3.50	49	3.40	0.19		
						2000	3.40	3.50	49	3.45	0.19		
						2001	4.40	3.50	49	3.90	1.60		
						2002	3.40	3.50	49	3.45	0.25	SEALCOAT	2002
6	U.S.-20	002070	309.134	311.900	ASC	1993	3.40	4.00	48	3.71			
						1994	3.50	4.00	28	3.75	0.14		
						1995	3.50	4.00	28	3.75	0.14		
						1996	3.90	4.00	51	3.95	0.08	SEALCOAT	1996
						1997	3.80	4.00	51	3.90	0.13		
						1998	3.70	4.00	51	3.85	0.15		
						1999	3.80	4.00	53	3.90	0.14		
						2000	3.80	4.00	53	3.90	0.15		
						2001	3.80	4.00	53	3.90	0.17		
						2002	3.60	4.00	53	3.80	0.17	SEALCOAT	2002
6	U.S.-20	002070	309.134	311.900	DES	1993	3.00	4.00	55	3.51			
						1994	3.00	4.00	55	3.51	0.12		
						1995	3.00	4.00	55	3.51	0.12		
						1996	3.50	4.00	48	3.75	0.15	SEALCOAT	1996
						1997	3.30	4.00	48	3.66	0.12		
						1998	3.30	4.00	48	3.66	0.15		
						1999	3.30	4.00	49	3.66	0.16		
						2000	3.30	4.00	49	3.66	0.19		
						2001	4.50	4.00	49	4.24	1.58		
						2002	3.20	4.00	49	3.61	0.24	SEALCOAT	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
6	U.S.-20	002070	311.900	317.360	ASC	2002	3.00	3.50	49	3.25	0.31		
6	U.S.-20	002070	311.900	317.360	DES	2002	3.60	4.00	47	3.80	0.17		
6	U.S.-20	002070	311.900	317.922	ASC	1993	3.10	3.50	48	3.30			
						1994	3.20	3.50	25	3.35	0.18		
						1995	3.20	3.50	25	3.35	0.18		
						1996	3.40	3.50	44	3.45	0.19	SEALCOAT	
						1997	3.20	3.50	44	3.35	0.20		
						1998	3.20	3.50	44	3.35	0.23		
						1999	3.20	3.50	49	3.35	0.25	SEALCOAT	
						2000	3.20	3.50	49	3.35	0.31		
						*2001	3.20	3.50	49	3.35	0.26		
6	U.S.-20	002070	311.900	317.922	DES	1993	3.40	4.00	52	3.71			
						1994	3.50	4.00	52	3.75	0.13		
						1995	3.50	4.00	52	3.75	0.13		
						1996	3.90	4.00	43	3.95	0.11	SEALCOAT	
						1997	3.80	4.00	43	3.90	0.09		
						1998	3.70	4.00	43	3.85	0.13		
						1999	3.80	4.00	47	3.90	0.16	SEALCOAT	
						2000	3.80	4.00	47	3.90	0.16		
						*2001	4.70	4.00	47	4.33	1.50		
6	U.S.-20	002070	317.360	318.550	ASC	2002	3.00	5.00	45	4.02	0.16	NEW CONST OR RECONST (FLEX)	
6	U.S.-20	002070	317.360	318.550	DES	2002	3.40	5.00	46	4.22	0.10	NEW CONST OR RECONST (FLEX)	
6	U.S.-20	002070	317.922	320.088	ASC	1993	3.50	4.00	43	3.75			
						1994	3.60	4.00	24	3.80	0.32		
						1995	3.60	4.00	24	3.80	0.32		
						1996	3.50	4.00	31	3.75	0.25		
						1997	3.50	4.00	31	3.75	0.26		
						1998	3.30	4.00	31	3.66	0.39		
						1999	3.40	4.00	45	3.70	0.35	SEALCOAT	
						2000	3.40	4.00	45	3.70	0.40		
						*2001	3.00	4.00	45	3.51	0.21		
6	U.S.-20	002070	317.922	320.088	DES	1993	3.30	4.00	55	3.66			
						1994	3.30	4.00	55	3.66	0.08		
						1995	3.30	4.00	55	3.66	0.08		
						1996	3.70	4.00	34	3.85	0.14		
						1997	3.60	4.00	34	3.80	0.12		
						1998	3.50	4.00	34	3.75	0.17		
						1999	3.60	4.00	46	3.80	0.19	SEALCOAT	
						2000	3.60	4.00	46	3.80	0.21		
						*2001	4.40	4.00	46	4.19	1.53		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-20	002070	318.550	320.088	ASC	2002	3.30	4.00	46	3.65	0.37	
6	U.S.-20	002070	318.550	320.088	DES	2002	3.30	4.00	46	3.65	0.25	
6	U.S.-20	002070	320.088	321.092	ASC	1993	3.10	2.50	44	2.78		
						1994	3.10	2.50	28	2.78	0.11	
						1995	3.10	2.50	28	2.78	0.11	
						1996	3.40	2.00	29	2.67	0.12	
						1997	3.30	2.00	29	2.62	0.12	
						1998	3.40	2.00	29	2.67	0.17	
						1999	3.40	2.00	39	2.67	0.15	SEALCOAT
						2000	3.30	2.00	39	2.62	0.18	
						2001	3.30	2.00	39	2.62	0.19	
						2002	3.00	2.00	39	2.48	0.21	
6	U.S.-20	002070	320.088	321.092	DES	1993	2.80	2.50	48	2.64		
						1994	2.90	2.50	48	2.69	0.02	
						1995	2.90	2.40	48	2.64	0.02	
						1996	2.90	2.40	31	2.64	0.07	
						1997	2.80	2.40	31	2.59	0.09	
						1998	2.70	2.40	31	2.54	0.08	
						1999	2.70	2.20	40	2.44	0.07	SEALCOAT
						2000	2.70	2.20	40	2.44	0.08	
						2001	4.50	2.20	40	3.30	1.32	
						2002	2.40	2.20	40	2.29	0.09	
6	U.S.-20	002070	321.092	322.052	ASC	1993	3.10	2.50	45	2.78		
						1994	3.00	2.50	28	2.74	0.04	
						1995	3.00	2.50	28	2.74	0.04	
						1996	3.00	2.00	27	2.48	0.05	
						1997	3.00	2.00	27	2.48	0.09	
						1998	3.00	2.00	27	2.48	0.06	
						1999	3.10	2.00	36	2.52	0.08	
						2000	3.10	2.00	36	2.53	0.07	
						2001	3.10	2.00	36	2.53	0.09	
						2002	2.70	2.00	36	2.33	0.05	
6	U.S.-20	002070	321.092	322.052	DES	1993	3.30	2.50	47	2.88		
						1994	3.20	2.50	47	2.83	0.01	
						1995	3.20	2.50	47	2.83	0.01	
						1996	3.10	2.50	27	2.78	0.10	
						1997	3.00	2.40	27	2.68	0.09	
						1998	2.90	2.40	27	2.64	0.08	
						1999	3.00	2.20	36	2.58	0.07	
						2000	2.80	2.20	36	2.48	0.07	
						2001	4.60	2.20	36	3.35	1.28	
						2002	2.30	2.20	36	2.24	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	U.S.-20	002070	322.052	325.860	ASC	1993	3.40	2.00	46	2.67			
						1994	3.30	2.00	33	2.62	0.05		
						1995	3.30	2.00	33	2.62	0.05		
						1996	3.10	1.90	30	2.47	0.03		
						1997	3.20	1.90	30	2.52	0.04		
						1998	3.20	1.90	30	2.52	0.03		
						1999	3.30	1.90	43	2.57	0.03		
						2000	3.10	1.80	43	2.42	0.04		
						2001	3.20	1.80	43	2.47	0.05		
						2002	2.70	1.80	43	2.23	0.04		
6	U.S.-20	002070	322.052	325.860	DES	1993	3.50	2.00	49	2.72			
						1994	3.60	2.00	49	2.76	0.00		
						1995	3.60	1.90	49	2.71	0.00		
						1996	3.40	1.90	25	2.62	0.07		
						1997	3.40	1.90	25	2.62	0.08		
						1998	3.30	1.90	25	2.57	0.05		
						1999	3.30	1.90	35	2.57	0.05		
						2000	3.10	1.90	35	2.48	0.05		
						2001	4.70	1.90	35	3.25	1.31		
						2002	2.50	1.90	35	2.19	0.05		
6	U.S.-20	002070	325.860	326.274	ASC	1993	2.90	2.00	49	2.43		GRIND AND JOINT SEAL (CONC)	1993
						1994	2.80	2.00	33	2.38	0.06		
						1995	2.80	2.00	33	2.38	0.06		
						1996	2.70	1.90	37	2.28	0.03		
						1997	2.60	1.90	37	2.23	0.05		
						1998	2.60	1.80	37	2.18	0.05		
						1999	2.60	1.80	34	2.18	0.04		
						2000	2.50	1.80	34	2.13	0.06		
						2001	2.80	1.80	34	2.28	0.04		
						2002	2.50	1.80	34	2.13	0.04		
6	U.S.-20	002070	325.860	326.274	DES	1993	3.10	2.00	51	2.52		GRIND AND JOINT SEAL (CONC)	1993
						1994	3.00	2.00	51	2.48	0.01		
						1995	3.00	1.90	51	2.43	0.01		
						1996	3.10	1.90	29	2.47	0.05		
						1997	3.00	1.90	29	2.43	0.04		
						1998	2.90	1.90	29	2.38	0.06		
						1999	2.80	1.90	31	2.33	0.06		
						2000	2.80	1.90	31	2.33	0.06		
						2001	4.20	1.90	31	3.01	1.27		
						2002	2.60	1.90	31	2.23	0.05		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	U.S.-20	002070	326.274	327.640	ASC	1993	3.20	2.50	48	2.83		GRIND AND JOINT SEAL (CONC)	1993
						1994	3.10	2.50	35	2.78	0.09		
						1995	3.10	2.50	35	2.78	0.09		
						1996	3.30	2.00	31	2.62	0.04		
						1997	3.30	2.00	31	2.62	0.04	GRIND AND JOINT SEAL (CONC)	1997
						1998	3.20	2.00	31	2.57	0.04		
						1999	3.00	2.00	35	2.48	0.04		
						2000	3.00	2.00	35	2.48	0.05		
						2001	3.10	1.90	35	2.47	0.05		
						2002	2.90	1.90	35	2.38	0.05		
6	U.S.-20	002070	326.274	327.640	DES	1993	3.70	2.00	45	2.81		GRIND AND JOINT SEAL (CONC)	1993
						1994	3.70	2.00	45	2.81	0.06		
						1995	3.70	2.00	45	2.81	0.06		
						1996	3.60	2.00	28	2.76	0.03		
						1997	3.80	2.00	28	2.86	0.04	GRIND AND JOINT SEAL (CONC)	1997
						1998	3.70	2.00	28	2.82	0.04		
						1999	3.80	2.00	32	2.86	0.04		
						2000	3.80	2.00	32	2.86	0.04		
						2001	4.70	2.00	32	3.30	1.39		
						2002	3.30	2.00	32	2.62	0.04		
6	U.S.-20	002070	327.640	331.427	ASC	1993	3.10	4.00	50	3.56			
						1994	3.10	4.00	35	3.56	0.06		
						1995	3.10	4.00	35	3.56	0.06		
						1996	3.00	4.00	35	3.51	0.04		
						1997	3.50	4.00	35	3.75	0.05	GRIND AND JOINT SEAL (CONC)	1997
						1998	3.50	4.00	35	3.75	0.03		
						1999	3.60	4.00	40	3.80	0.03		
						2000	3.70	4.00	40	3.85	0.03		
						2001	3.90	4.00	40	3.95	0.03		
						2002	3.60	4.00	40	3.80	0.03		
6	U.S.-20	002070	327.640	331.427	DES	1993	3.20	4.00	46	3.61			
						1994	3.30	4.00	46	3.66	0.02		
						1995	3.30	4.00	46	3.66	0.02		
						1996	3.10	4.00	27	3.56	0.03		
						1997	3.50	3.00	27	3.24	0.05	GRIND AND JOINT SEAL (CONC)	1997
						1998	3.50	3.00	27	3.24	0.03		
						1999	3.50	3.00	34	3.24	0.03		
						2000	3.90	3.00	34	3.43	0.03		
						2001	4.90	3.00	34	3.91	1.33		
						2002	3.60	3.00	34	3.28	0.03		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
6	U.S.-20	002070	331.427	333.435	ASC	1993	3.00	4.50	47	3.82		
						1994	2.90	4.50	35	3.77	0.09	
						1995	2.90	4.50	35	3.77	0.09	
						1996	2.80	4.50	32	3.73	0.05	
						1997	2.90	4.50	32	3.78	0.05	
						1998	2.90	4.50	32	3.78	0.04	
						1999	2.90	4.50	43	3.78	0.04	
						2000	3.10	4.50	43	3.86	0.04	
						2001	3.90	4.50	43	4.22	0.03	
						2002	3.70	4.40	43	4.08	0.02	
6	U.S.-20	002070	331.427	333.435	DES	1993	3.00	4.50	44	3.82		
						1994	3.10	4.50	44	3.86	0.03	
						1995	3.10	4.50	44	3.86	0.03	
						1996	3.00	4.50	25	3.82	0.04	
						1997	3.00	4.30	25	3.71	0.05	
						1998	2.90	4.30	25	3.67	0.04	
						1999	3.00	4.30	42	3.71	0.04	
						2000	3.70	4.30	42	4.02	0.03	
						2001	4.80	4.30	42	4.52	1.35	
						2002	3.70	4.10	42	3.91	0.02	
6	U.S.-20	002070	333.435	334.438	ASC	1993	3.00	4.50	48	3.82		
						1994	2.90	4.50	37	3.78	0.03	
						1995	2.90	4.50	37	3.78	0.03	
						1996	2.90	4.50	32	3.78	0.05	
						1997	2.80	4.50	32	3.73	0.06	
						1998	2.70	4.50	32	3.69	0.04	
						1999	2.90	4.50	42	3.78	0.04	
						2000	2.80	4.50	42	3.73	0.04	
						2001	2.80	4.50	42	3.73	0.04	
						2002	3.40	4.50	42	4.00	0.02	
6	U.S.-20	002070	333.435	334.438	DES	1993	3.00	4.50	45	3.82		
						1994	3.00	4.50	45	3.82	0.04	
						1995	3.00	4.50	45	3.82	0.04	
						1996	2.90	4.50	30	3.78	0.04	
						1997	2.80	4.50	30	3.73	0.04	
						1998	2.80	4.50	30	3.73	0.03	
						1999	2.80	4.50	38	3.73	0.04	
						2000	2.60	4.50	38	3.64	0.04	
						2001	4.60	4.50	38	4.54	1.28	
						2002	3.50	4.00	38	3.77	0.03	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
6	U.S.-20	002070	334.438	334.984	ASC	1993	3.40	3.50	50	3.45		
						*1994	3.20	3.50	37	3.35	0.01	
						1995	2.90	3.50	39	3.21	0.00	
						1996	2.90	3.50	32	3.21	0.04	
						1997	2.90	3.50	32	3.21	0.05	
						1998	2.80	3.50	32	3.18	0.03	
						1999	3.00	3.50	41	3.26	0.07	
						2000	2.80	3.50	41	3.18	0.04	
						2001	2.90	3.50	41	3.23	0.03	
						2002	3.40	3.50	41	3.45	0.02	
6	U.S.-20	002070	334.438	334.984	DES	1993	3.20	4.00	47	3.61		
						*1994	3.20	3.50	47	3.35	0.03	
						1995	3.20	3.50	47	3.35	0.00	
						1996	3.00	3.50	30	3.26	0.09	
						1997	2.90	3.50	30	3.21	0.09	
						1998	2.90	3.50	30	3.23	0.08	
						1999	2.70	3.50	41	3.11	0.06	
						2000	2.60	3.50	41	3.09	0.09	
						2001	4.80	3.50	41	4.08	1.31	
						2002	3.50	3.50	41	3.50	0.03	
6	U.S.-20	002070	334.984	335.361	ASC	1993	3.40	3.50	50	3.45		
						*1994	3.20	3.50	37	3.35	0.01	
						1995	3.50	5.00	42	4.28	0.00	MILL AND INLAY
						1996	2.90	5.00	40	3.99	0.04	
						1997	2.80	5.00	40	3.94	0.05	
						1998	2.80	5.00	40	4.01	0.03	
						1999	2.80	5.00	43	3.94	0.06	
						2000	2.70	4.50	43	3.69	0.04	
						2001	2.80	4.50	43	3.73	0.04	
						2002	3.40	4.50	43	4.00	0.02	
6	U.S.-20	002070	334.984	335.361	DES	1993	3.20	4.00	47	3.61		
						*1994	3.20	3.50	47	3.35	0.03	
						1995	3.50	5.00	50	4.28	0.00	MILL AND INLAY
						1996	3.10	5.00	33	4.09	0.03	
						1997	2.90	4.50	33	3.73	0.03	
						1998	2.90	4.50	33	3.78	0.04	
						1999	2.90	4.50	35	3.73	0.03	
						2000	2.70	4.50	35	3.69	0.05	
						2001	4.70	4.00	35	4.31	1.39	
						2002	3.60	4.00	35	3.82	0.02	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
6	U.S.-20	002070	335.361	336.859	ASC	1993	3.40	3.50	50	3.45		
						*1994	3.20	3.50	37	3.35	0.01	
						1995	3.30	3.50	37	3.40	0.01	
						1996	3.10	2.00	31	2.52	0.05	
						*1997	3.00	2.00	31	2.48	0.06	
						1998	2.90	4.50	35	3.77	0.05	
						1999	3.00	4.50	39	3.77	0.05	
						2000	2.80	4.50	39	3.73	0.04	
						2001	2.80	4.50	39	3.73	0.04	
						2002	3.00	4.50	39	3.82	0.03	
6	U.S.-20	002070	335.361	336.859	DES	1993	3.20	4.00	47	3.61		
						*1994	3.20	3.50	47	3.35	0.03	
						1995	3.30	3.50	46	3.40	0.03	
						1996	3.10	3.50	28	3.30	0.06	
						*1997	2.90	3.50	28	3.21	0.07	
						1998	2.90	3.50	28	3.22	0.04	
						1999	2.90	3.50	38	3.21	0.04	
						2000	2.70	3.50	38	3.13	0.07	
						2001	4.80	3.50	38	4.08	1.32	
						2002	2.60	3.50	38	3.09	0.04	
6	U.S.-20	002070	336.859	338.165	ASC	1993	3.40	3.50	50	3.45		
						*1994	3.20	3.50	37	3.35	0.01	
						1995	3.30	3.50	37	3.40	0.01	
						1996	3.10	2.00	31	2.52	0.05	
						*1997	3.00	2.00	31	2.48	0.06	
						1998	3.10	1.80	27	2.42	0.05	
						1999	3.10	1.80	39	2.42	0.06	
						2000	3.00	1.80	39	2.37	0.05	
						2001	3.10	1.80	39	2.42	0.04	
						2002	2.50	1.80	39	2.13	0.07	
6	U.S.-20	002070	336.859	338.165	DES	1993	3.20	4.00	47	3.61		
						*1994	3.20	3.50	47	3.35	0.03	
						1995	3.30	3.50	46	3.40	0.03	
						1996	3.10	3.50	28	3.30	0.06	
						*1997	2.90	3.50	28	3.21	0.07	
						1998	2.80	3.50	28	3.16	0.06	
						1999	2.90	2.30	40	2.58	0.06	
						2000	2.70	2.30	40	2.49	0.06	
						2001	4.70	2.30	40	3.45	1.39	
						2002	2.20	2.30	40	2.25	0.05	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
6	U.S.-20	002070	338.165	338.332	ASC	1993	3.40	2.50	46	2.93		
						1994	3.60	2.50	46	3.02	0.03	
						1995	3.60	2.50	46	3.02	0.03	
						1996	3.40	1.90	27	2.61	0.06	
						1997	3.40	1.90	27	2.62	0.05	
						1998	3.50	1.90	27	2.66	0.06	
						1999	3.60	1.90	27	2.71	0.05	
						2000	3.40	1.90	40	2.62	0.05	
						2001	3.70	1.90	40	2.76	0.04	
						2002	3.10	1.90	40	2.47	0.07	
6	U.S.-20	002070	338.165	338.332	DES	1993	2.90	2.50	43	2.69		
						1994	2.70	2.50	43	2.59	0.08	
						1995	2.70	2.40	43	2.54	0.08	
						1996	2.80	2.40	31	2.59	0.06	
						1997	2.60	2.00	31	2.28	0.08	
						1998	2.70	2.00	31	2.33	0.05	
						1999	2.70	2.00	31	2.33	0.07	
						2000	2.60	2.00	40	2.28	0.07	
						2001	4.60	2.00	40	3.24	1.41	
						2002	2.20	2.00	40	2.09	0.05	
6	U.S.-20	002070	338.332	338.927	ASC	1993	3.20	3.00	44	3.09		
						1994	3.20	3.00	31	3.09	0.08	
						1995	3.20	3.00	31	3.09	0.08	
						1996	3.20	2.00	26	2.57	0.06	
						1997	2.90	2.00	26	2.43	0.09	
						1998	3.10	2.00	26	2.52	0.09	
						1999	3.10	2.00	34	2.52	0.05	
						2000	2.90	2.00	34	2.43	0.07	
						2001	3.30	2.00	34	2.62	0.06	
						2002	2.40	2.00	34	2.19	0.08	
6	U.S.-20	002070	338.332	338.927	DES	1993	3.00	2.70	42	2.84		
						1994	3.10	2.50	42	2.78	0.07	
						1995	3.10	2.50	42	2.78	0.07	
						1996	2.90	2.50	28	2.69	0.05	
						1997	2.80	2.00	28	2.38	0.06	
						1998	2.90	2.00	28	2.43	0.06	
						1999	2.90	1.90	39	2.38	0.07	
						2000	2.70	1.90	39	2.28	0.08	
						2001	4.60	1.90	39	3.19	1.43	
						2002	2.30	1.90	39	2.09	0.08	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
6	U.S.-20	002070	338.927	340.080	ASC	1993	3.30	3.50	60	3.40		
						1994	3.40	2.80	42	3.08	0.18	
						*1995	3.40	2.60	42	2.98	0.18	
						1996	3.20	2.00	24	2.57	0.05	
						1997	3.00	1.90	24	2.42	0.08	
						1998	3.00	1.80	24	2.37	0.04	
						1999	3.10	1.80	37	2.42	0.05	
						2000	2.90	1.50	37	2.17	0.04	
						2001	3.10	1.50	37	2.26	0.04	
						2002	2.40	1.50	37	1.93	0.06	
6	U.S.-20	002070	338.927	340.080	DES	1993	3.60	4.50	55	4.06		
						1994	3.60	4.50	55	4.06	0.07	
						*1995	3.60	4.50	55	4.06	0.07	
						1996	3.00	2.40	28	2.68	0.07	
						1997	3.00	2.00	28	2.47	0.06	
						1998	3.00	2.00	28	2.47	0.06	
						1999	3.00	2.00	40	2.47	0.07	
						2000	2.90	2.00	40	2.43	0.05	
						2001	4.60	2.00	40	3.24	1.41	
						2002	2.40	2.00	40	2.19	0.07	
6	U.S.-20	002070	340.080	343.350	ASC	1993	3.30	3.50	60	3.40		
						1994	3.40	2.80	42	3.08	0.18	
						*1995	3.40	2.60	42	2.98	0.18	
						1996	4.30	5.00	44	4.66	0.05	SEALCOAT
						1997	4.10	5.00	44	4.56	0.09	
						1998	4.00	4.40	44	4.20	0.13	
						1999	4.00	4.40	34	4.20	0.13	
						2000	4.00	4.00	34	4.00	0.16	
						2001	4.00	4.00	34	4.00	0.16	
						2002	3.60	3.00	34	3.28	0.19	
6	U.S.-20	002070	340.080	343.350	DES	1993	3.60	4.50	55	4.06		
						1994	3.60	4.50	55	4.06	0.07	
						*1995	3.60	4.50	55	4.06	0.07	
						1996	3.80	4.50	35	4.16	0.04	SEALCOAT
						1997	3.70	4.00	35	3.85	0.03	
						1998	3.60	4.00	35	3.80	0.06	
						1999	3.60	4.00	46	3.80	0.04	
						2000	3.50	4.00	46	3.76	0.05	
						2001	4.80	3.90	46	4.33	1.38	
						2002	2.90	3.60	46	3.26	0.04	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
6	U.S.-20	002070	343.350	344.308	ASC	1993	3.30	3.50	60	3.40		
						1994	3.40	2.80	42	3.08	0.18	
						*1995	3.40	2.60	42	2.98	0.18	
						1996	3.40	4.50	34	3.97	0.03	
						1997	3.30	4.50	34	3.92	0.04	
						1998	3.40	4.50	34	3.97	0.04	
						1999	3.30	4.50	47	3.92	0.04	
						2000	3.20	4.50	47	3.87	0.04	
						2001	3.30	4.50	47	3.92	0.05	
						2002	2.80	4.10	47	3.47	0.05	
6	U.S.-20	002070	343.350	344.308	DES	1993	3.60	4.50	55	4.06		
						1994	3.60	4.50	55	4.06	0.07	
						*1995	3.60	4.50	55	4.06	0.07	
						1996	3.60	4.50	25	4.06	0.05	
						1997	3.50	4.50	25	4.02	0.05	
						1998	3.50	4.50	25	4.02	0.06	
						1999	3.50	4.50	35	4.02	0.05	
						2000	3.30	4.50	35	3.92	0.06	
						2001	4.80	4.50	35	4.64	1.38	
						2002	2.70	4.30	35	3.53	0.02	
6	U.S.-20	002070	344.308	345.357	ASC	1993	3.50	4.50	58	4.02		
						1994	3.30	4.50	41	3.92	0.03	
						1995	3.30	4.50	41	3.92	0.03	
						1996	3.70	4.50	39	4.11	0.04	
						1997	3.60	4.50	39	4.07	0.05	
						1998	3.60	4.50	39	4.07	0.04	
						1999	3.60	4.50	43	4.07	0.04	
						2000	3.40	4.50	43	3.97	0.05	
						2001	3.50	4.50	43	4.02	0.05	
						2002	3.00	3.50	43	3.26	0.04	
6	U.S.-20	002070	344.308	345.357	DES	1993	3.10	4.50	52	3.83		
						1994	3.00	4.00	52	3.52	0.01	
						1995	3.00	4.00	52	3.52	0.01	
						1996	3.20	4.00	27	3.61	0.05	
						1997	3.20	3.90	27	3.56	0.05	
						1998	3.20	3.90	27	3.56	0.04	
						1999	3.20	3.90	40	3.56	0.04	
						2000	3.10	3.90	40	3.51	0.04	
						2001	4.60	3.90	40	4.23	1.36	
						2002	2.70	3.30	40	3.01	0.04	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-20	002070	345.357	345.833	ASC	1993	3.40	4.50	58	3.97		
						1994	3.40	4.50	40	3.97	0.00	
						1995	3.40	4.50	40	3.97	0.00	
						1996	3.60	4.50	37	4.07	0.03	
						1997	3.50	4.50	37	4.02	0.05	
						1998	3.50	4.50	37	4.02	0.02	
						1999	3.50	4.50	53	4.02	0.03	
						2000	3.50	4.50	53	4.02	0.03	
						2001	3.40	4.30	53	3.87	0.03	
						2002	2.90	4.20	53	3.57	0.03	
6	U.S.-20	002070	345.357	345.833	DES	1993	3.40	4.50	59	3.97		
						1994	3.50	4.50	59	4.02	0.01	
						1995	3.50	4.50	59	4.02	0.01	
						1996	3.60	4.50	39	4.07	0.03	
						1997	3.60	4.00	39	3.80	0.05	
						1998	3.50	4.00	39	3.76	0.03	
						1999	3.60	4.00	52	3.80	0.04	
						2000	3.50	4.00	52	3.76	0.04	
						2001	4.80	4.00	52	4.38	1.39	
						2002	3.00	3.40	52	3.20	0.05	
6	U.S.-20	002070	345.833	348.082	ASC	1993	3.30	2.50	56	2.88		
						1994	3.10	2.50	34	2.78	0.03	
						1995	3.10	2.40	34	2.73	0.03	
						1996	3.10	2.30	28	2.68	0.05	
						1997	3.10	2.00	28	2.52	0.07	
						1998	3.00	2.00	28	2.47	0.05	
						1999	3.10	2.00	41	2.52	0.05	
						2000	2.90	2.00	41	2.43	0.05	
						2001	3.00	2.00	41	2.47	0.05	
						2002	2.40	2.00	41	2.19	0.04	
6	U.S.-20	002070	345.833	348.082	DES	1993	3.30	2.00	55	2.62		
						1994	3.40	2.00	55	2.66	0.06	
						1995	3.40	2.00	55	2.66	0.06	
						1996	3.30	2.00	30	2.62	0.06	
						1997	3.10	1.80	30	2.42	0.07	
						1998	3.10	1.80	30	2.42	0.05	
						1999	3.00	1.80	40	2.37	0.06	
						2000	3.00	1.80	40	2.37	0.05	
						2001	4.80	1.80	40	3.23	1.43	
						2002	2.40	1.80	40	2.08	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	U.S.-20	002070	349.000	352.938	ASC	1993	2.60	2.70	53	2.65		
						1994	2.70	2.50	33	2.59	0.23	
						1995	2.70	2.40	33	2.54	0.23	
						1996	3.00	2.40	31	2.68	0.24	
						1997	2.90	2.40	31	2.63	0.24	
						1998	2.80	2.40	31	2.59	0.29	
						1999	2.70	2.40	52	2.54	0.29	
						2000	2.70	2.40	52	2.54	0.33	
						2001	2.70	2.40	52	2.54	0.29	
						2002	2.40	2.30	52	2.34	0.30	
6	U.S.-20	002070	349.000	352.938	DES	1993	3.20	2.50	51	2.83		
						1994	3.30	2.50	51	2.88	0.21	
						1995	3.30	2.50	51	2.88	0.21	
						1996	3.40	2.50	29	2.92	0.21	
						1997	3.30	2.50	29	2.88	0.20	
						1998	3.20	2.50	29	2.83	0.26	
						1999	3.00	2.30	44	2.63	0.29	
						2000	3.10	2.00	44	2.52	0.31	
						2001	4.50	2.00	44	3.19	1.71	
						2002	2.70	2.00	44	2.33	0.28	
6	U.S.-20	002070	352.938	360.343	N	1993	3.10	2.20	57	2.63		
						1994	3.20	2.40	36	2.78	0.20	C.R.A.B.S.
						1995	3.20	2.40	36	2.78	0.20	SEALCOAT
						1996	3.70	2.40	42	3.02	0.19	
						1997	3.50	2.40	42	2.92	0.19	
						1998	3.40	2.40	42	2.87	0.22	
						1999	3.30	2.40	56	2.82	0.21	
						2000	3.40	2.20	56	2.77	0.23	
						2001	3.30	2.20	56	2.72	0.24	
						2002	3.10	2.10	56	2.57	0.25	
6	U.S.-20	002070	360.343	360.572	N	1993	2.30	2.00	48	2.14		
						1994	3.00	5.00	48	4.04	0.07	C.R.A.B.S.
						1995	3.00	5.00	48	4.04	0.07	
						1996	3.70	5.00	49	4.37	0.07	
						1997	3.40	4.00	49	3.71	0.09	
						1998	3.50	4.00	49	3.76	0.09	
						1999	3.40	4.00	61	3.71	0.09	
						2000	3.50	4.00	61	3.76	0.11	
						2001	3.50	4.00	61	3.76	0.11	
						2002	3.30	3.50	61	3.40	0.05	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	U.S.-20	002070	360.572	360.856	N	1993	2.40	1.50	46	1.93									
						1994	3.00	5.00	47	4.04	0.12	C.R.A.B.S.	1994						
						1995	3.00	5.00	47	4.04	0.12								
						1996	3.70	5.00	45	4.37	0.05								
						1997	3.40	5.00	45	4.23	0.07								
						1998	3.40	5.00	45	4.23	0.08								
						1999	3.50	5.00	45	4.28	0.06								
						2000	3.40	5.00	61	4.23	0.06								
						2001	3.40	5.00	61	4.23	0.06								
						2002	3.30	4.00	61	3.66	0.06								
						6	U.S.-20	002070	360.856	361.063	N	1993	2.30	1.50	55	1.88			
												1994	3.00	5.00	47	4.04	0.11	C.R.A.B.S.	1994
1995	3.00	5.00	47	4.04	0.11														
1996	4.20	5.00	48	4.61	0.04														
1997	4.20	5.00	48	4.61	0.05														
1998	3.80	5.00	48	4.42	0.03														
1999	4.00	4.80	53	4.41	0.05														
2000	3.60	4.80	53	4.22	0.07														
2001	3.60	4.80	53	4.22	0.08														
2002	3.30	3.80	53	3.56	0.09														
6	U.S.-20	002070	361.063	363.500	N							1993	3.30	1.20	59	2.19			
												1994	3.00	5.00	44	4.05	0.07	C.R.A.B.S.	1994
						*1995	3.00	5.00	44	4.04	0.07								
						1996	4.00	5.00	47	4.52	0.06								
						1997	3.90	4.50	47	4.21	0.09								
						*1998	3.90	4.30	47	4.11	0.06								
						1999	3.90	5.00	62	4.47	0.04								
						2000	3.90	4.00	62	3.95	0.05								
						2001	3.90	3.40	62	3.63	0.05								
						2002	3.60	3.40	62	3.49	0.07								
						6	U.S.-20	002070	363.500	364.957	N	1993	2.70	1.00	55	1.80			
												1994	3.00	5.00	44	4.05	0.13	C.R.A.B.S.	1994
*1995	3.00	5.00	44	4.04	0.13														
1996	4.00	5.00	47	4.52	0.06														
1997	3.90	4.50	47	4.21	0.09														
*1998	3.90	4.30	47	4.11	0.06														
1999	3.70	3.90	61	3.80	0.08														
2000	3.70	3.90	61	3.80	0.09														
2001	3.60	3.50	61	3.54	0.08														
2002	3.10	3.40	61	3.25	0.08														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	U.S.-20	002070	364.957	369.000	N	1993	2.90	2.30	51	2.58									
						1994	2.80	2.30	38	2.53	0.32	C.R.A.B.S.	1994						
						*1995	2.80	2.00	38	2.38	0.32								
						1996	3.50	5.00	34	4.28	0.06	C.R.A.B.S.	1996						
						1997	3.30	5.00	34	4.18	0.06								
						1998	3.20	5.00	34	4.14	0.09								
						1999	3.10	4.70	47	3.93	0.08								
						2000	3.20	3.50	47	3.35	0.10								
						2001	3.20	3.10	47	3.14	0.09								
						2002	2.90	3.10	47	3.00	0.11								
						6	U.S.-20	002070	369.000	374.200	N	1993	2.90	2.30	51	2.58			
												1994	2.80	2.30	38	2.53	0.32		
*1995	2.80	2.00	38	2.38	0.32														
1996	3.30	2.00	36	2.62	0.19														
1997	2.90	5.00	36	3.99	0.13							C.R.A.B.S.	1997						
1998	4.20	5.00	36	4.61	0.06														
1999	4.00	5.00	66	4.52	0.05														
2000	4.00	5.00	66	4.52	0.07														
2001	4.00	5.00	66	4.52	0.08														
2002	3.70	5.00	66	4.38	0.09														
6	U.S.-20	002070	374.200	377.100	N							1993	2.90	2.30	46	2.58			
												1994	2.90	2.10	36	2.47	0.28		
						1995	2.90	2.10	36	2.48	0.28								
						*1996	3.30	2.10	39	2.67	0.18								
						1997	3.00	2.10	44	2.53	0.19	C.R.A.B.S.	1997						
						1998	3.10	2.10	44	2.57	0.17								
						1999	3.40	2.10	57	2.71	0.15								
						*2000	3.00	2.10	57	2.52	0.19								
						2001	4.00	4.80	67	4.41	0.05								
						2002	3.80	4.80	67	4.32	0.05								
						6	U.S.-20	002070	377.100	378.412	N	1993	2.90	2.30	46	2.58			
												1994	2.90	2.10	36	2.47	0.28		
1995	2.90	2.10	36	2.48	0.28														
*1996	3.30	2.10	39	2.67	0.18														
1997	3.00	2.10	44	2.53	0.19														
1998	3.10	2.10	44	2.57	0.17														
1999	3.40	2.10	57	2.71	0.15														
*2000	3.00	2.10	57	2.52	0.19														
2001	3.10	5.00	63	4.09	0.23							C.R.A.B.S.	2001						
2002	3.30	5.00	63	4.19	0.08														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	U.S.-20	002070	378.412	379.856	N	1993	2.90	2.30	46	2.58			
						1994	2.90	2.10	36	2.47	0.28		
						1995	2.90	2.10	36	2.48	0.28		
						*1996	3.30	2.10	39	2.67	0.18		
						1997	3.00	2.10	44	2.53	0.19		
						1998	3.10	2.10	44	2.57	0.17		
						1999	3.40	2.10	57	2.71	0.15		
						*2000	3.00	2.10	57	2.52	0.19		
						2001	4.00	5.00	52	4.52	0.20	NEW CONST OR RECONST (FLEX)	2001
						2002	3.10	5.00	52	4.09	0.08		
6	U.S.-20	002070	379.856	390.700	N	1993	3.30	2.00	35	2.61			
						1994	3.30	2.00	19	2.61	0.15		
						1995	3.30	2.00	19	2.62	0.15		
						1996	3.10	2.00	14	2.52	0.12		
						1997	3.10	2.00	14	2.52	0.11		
						1998	3.00	2.00	14	2.47	0.14		
						1999	2.90	2.00	34	2.42	0.14		
						*2000	2.70	2.00	34	2.33	0.17		
						2001	3.70	5.00	32	4.37	0.17	C.R.A.B.S.	2001
						2002	3.50	5.00	32	4.28	0.10		
6	U.S.-20	002070	390.700	394.700	N	1993	2.90	3.00	40	2.95			
						1994	3.00	2.50	24	2.73	0.23	MILL AND INLAY	1994
						1995	3.00	2.50	24	2.73	0.23	SEALCOAT	1995
						1996	3.40	2.50	18	2.92	0.16		
						1997	3.20	2.50	18	2.83	0.17		
						1998	3.10	2.50	18	2.78	0.20		
						1999	3.00	2.40	30	2.68	0.20		
						*2000	3.00	2.40	30	2.68	0.22		
						2001	3.80	5.00	31	4.42	0.27	C.R.A.B.S.	2001
						2002	3.30	5.00	31	4.18	0.11		
6	U.S.-20	002070	394.700	398.600	N	1993	2.60	1.90	38	2.23			
						1994	3.00	5.00	26	4.05	0.27	MILL AND INLAY	1994
						1995	3.00	5.00	26	4.05	0.27	SEALCOAT	1995
						1996	4.40	5.00	30	4.71	0.09		
						1997	4.30	5.00	30	4.66	0.11		
						1998	4.10	5.00	30	4.57	0.13		
						1999	4.10	5.00	39	4.57	0.14	SEALCOAT	1999
						2000	4.10	5.00	39	4.57	0.15		
						2001	4.10	4.80	39	4.46	0.15		
						2002	3.90	4.80	39	4.37	0.15		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	U.S.-20	002070	398.600	402.270	N	1993	2.70	2.40	37	2.54									
						1994	3.00	5.00	29	4.05	0.32	MILL AND INLAY	1994						
						1995	3.00	5.00	29	4.05	0.32	SEALCOAT	1995						
						1996	4.00	5.00	29	4.52	0.10								
						1997	3.80	4.50	29	4.16	0.10								
						1998	3.80	4.50	29	4.16	0.13								
						1999	3.70	4.50	39	4.11	0.14	SEALCOAT	1999						
						2000	3.70	4.50	39	4.11	0.16								
						2001	3.60	4.50	39	4.07	0.16								
						2002	3.50	4.50	39	4.02	0.17								
						6	U.S.-20	002070	402.270	406.300	N	1993	3.00	2.90	30	2.94			
												1994	3.00	5.00	29	4.05	0.28	MILL AND INLAY	1994
1995	3.00	5.00	29	4.05	0.28							SEALCOAT	1995						
1996	4.10	5.00	32	4.57	0.07														
1997	3.90	5.00	32	4.47	0.07														
1998	3.90	4.70	32	4.31	0.07														
1999	3.90	4.70	39	4.31	0.08							SEALCOAT	1999						
2000	3.90	4.70	39	4.31	0.09														
2001	3.90	4.70	39	4.31	0.09														
2002	3.70	4.70	39	4.22	0.09														
6	U.S.-20	002073	002.270	002.751	N							1993	1.60	3.00	51	2.41			
												*1994	1.60	3.00	51	2.40	0.09		
						1995	3.50	5.00	51	4.41	0.00	MILL INLAY AND OVERLAY	1995						
						1996	2.00	5.00	50	3.82	0.07								
						1997	2.00	5.00	50	3.82	0.09								
						1998	1.40	5.00	50	3.59	0.08								
						1999	1.40	5.00	50	3.58	0.08								
						2000	1.20	5.00	39	3.50	0.09								
						2001	1.20	5.00	39	3.50	0.08								
						2002	1.60	4.80	39	3.52	0.09								
						6	U.S.-20	002073	002.751	003.294	N	1993	1.60	3.00	51	2.41			
												*1994	1.60	3.00	51	2.40	0.09		
1995	3.50	5.00	50	4.36	0.00							PLANT MIX OVERLAY	1995						
1996	3.60	5.00	44	4.40	0.09														
1997	3.40	5.00	44	4.31	0.08														
1998	2.90	5.00	44	4.10	0.10														
1999	2.90	5.00	44	4.10	0.10														
2000	2.80	5.00	39	4.05	0.10														
2001	3.00	5.00	39	4.14	0.10														
2002	3.20	4.50	39	3.93	0.12														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	U.S.-20	002073	003.294	003.717	N	1993	2.80	2.40	44	2.56			
						1994	2.80	2.40	44	2.57	0.06	PLANT MIX OVERLAY	1995
						1995	3.50	2.40	44	2.86	0.00		
						1996	3.90	5.00	46	4.52	0.07		
						1997	3.60	5.00	46	4.40	0.06		
						1998	3.40	5.00	46	4.31	0.09		
						1999	3.10	5.00	46	4.18	0.10		
						2000	3.30	5.00	39	4.27	0.10		
						2001	3.50	5.00	39	4.35	0.11		
						2002	3.10	4.40	39	3.84	0.11		
6	U.S.-20	002075	320.860	321.092	N	1993	2.60	4.50	52	3.77		SEALCOAT	1993
						1994	2.10	4.50	52	3.58	0.11		
						1995	2.10	4.50	52	3.58	0.11		
						1996	3.30	4.50	39	4.04	0.05		
						1997	3.10	4.50	39	3.96	0.06		
						1998	2.90	4.50	39	3.88	0.07		
						1999	3.20	4.50	39	4.00	0.07		
						2000	3.00	4.50	39	3.92	0.07		
						2001	3.10	4.50	39	3.96	0.07		
						2002	2.60	4.50	39	3.77	0.08	SEALCOAT	2002
6	U.S.-20	002075	321.092	321.372	N	1993	1.50	4.00	52	3.03		SEALCOAT	1993
						1994	1.70	4.00	52	3.11	0.07		
						1995	1.70	4.00	52	3.11	0.07		
						1996	2.70	4.00	42	3.49	0.09		
						1997	2.40	4.00	42	3.38	0.09		
						1998	2.00	4.00	42	3.22	0.11		
						1999	2.30	4.00	42	3.34	0.11		
						2000	2.30	4.00	39	3.34	0.09		
						2001	2.30	4.00	39	3.34	0.10		
						2002	2.50	3.70	39	3.23	0.09	SEALCOAT	2002
6	U.S.-20	002075	321.372	321.615	N	1993	2.60	3.00	55	2.84		SEALCOAT	1993
						1994	1.30	3.00	55	2.35	0.31		
						1995	1.30	3.00	55	2.34	0.31		
						1996	1.60	3.00	44	2.46	0.15		
						1997	1.30	3.00	44	2.35	0.13		
						1998	1.70	3.00	44	2.50	0.15		
						1999	1.10	3.00	44	2.27	0.18		
						2000	1.30	3.00	39	2.35	0.15		
						2001	1.30	3.00	39	2.35	0.19		
						2002	1.30	3.00	39	2.35	0.19	SEALCOAT	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	U.S.-20	002075	321.615	322.139	N	1993	2.20	4.50	46	3.62		SEALCOAT	1993
						1994	2.40	4.50	46	3.69	0.19		
						1995	2.40	4.50	46	3.69	0.19		
						1996	3.10	4.50	37	3.96	0.19		
						1997	2.90	4.50	37	3.88	0.21		
						1998	2.80	4.50	37	3.84	0.26		
						1999	2.90	4.50	37	3.88	0.26		
						2000	2.90	4.50	39	3.88	0.26		
						2001	2.90	4.50	39	3.88	0.28		
						2002	2.70	4.50	39	3.80	0.29	SEALCOAT	2002
6	U.S.-20	002075	322.139	322.431	N	1993	2.50	4.50	50	3.66		SEALCOAT	1993
						1994	2.00	4.50	50	3.45	0.05		
						1995	2.00	4.50	50	3.45	0.05		
						1996	3.20	4.50	31	3.95	0.12		
						1997	2.80	4.50	31	3.78	0.13		
						1998	2.90	4.50	31	3.83	0.14		
						1999	2.80	4.50	31	3.78	0.15		
						2000	2.90	4.50	39	3.83	0.16		
						*2001	2.90	4.50	39	3.83	0.18		
6	U.S.-20	002075	322.139	322.544	N	2002	2.30	4.50	39	3.58	0.15	SEALCOAT	2002
6	U.S.-20	002075	322.431	322.544	N	1993	2.20	4.50	51	3.54		SEALCOAT	1993
						1994	1.70	4.50	51	3.32	0.23		
						1995	1.70	4.50	51	3.32	0.23		
						1996	2.30	4.50	38	3.58	0.10		
						1997	2.00	4.50	38	3.45	0.09		
						1998	2.10	4.50	38	3.49	0.18		
						1999	1.70	4.50	38	3.32	0.14		
						2000	2.00	4.50	39	3.45	0.14		
						*2001	2.10	4.50	39	3.49	0.17		
6	U.S.-20	002075	345.971	346.261	N	1993	0.50	2.00	47	1.41			
						1994	0.60	3.00	47	2.06	0.52		
						1995	0.60	2.70	47	1.88	0.52		
						1996	2.00	2.70	35	2.42	0.15		
						1997	1.60	2.70	35	2.26	0.11		
						1998	0.90	2.70	35	1.99	0.09		
						1999	1.50	2.70	35	2.22	0.10		
						2000	1.50	2.70	39	2.22	0.10		
						2001	1.70	2.50	39	2.18	0.11		
						2002	0.90	2.20	39	1.68	0.12		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	U.S.-20	002075	346.261	346.531	N	1993	1.50	2.00	56	1.81		
						1994	1.70	3.00	56	2.50	0.19	
						1995	1.70	2.70	56	2.32	0.19	
						1996	2.80	2.70	39	2.73	0.12	
						1997	2.60	2.70	39	2.66	0.12	
						*1998	2.50	2.70	39	2.62	0.12	
						1999	2.60	2.70	39	2.66	0.11	
						2000	2.60	2.50	39	2.53	0.14	
						*2001	2.70	2.50	39	2.57	0.12	
6	U.S.-20	002075	346.261	346.565	N	2002	2.70	2.20	39	2.38	0.12	
6	U.S.-20	002075	346.531	346.756	N	1993	2.60	2.50	45	2.54		
						1994	2.50	2.50	45	2.50	0.67	
						1995	2.50	2.50	45	2.50	0.67	
						1996	3.10	2.50	33	2.74	0.48	
						1997	2.90	2.50	33	2.66	0.51	
						*1998	2.80	2.50	33	2.62	0.57	
						1999	2.20	5.00	29	3.93	0.10	NEW CONST OR RECONST (FLEX)
						2000	2.20	5.00	39	3.93	0.10	
						*2001	2.20	5.00	39	3.93	0.11	
6	U.S.-20	002075	346.632	346.756	N	2002	2.50	5.00	39	4.05	0.09	
6	U.S.-20	002075	346.756	346.800	N	1993	2.60	2.50	45	2.54		
						1994	2.50	2.50	45	2.50	0.67	
						1995	2.50	2.50	45	2.50	0.67	
						1996	3.10	2.50	33	2.74	0.48	
						1997	2.90	2.50	33	2.66	0.51	
						*1998	2.80	2.50	33	2.62	0.57	
						1999	2.20	5.00	30	3.93	0.10	
						2000	2.20	5.00	39	3.93	0.10	
						2001	2.20	5.00	39	3.93	0.11	
						2002	2.50	5.00	39	4.05	0.09	
6	U.S.-20	002075	346.800	347.150	N	1993	2.60	2.50	45	2.54		
						1994	2.50	2.50	45	2.50	0.67	
						1995	2.50	2.50	45	2.50	0.67	
						1996	3.10	2.50	33	2.74	0.48	
						1997	2.90	2.50	33	2.66	0.51	
						*1998	2.80	2.50	33	2.62	0.57	
						1999	3.00	2.50	39	2.70	0.56	
						2000	3.00	2.50	39	2.70	0.52	
						2001	3.10	2.50	39	2.74	0.56	
						2002	2.90	2.50	39	2.66	0.51	SEALCOAT
											2002	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
6	U.S.-20	002075	347.150	348.850	N	1993	2.40	2.50	60	2.45			
						1994	2.50	2.50	60	2.50	0.50		
						1995	2.50	2.50	60	2.50	0.50		
						1996	2.90	2.50	47	2.66	0.28		
						1997	2.60	2.50	47	2.54	0.34		
						1998	2.50	2.50	47	2.50	0.33		
						1999	2.50	2.50	47	2.50	0.35		
						2000	2.60	2.50	39	2.54	0.38		
						2001	2.60	2.50	39	2.54	0.42		
						2002	2.50	2.40	39	2.44	0.35	SEALCOAT	2002
6	U.S.-20	002240	248.555	248.808	N	1993	2.00	2.50	33	2.27	SEALCOAT		1993
						1994	1.10	2.50	14	1.87	0.38		
						1995	1.10	2.50	14	1.87	0.38		
						1996	1.70	2.50	15	2.14	0.31		
						1997	1.60	2.50	15	2.09	0.17		
						1998	1.80	2.50	15	2.18	0.24		
						1999	1.70	2.40	15	2.08	0.15		
						2000	1.50	2.40	49	1.99	0.35		
						2001	1.50	2.30	54	1.93	0.44		
						2002	1.80	2.30	54	2.07	0.32		
6	U.S.-20	002240	248.808	249.091	N	1993	2.40	2.80	28	2.60	SEALCOAT		1993
						1994	2.40	2.80	18	2.60	0.11		
						1995	2.40	2.80	18	2.60	0.11		
						1996	2.90	2.80	29	2.84	0.19		
						1997	2.60	2.70	29	2.65	0.16		
						1998	2.70	2.60	29	2.64	0.22		
						1999	2.50	2.50	26	2.50	0.20		
						2000	2.60	2.50	26	2.54	0.23		
						2001	2.50	2.40	26	2.44	0.25		
						2002	2.70	2.30	26	2.49	0.29		
6	U.S.-20	002240	249.091	253.900	N	1993	3.00	2.40	42	2.68	SEALCOAT		1993
						1994	3.20	2.30	20	2.72	0.24	SEALCOAT	1994
						1995	3.20	2.00	20	2.57	0.24		
						1996	3.20	2.00	47	2.57	0.20		
						1997	3.10	2.00	47	2.52	0.18		
						1998	3.00	2.00	47	2.47	0.25		
						1999	2.90	2.00	34	2.42	0.26		
						2000	3.00	2.00	34	2.47	0.28	SEALCOAT	2000
						2001	2.90	2.00	34	2.42	0.30		
						2002	2.80	2.00	34	2.38	0.29		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	U.S.-20	002240	253.900	256.073	N	1993	3.60	4.00	45	3.80									
						1994	3.50	4.00	41	3.76	0.19	SEALCOAT	1994						
						1995	3.50	3.80	41	3.65	0.19								
						1996	3.90	3.80	35	3.84	0.16								
						1997	3.80	3.80	35	3.80	0.19								
						1998	3.80	3.80	35	3.80	0.24								
						1999	3.70	2.90	47	3.28	0.21								
						2000	3.60	2.90	47	3.23	0.17	SEALCOAT	2000						
						2001	3.70	2.90	47	3.28	0.20								
						2002	3.40	2.90	47	3.13	0.22								
						6	U.S.-20	002240	256.073	265.043	N	1993	3.30	4.00	54	3.66			
												1994	3.30	4.00	39	3.66	0.24	SEALCOAT	1994
1995	3.30	4.00	39	3.66	0.24														
1996	3.80	4.00	38	3.90	0.14														
1997	3.60	4.00	38	3.80	0.15														
1998	3.60	4.00	38	3.80	0.18														
1999	3.60	3.20	50	3.38	0.18														
2000	3.50	3.20	50	3.34	0.17							SEALCOAT	2000						
2001	3.50	3.20	50	3.34	0.21														
2002	3.30	3.20	50	3.24	0.18														
6	U.S.-20	002240	265.043	272.000	N							1993	2.80	3.50	51	3.16			
												1994	2.90	3.50	37	3.21	0.35	SEALCOAT	1994
						1995	2.90	3.50	37	3.21	0.35								
						1996	3.50	3.50	46	3.50	0.26								
						1997	3.30	3.50	42	3.40	0.26								
						1998	3.30	3.50	42	3.40	0.30								
						1999	3.20	3.30	56	3.25	0.30								
						2000	3.30	3.30	56	3.30	0.31								
						2001	3.20	3.20	56	3.20	0.30								
						2002	3.10	3.20	56	3.15	0.26								
						6	U.S.-20	002240	333.044	333.341	N	1995	0.30	2.00	33	1.25	0.40		
												1996	1.70	2.00	33	1.86	0.30		
1997	1.80	2.00	33	1.91	0.17														
*1998	2.30	4.00	32	3.25	0.05														
1999	2.20	5.00	39	3.76	0.11							C.R.A.B.S.	1999						
2000	2.50	4.50	39	3.61	0.10														
2001	2.60	4.50	39	3.66	0.08														
2002	2.20	4.50	39	3.48	0.11														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
6	U.S.-20	002240	333.341	333.659	ASC	*1998	1.70	2.00	32	1.87	0.17							
						1999	1.20	1.80	39	1.54	0.27							
						2000	1.10	1.80	39	1.49	0.27							
						2001	1.40	1.80	39	1.62	0.22							
						2002	3.00	5.00	39	4.14	0.10	C.R.A.B.S.	2002					
6	U.S.-20	002240	333.341	333.659	DES	*1998	1.70	2.00	32	1.87	0.17							
						1999	1.20	2.00	39	1.65	0.27							
						2000	1.10	2.00	39	1.61	0.27							
						2001	1.40	2.00	39	1.74	0.22							
						2002	3.00	5.00	39	4.14	0.10	C.R.A.B.S.	2002					
6	U.S.-20	002240	333.659	334.374	N	1995	2.20	2.00	38	2.08	0.14							
						1996	2.50	2.00	38	2.22	0.11							
						1997	2.20	2.00	38	2.08	0.18							
						1998	2.30	2.00	32	2.13	0.20							
						1999	2.20	2.00	39	2.08	0.25							
						2000	2.20	2.00	39	2.09	0.26							
						2001	2.30	2.00	39	2.13	0.17							
						2002	3.20	5.00	39	4.20	0.09	C.R.A.B.S.	2002					
						6	U.S.-20	004140	001.430	001.472	N	1994	2.80	3.00	44	2.91	0.06	
												1995	3.50	3.00	44	3.20	0.00	
1996	3.90	3.00	46	3.37	0.07													
1997	3.60	3.00	46	3.25	0.06													
1998	3.40	3.00	46	3.16	0.09													
1999	3.10	3.00	46	3.04	0.10													
2000	3.30	3.00	39	3.12	0.10													
2001	3.50	3.00	39	3.20	0.11													
2002	3.10	3.00	39	3.04	0.11													
6	S.H.-22	002470	024.670	031.500	N							1993	2.50	2.00	51	2.20		
						1994	2.60	2.00	42	2.24	0.13							
						1995	2.60	2.00	42	2.24	0.13							
						1996	2.90	2.00	42	2.36	0.19							
						1997	2.80	2.00	42	2.32	0.20							
						1998	2.60	2.00	42	2.24	0.24							
						1999	2.60	2.00	55	2.24	0.22							
						2000	3.10	2.00	55	2.44	0.21							
						2001	2.90	2.00	48	2.36	0.23							
						2002	3.90	2.50	48	3.06	0.05							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	S.H.-22	002470	031.500	037.070	N	1993	2.60	2.00	48	2.24		
						1994	2.80	2.00	41	2.32	0.08	
						1995	2.80	2.00	41	2.32	0.08	
						1996	3.30	2.00	38	2.52	0.18	
						1997	3.20	2.00	38	2.48	0.17	
						1998	3.00	2.00	38	2.40	0.32	
						1999	3.10	2.00	41	2.45	0.27	
						2000	3.20	2.00	41	2.48	0.25	
						2001	3.10	2.00	44	2.44	0.25	
						2002	4.00	3.00	44	3.40	0.03	
6	S.H.-22	002470	037.070	038.258	N	1993	2.50	2.40	47	2.44		
						1994	2.50	2.40	36	2.44	0.10	
						1995	2.50	2.40	36	2.44	0.10	
						1996	2.90	2.40	30	2.60	0.27	
						1997	2.80	2.40	30	2.56	0.25	
						1998	2.70	2.40	30	2.52	0.34	
						1999	2.80	2.40	38	2.56	0.29	
						2000	2.90	2.40	38	2.60	0.28	
						2001	2.80	2.40	28	2.56	0.32	
						2002	3.70	2.40	28	2.92	0.04	
6	S.H.-22	002470	038.258	042.744	N	1993	2.50	2.50	51	2.50		
						1994	2.60	2.30	38	2.42	0.14	
						1995	2.60	2.30	38	2.42	0.14	
						1996	2.90	2.30	38	2.54	0.18	
						1997	2.80	2.30	38	2.50	0.18	
						1998	2.70	2.30	38	2.46	0.21	
						1999	2.70	2.30	37	2.46	0.21	
						2000	2.80	2.30	37	2.50	0.22	
						2001	2.70	2.30	39	2.46	0.23	
						2002	3.80	2.30	39	2.91	0.08	
6	S.H.-22	002470	042.744	045.438	N	1993	2.90	2.50	51	2.66		
						1994	2.80	2.50	39	2.62	0.09	
						1995	2.80	2.50	39	2.62	0.09	
						1996	2.80	2.50	42	2.62	0.19	
						1997	2.70	2.50	42	2.58	0.19	
						1998	2.50	2.50	42	2.50	0.17	
						1999	2.40	2.50	47	2.45	0.21	
						2000	3.10	2.50	47	2.74	0.19	
						2001	2.90	2.50	46	2.66	0.20	
						2002	3.90	2.50	46	3.07	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
6	S.H.-22	002470	045.438	052.292	N	1993	2.50	3.00	52	2.79		
						1994	2.60	3.00	41	2.83	0.09	
						1995	2.60	3.00	41	2.83	0.09	
						1996	3.20	3.00	48	3.08	0.17	
						1997	3.10	3.00	48	3.04	0.19	
						1998	2.90	3.00	48	2.95	0.23	
						1999	3.00	3.00	52	3.00	0.22	
						2000	3.10	3.00	52	3.04	0.23	
						2001	2.90	3.00	50	2.95	0.24	
						2002	3.30	3.00	50	3.12	0.17	
6	S.H.-22	002470	052.292	060.059	N	1993	2.70	2.50	59	2.58		
						1994	2.80	2.40	41	2.56	0.19	
						1995	2.80	2.40	41	2.56	0.19	
						1996	3.40	2.40	46	2.81	0.26	
						1997	3.50	2.40	46	2.85	0.24	
						1998	3.40	2.40	46	2.80	0.25	
						1999	3.50	2.40	55	2.84	0.27	
						2000	3.60	2.40	55	2.88	0.28	
						2001	3.60	2.40	47	2.88	0.27	
						2002	3.40	2.40	47	2.80	0.27	
6	S.H.-22	002470	060.059	068.606	N	1993	2.60	2.00	59	2.24		
						1994	2.70	2.00	42	2.28	0.21	
						1995	2.70	2.00	42	2.28	0.21	
						1996	3.40	2.00	48	2.57	0.26	
						1997	3.30	2.00	48	2.53	0.26	
						1998	3.30	2.00	48	2.53	0.30	
						1999	3.30	5.00	50	4.29	0.31	PLANT MIX OVERLAY
						2000	3.90	5.00	50	4.54	0.13	
						2001	3.90	5.00	59	4.54	0.14	
						2002	3.80	5.00	59	4.50	0.13	
6	U.S.-26	002240	333.044	333.341	N	1993	0.80	2.00	45	1.47		
						1994	0.30	2.00	33	1.26	0.40	
6	U.S.-26	002240	333.659	334.374	N	1993	2.00	2.00	42	2.00		
						1994	2.20	2.00	38	2.08	0.14	
6	U.S.-26	002240	334.374	334.910	N	1993	2.00	2.50	47	2.28		
						1994	1.50	2.30	39	1.95	0.17	
						1995	1.50	2.30	39	1.95	0.17	
						1996	2.30	2.30	41	2.30	0.24	
						1997	2.40	2.30	41	2.34	0.23	
						1998	2.10	2.20	41	2.15	0.28	
						1999	2.20	2.20	49	2.20	0.25	
						2000	2.20	2.20	49	2.20	0.35	
						2001	2.10	2.20	49	2.15	0.32	
						2002	3.00	5.00	49	4.12	0.08	C.R.A.B.S.
												2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	U.S.-26	002240	334.910	335.364	N	1993	2.00	1.90	45	1.94		
						1994	1.20	1.90	40	1.60	0.00	
						1995	1.20	1.90	40	1.60	0.00	
						1996	2.60	5.00	52	3.97	0.05	SEALCOAT
						1997	2.40	5.00	52	3.89	0.05	
						1998	2.30	5.00	52	3.84	0.05	
						1999	2.10	5.00	47	3.75	0.05	
						2000	2.20	5.00	47	3.79	0.05	
						2001	2.20	5.00	47	3.79	0.04	
						2002	3.30	4.10	47	3.75	0.06	
6	U.S.-26	002240	335.364	336.596	N	1993	1.90	2.40	38	2.17		SEALCOAT
						1994	1.40	2.40	38	1.94	0.10	
						1995	1.40	2.40	38	1.94	0.10	
						1996	2.10	2.40	35	2.26	0.18	
						1997	1.70	2.40	35	2.07	0.14	
						1998	1.70	2.40	35	2.07	0.17	
						1999	1.60	2.40	45	2.03	0.18	
						2000	1.80	2.40	45	2.12	0.19	
						2001	1.60	2.40	45	2.03	0.18	
						2002	2.30	2.40	45	2.35	0.16	
6	U.S.-26	002240	336.596	338.440	N	*1993	2.40	1.30	49	1.82		SEALCOAT
						1994	2.30	2.80	38	2.55	0.05	NEW CONST OR RECONST (FLEX)
						1995	2.30	2.80	38	2.55	0.05	
						1996	2.90	2.80	35	2.84	0.14	
						1997	2.60	2.80	35	2.70	0.09	
						1998	2.50	2.80	35	2.65	0.11	
						1999	2.40	2.80	46	2.60	0.11	
						2000	2.60	2.80	46	2.70	0.15	
						2001	2.50	2.60	46	2.55	0.12	
						2002	2.50	2.60	46	2.55	0.12	
6	U.S.-26	002240	338.440	343.355	N	*1993	2.40	1.30	49	1.82		PLANT MIX OVERLAY
						1994	3.00	5.00	42	4.04	0.04	
						1995	3.00	5.00	42	4.04	0.04	
						1996	4.30	5.00	36	4.66	0.10	
						1997	4.10	5.00	36	4.56	0.09	
						1998	4.10	5.00	36	4.56	0.12	
						1999	4.00	5.00	37	4.51	0.14	
						2000	4.10	5.00	37	4.56	0.14	
						2001	4.00	5.00	37	4.51	0.16	
						2002	3.70	4.80	37	4.26	0.16	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS	
6	U.S.-26	002240	343.355	347.500	N	*1993	2.80	1.00	48	1.85				
						1994	3.00	5.00	41	4.04	0.04	PLANT MIX OVERLAY	1994	
						1995	3.00	5.00	41	4.04	0.04			
						1996	4.40	5.00	37	4.71	0.09			
						1997	4.20	5.00	37	4.61	0.07			
						1998	4.30	5.00	37	4.66	0.10			
						1999	4.20	5.00	41	4.61	0.11			
						2000	4.30	5.00	41	4.66	0.12			
						2001	4.20	4.90	41	4.56	0.13			
						2002	3.90	4.90	41	4.42	0.15			
6	U.S.-26	002240	347.500	348.000	N	*1993	3.40	3.50	51	3.45				
						1994	2.40	3.50	34	2.97	0.00	PLANT MIX OVERLAY	1994	
						1995	2.40	3.20	34	2.81	0.00			
						1996	2.50	3.20	44	2.86	0.11			
						1997	2.60	3.20	44	2.91	0.09			
						1998	2.80	3.20	44	3.00	0.11			
						1999	2.90	3.20	47	3.05	0.10	SEALCOAT		1999
						2000	3.00	3.20	47	3.10	0.10			
						2001	2.80	3.20	47	3.00	0.11			
						2002	2.80	3.20	47	3.00	0.12			
6	U.S.-26	002240	348.000	352.284	N	*1993	3.40	3.50	51	3.45				
						1994	3.50	3.50	33	3.50	0.07			
						1995	3.50	3.50	33	3.50	0.07			
						1996	3.40	3.50	38	3.45	0.14			
						1997	3.30	3.50	38	3.40	0.12			
						1998	3.30	3.50	38	3.40	0.15			
						1999	3.30	3.50	56	3.40	0.16	SEALCOAT	1999	
						2000	3.40	3.50	56	3.45	0.16			
						2001	3.30	3.50	56	3.40	0.18			
						2002	3.00	3.50	56	3.26	0.18			
6	U.S.-26	002240	352.284	356.750	N	*1993	3.50	3.00	52	3.23				
						1994	3.50	3.00	39	3.23	0.14			
						1995	3.50	2.90	39	3.18	0.14			
						1996	3.40	2.90	36	3.13	0.17			
						1997	3.30	2.90	36	3.09	0.16			
						1998	3.30	2.90	36	3.09	0.17			
						1999	3.20	2.40	58	2.78	0.18	SEALCOAT	1999	
						2000	3.30	2.40	58	2.83	0.17			
						2001	3.30	2.40	58	2.83	0.17			
						2002	3.00	2.40	58	2.68	0.18			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	U.S.-26	002240	356.750	358.300	N	*1993	3.50	3.00	52	3.23		
						1994	3.20	3.00	37	3.09	0.16	
						1995	3.20	2.70	37	2.93	0.16	
						1996	3.40	2.70	45	3.03	0.15	
						1997	3.20	2.70	45	2.93	0.15	
						1998	3.20	2.70	45	2.93	0.17	
						1999	3.20	2.50	59	2.83	0.17	SEALCOAT
						2000	3.30	2.50	59	2.88	0.17	
						2001	3.40	2.40	59	2.87	0.14	
						2002	3.00	2.40	59	2.68	0.15	
6	U.S.-26	002240	358.300	362.228	N	*1993	3.30	3.50	53	3.40		
						1994	3.30	3.00	40	3.14	0.16	
						1995	3.30	3.00	40	3.14	0.16	
						1996	3.40	3.00	44	3.19	0.16	
						1997	3.30	3.00	44	3.14	0.15	
						1998	3.40	3.00	44	3.19	0.19	
						1999	3.20	3.00	59	3.09	0.19	SEALCOAT
						2000	3.40	3.00	59	3.19	0.20	
						2001	3.30	3.00	59	3.14	0.20	
						2002	3.00	3.00	59	3.00	0.19	
6	U.S.-26	002240	362.228	367.500	N	1993	3.20	3.50	53	3.35		
						1994	3.20	3.00	37	3.09	0.23	
						1995	3.20	3.00	37	3.09	0.23	
						1996	3.40	3.00	35	3.19	0.22	
						1997	3.30	3.00	35	3.14	0.21	
						1998	3.30	3.00	35	3.14	0.23	
						1999	3.20	3.00	59	3.09	0.28	SEALCOAT
						2000	3.30	3.00	59	3.14	0.28	
						2001	3.30	3.00	59	3.14	0.29	
						2002	3.00	3.00	59	3.00	0.30	
6	U.S.-26	002240	367.500	368.520	N	1993	3.30	3.50	53	3.40		
						1994	3.00	3.50	39	3.26	0.30	
						1995	3.00	3.30	39	3.15	0.30	
						1996	3.20	3.30	39	3.25	0.34	
						1997	3.10	3.30	39	3.20	0.27	
						1998	3.20	3.30	35	3.25	0.31	
						1999	3.00	3.30	58	3.15	0.39	SEALCOAT
						2000	3.20	3.30	58	3.25	0.36	
						2001	3.10	3.30	58	3.20	0.36	SEALCOAT
						2002	3.00	3.30	58	3.15	0.26	2001

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	U.S.-26	002240	372.900	374.500	N	1993	2.30	4.00	39	3.18		SEALCOAT	1993
						1994	2.20	4.00	38	3.14	0.27		
						1995	2.20	4.00	38	3.14	0.27		
						1996	2.90	4.00	43	3.47	0.11		
						1997	2.70	4.00	43	3.37	0.13		
						1998	2.70	4.00	43	3.37	0.14		
						1999	2.60	4.00	55	3.33	0.17		
						2000	2.60	4.00	55	3.33	0.15		
						2001	2.60	4.00	55	3.33	0.15	SEALCOAT	2001
						2002	2.60	4.00	55	3.33	0.13		
6	U.S.-26	002240	374.500	374.940	N	1993	2.20	2.40	39	2.30		SEALCOAT	1993
						1994	2.00	2.40	38	2.20	0.25		
						1995	2.00	2.40	38	2.20	0.25		
						1996	2.70	2.40	43	2.54	0.27		
						1997	2.40	2.40	43	2.40	0.28		
						1998	2.40	2.40	43	2.40	0.26		
						1999	2.90	2.40	58	2.63	0.26		
						2000	2.80	2.40	58	2.59	0.24		
						2001	2.90	2.40	58	2.63	0.24	SEALCOAT	2001
						2002	2.80	2.40	58	2.59	0.20		
6	U.S.-26	002240	375.000	376.950	N	1993	2.30	2.30	41	2.30		SEALCOAT	1993
						1994	2.30	2.40	36	2.35	0.27		
						1995	2.30	2.40	36	2.35	0.27		
						1996	2.90	2.40	39	2.63	0.29		
						1997	2.80	2.40	39	2.59	0.18		
						1998	2.70	2.40	39	2.54	0.19		
						1999	2.60	2.40	47	2.49	0.23		
						2000	2.60	2.40	47	2.49	0.24		
						2001	2.50	2.40	47	2.44	0.23	SEALCOAT	2001
						2002	2.60	2.40	47	2.49	0.23		
6	U.S.-26	002240	376.950	381.419	N	1993	3.50	5.00	47	4.28		PLANT MIX OVERLAY	1993
						1994	3.30	5.00	40	4.19	0.10		
						1995	3.30	5.00	40	4.19	0.10		
						1996	4.10	5.00	39	4.57	0.24		
						1997	3.90	5.00	39	4.47	0.23		
						1998	3.90	5.00	39	4.47	0.22		
						1999	3.90	5.00	50	4.47	0.27		
						2000	3.70	5.00	50	4.38	0.30		
						2001	3.80	5.00	50	4.42	0.30	SEALCOAT	2001
						2002	3.60	5.00	50	4.33	0.34		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS									
6	U.S.-26	002240	381.419	386.970	N	1993	3.30	5.00	40	4.19		PLANT MIX OVERLAY	1993								
						1994	3.20	5.00	42	4.14	0.14										
						1995	3.20	5.00	42	4.14	0.14										
						1996	4.10	5.00	41	4.57	0.28										
						1997	4.00	5.00	41	4.52	0.25										
						1998	4.00	5.00	41	4.52	0.24										
						1999	3.90	5.00	52	4.47	0.34										
						2000	3.70	5.00	52	4.38	0.38										
						2001	3.80	5.00	52	4.42	0.40			SEALCOAT	2001						
						2002	3.50	5.00	52	4.28	0.43										
						6	U.S.-26	002240	386.970	389.200	N			1993	3.20	5.00	46	4.14		PLANT MIX OVERLAY	1993
														1994	3.10	5.00	41	4.09	0.26		
1995	3.10	5.00	41	4.09	0.26																
1996	4.00	5.00	41	4.52	0.24																
1997	3.80	5.00	41	4.42	0.17																
1998	3.80	5.00	41	4.42	0.16																
1999	3.80	5.00	55	4.42	0.26																
2000	3.80	5.00	55	4.42	0.29																
2001	3.80	5.00	55	4.42	0.29							SEALCOAT	2001								
2002	3.30	5.00	55	4.19	0.28																
6	U.S.-26	002240	389.200	391.793	N							1993	3.30	5.00	53	4.19		PLANT MIX OVERLAY	1993		
												1994	3.00	5.00	38	4.04	0.46				
						1995	3.00	5.00	38	4.04	0.46										
						1996	4.00	5.00	39	4.52	0.11										
						1997	3.80	5.00	39	4.42	0.11										
						1998	3.80	5.00	39	4.42	0.12										
						1999	3.70	5.00	57	4.38	0.15										
						2000	3.70	5.00	57	4.38	0.17										
						2001	3.70	5.00	57	4.38	0.18										
						2002	3.60	4.00	57	3.80	0.18										
						6	U.S.-26	002240	391.793	395.000	N	1993	3.00	5.00	52	4.04				PLANT MIX OVERLAY	1993
												1994	2.80	5.00	41	3.95	0.14				
1995	2.80	5.00	41	3.95	0.14																
1996	4.00	5.00	43	4.52	0.13																
1997	3.80	5.00	43	4.42	0.12																
1998	3.80	5.00	43	4.42	0.14																
1999	3.70	4.70	55	4.22	0.19																
2000	3.70	4.70	55	4.22	0.19																
2001	3.70	4.70	55	4.22	0.22																
2002	3.60	4.70	55	4.17	0.20																

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	U.S.-26	002240	395.000	397.538	N	1993	3.30	5.00	40	4.19		PLANT MIX OVERLAY	1993
						1994	3.10	5.00	38	4.09	0.35		
						1995	3.10	5.00	38	4.09	0.35		
						1996	4.00	5.00	39	4.52	0.11		
						1997	3.80	5.00	39	4.42	0.09		
						1998	3.80	5.00	39	4.42	0.13		
						1999	3.70	4.60	55	4.17	0.16		
						2000	3.70	4.60	55	4.17	0.17		
						2001	3.70	4.00	55	3.85	0.19		
						2002	3.50	4.10	55	3.81	0.20		
6	U.S.-26	002240	397.538	402.500	N	1993	3.40	5.00	45	4.23		PLANT MIX OVERLAY	1993
						1994	3.20	5.00	39	4.14	0.15		
						1995	3.20	5.00	39	4.14	0.15		
						1996	4.10	5.00	41	4.57	0.17		
						1997	3.90	5.00	41	4.47	0.16		
						1998	3.90	5.00	41	4.47	0.21		
						1999	3.80	4.80	56	4.32	0.23		
						2000	3.80	4.50	56	4.16	0.26		
						2001	3.70	4.40	56	4.06	0.27		
						2002	3.50	4.10	56	3.81	0.29		
6	U.S.-26	002241	000.000	001.996	N	1993	2.60	3.50	50	3.15			
						1994	2.80	3.50	50	3.23	0.20		
						1995	2.80	3.50	50	3.23	0.20		
						1996	3.00	3.50	41	3.31	0.28		
						1997	2.90	3.50	41	3.27	0.22		
						1998	2.80	3.50	41	3.23	0.27		
						1999	2.90	3.50	56	3.27	0.25	SEALCOAT	1999
						2000	2.90	3.50	56	3.27	0.27		
						2001	2.90	3.50	56	3.27	0.24		
						2002	2.70	3.50	56	3.19	0.26		
6	U.S.-26	002241	001.996	002.974	N	1993	2.30	4.50	51	3.67			
						1994	2.10	4.00	51	3.28	0.18		
						1995	2.10	4.00	51	3.28	0.18		
						1996	2.60	3.90	41	3.40	0.16		
						1997	2.30	3.90	41	3.29	0.17		
						1998	2.40	3.90	41	3.33	0.19		
						1999	2.20	3.90	56	3.25	0.19	SEALCOAT	1999
						2000	2.20	3.90	56	3.25	0.20		
						2001	2.30	3.90	56	3.29	0.21		
						2002	2.30	3.90	56	3.29	0.24		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	U.S.-26	002279	368.520	369.950	N	1993	2.40	4.50	49	3.50		
						1994	2.60	3.00	39	2.81	0.19	
						1995	2.60	3.00	39	2.81	0.19	
						1996	3.10	3.00	48	3.04	0.07	
						1997	2.90	3.00	48	2.95	0.07	
						1998	2.90	2.80	48	2.84	0.09	
						1999	2.80	2.40	58	2.59	0.08	
						2000	2.80	2.40	58	2.59	0.09	
						2001	2.70	2.40	58	2.54	0.07	
						2002	2.70	2.40	58	2.54	0.07	
6	U.S.-26	002279	369.950	372.380	N	1993	2.80	4.00	53	3.43		
						1994	2.80	3.50	40	3.16	0.06	
						1995	2.80	3.40	40	3.11	0.06	
						1996	3.40	3.40	44	3.40	0.07	
						1997	3.30	3.40	44	3.35	0.08	
						1998	3.30	3.30	44	3.30	0.10	
						1999	3.20	2.90	57	3.04	0.09	
						2000	3.20	2.90	57	3.04	0.10	
						2001	3.20	2.90	57	3.04	0.09	
						2002	3.10	2.90	57	2.99	0.08	
6	S.H.-28	002500	015.150	021.004	N	*1993	2.90	2.70	44	2.78		
						1994	3.00	2.70	32	2.83	0.14	
						1995	3.00	2.60	32	2.77	0.14	
						1996	3.20	2.60	38	2.86	0.14	
						1997	3.20	2.60	38	2.86	0.15	
						1998	3.10	2.60	38	2.82	0.16	
						1999	3.20	2.60	44	2.86	0.17	SEALCOAT
						2000	3.30	2.60	44	2.91	0.17	
						2001	3.20	4.00	42	3.64	0.18	
						2002	3.00	4.00	42	3.55	0.16	
6	S.H.-28	002500	021.004	024.000	N	1993	3.50	2.50	46	2.94		
						1994	3.40	2.50	29	2.90	0.08	
						1995	3.40	2.50	29	2.90	0.08	
						1996	3.60	2.80	31	3.15	0.09	
						1997	3.50	2.80	31	3.11	0.10	
						1998	3.50	2.80	31	3.11	0.10	
						1999	3.50	2.80	40	3.11	0.12	SEALCOAT
						2000	3.60	2.80	40	3.15	0.10	
						2001	3.50	2.80	43	3.11	0.10	
						2002	3.30	2.80	43	3.02	0.10	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	S.H.-28	002500	024.000	028.209	N	1993	3.50	2.50	53	2.94		
						1994	3.40	2.50	33	2.90	0.09	
						1995	3.40	2.50	33	2.90	0.09	
						1996	3.60	2.50	39	2.98	0.13	
						1997	3.50	2.50	39	2.94	0.14	
						1998	3.40	2.40	39	2.84	0.13	
						1999	3.40	2.40	42	2.84	0.15	SEALCOAT
						2000	3.50	2.40	42	2.88	0.15	
						2001	3.40	2.40	50	2.84	0.16	
						2002	3.10	2.40	50	2.71	0.16	
6	S.H.-28	002500	028.209	030.600	N	*1993	2.80	2.40	48	2.57		
						1994	3.00	2.00	42	2.44	0.13	
						1995	3.00	2.00	42	2.44	0.13	
						1996	3.40	2.00	43	2.62	0.19	
						1997	3.40	2.00	43	2.62	0.22	
						1998	3.30	2.00	43	2.57	0.20	
						1999	3.30	2.00	42	2.57	0.21	SEALCOAT
						2000	3.40	2.00	42	2.62	0.22	
						2001	3.40	2.00	44	2.62	0.20	
						2002	3.20	2.00	44	2.53	0.22	
6	S.H.-28	002500	030.600	036.500	N	*1993	2.80	2.40	48	2.57		
						1994	3.00	5.00	43	4.10	0.11	PLANT MIX OVERLAY
						1995	3.00	5.00	43	4.10	0.11	
						1996	4.10	5.00	47	4.59	0.09	
						1997	3.90	5.00	47	4.51	0.09	
						1998	3.90	5.00	47	4.51	0.08	
						1999	3.90	5.00	49	4.51	0.12	
						2000	3.80	5.00	49	4.46	0.08	SEALCOAT
						2001	3.80	5.00	48	4.46	0.09	
						2002	3.70	5.00	48	4.42	0.08	
6	S.H.-28	002500	036.500	045.000	N	*1993	3.00	3.50	49	3.27		
						1994	3.00	5.00	43	4.10	0.06	PLANT MIX OVERLAY
						1995	3.00	5.00	43	4.10	0.06	
						1996	4.00	4.50	46	4.27	0.07	
						1997	3.90	4.50	46	4.23	0.09	
						1998	3.80	4.50	46	4.18	0.08	
						1999	3.80	4.50	49	4.18	0.09	
						2000	3.80	4.50	49	4.18	0.09	SEALCOAT
						2001	3.80	4.50	49	4.18	0.09	
						2002	3.70	4.50	49	4.14	0.10	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	S.H.-28	002500	045.000	051.875	N	*1993	3.00	3.50	49	3.27		SEALCOAT	1993
						1994	3.30	5.00	35	4.24	0.03		
						1995	3.30	4.50	35	3.96	0.03		
						1996	4.00	4.50	37	4.27	0.04		
						1997	3.90	4.50	37	4.23	0.07	SEALCOAT	1997
						1998	3.80	4.50	37	4.18	0.05		
						1999	3.80	4.50	43	4.18	0.05		
						2000	3.80	4.50	43	4.18	0.06	SEALCOAT	2000
						2001	3.90	4.50	47	4.23	0.06		
						2002	3.60	4.50	47	4.09	0.05		
6	S.H.-28	002500	051.875	058.900	N	1993	2.80	2.00	58	2.35		SEALCOAT	1993
						1994	2.90	2.00	38	2.40	0.29		
						1995	2.90	2.00	38	2.40	0.29		
						1996	3.20	2.00	39	2.53	0.30		
						1997	3.10	2.00	39	2.48	0.28	SEALCOAT	1997
						1998	3.10	2.00	39	2.48	0.29		
						1999	3.10	2.00	24	2.48	0.35		
						2000	3.20	2.00	24	2.53	0.36	SEALCOAT	2000
						2001	4.00	5.00	56	4.55	0.13	PLANT MIX OVERLAY	2001
						2002	3.70	5.00	56	4.42	0.07		
6	S.H.-28	002500	058.900	065.900	N	1993	2.90	2.50	50	2.67		SEALCOAT	1993
						1994	2.80	2.20	30	2.46	0.10		
						1995	2.80	2.20	30	2.46	0.10		
						1996	3.20	2.20	39	2.64	0.22	SEALCOAT	1996
						1997	3.00	2.20	39	2.55	0.22	SEALCOAT	1997
						1998	3.00	2.20	39	2.55	0.22		
						1999	3.00	2.20	28	2.55	0.25		
						2000	3.00	2.20	28	2.55	0.28		
						2001	4.00	5.00	56	4.55	0.13	PLANT MIX OVERLAY	2001
						2002	3.60	5.00	56	4.38	0.10		
6	S.H.-28	002500	065.900	073.000	N	1993	2.80	2.00	52	2.35			
						1994	2.90	2.00	33	2.40	0.19		
						1995	2.90	2.00	33	2.40	0.19		
						1996	3.10	2.00	54	2.48	0.19	SEALCOAT	1996
						1997	3.10	2.00	54	2.48	0.20		
						1998	3.10	2.00	54	2.48	0.18		
						1999	3.00	2.00	31	2.44	0.21		
						2000	3.00	2.00	31	2.44	0.22		
						2001	4.10	5.00	57	4.59	0.06	PLANT MIX OVERLAY	2001
						2002	3.70	5.00	57	4.42	0.07		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	S.H.-28	002500	073.000	082.000	N	*1993	3.00	1.90	54	2.38									
						1994	3.00	1.90	46	2.38	0.11	SEALCOAT	1994						
						1995	3.00	1.90	46	2.38	0.11								
						1996	3.20	1.90	51	2.47	0.15	SEALCOAT	1996						
						1997	3.20	1.90	51	2.47	0.14								
						1998	3.10	1.90	51	2.43	0.13								
						1999	3.10	1.90	38	2.43	0.14								
						2000	3.20	1.90	38	2.47	0.14								
						2001	3.70	5.00	59	4.42	0.11	PLANT MIX OVERLAY	2001						
						2002	3.60	5.00	59	4.38	0.05								
						6	S.H.-28	002500	082.000	088.200	N	*1993	3.30	1.90	58	2.47		PLANT MIX OVERLAY	1993
												1994	3.50	5.00	44	4.33	0.04		
1995	3.50	5.00	44	4.33	0.04														
1996	4.20	5.00	45	4.64	0.05														
1997	4.20	5.00	45	4.64	0.07														
1998	4.20	5.00	45	4.64	0.06														
1999	4.20	4.50	49	4.36	0.10														
2000	4.20	4.20	49	4.20	0.10														
2001	4.20	4.20	51	4.20	0.14														
2002	3.60	4.20	51	3.93	0.12							SEALCOAT	2002						
6	S.H.-28	002500	088.200	097.726	N							*1993	2.90	2.00	56	2.40			
												1994	3.00	2.00	38	2.44	0.07		
						1995	3.00	2.00	38	2.44	0.07	SEALCOAT	1995						
						1996	3.50	2.00	57	2.66	0.08								
						1997	3.40	2.00	57	2.62	0.08								
						1998	3.40	2.00	57	2.62	0.08								
						1999	3.30	2.00	47	2.57	0.08								
						2000	3.40	2.00	47	2.61	0.08								
						2001	3.40	2.00	53	2.62	0.10								
						2002	3.70	5.00	53	4.42	0.06	MILL INLAY AND OVERLAY	2002						
						6	S.H.-28	002500	097.726	103.116	N	1993	2.60	2.20	58	2.37			
												1994	2.70	2.20	40	2.42	0.10		
1995	2.70	2.20	40	2.42	0.10							SEALCOAT	1995						
1996	3.30	2.20	61	2.68	0.10														
1997	3.20	2.20	61	2.64	0.11														
1998	3.10	2.20	61	2.60	0.11														
1999	3.10	2.00	55	2.48	0.10														
2000	3.20	2.00	55	2.52	0.11														
2001	3.10	2.00	58	2.48	0.11														
2002	3.60	5.00	58	4.38	0.06							MILL INLAY AND OVERLAY	2002						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS							
6	S.H.-28	002500	103.116	108.126	N	1993	2.70	2.00	63	2.31									
						1994	2.70	2.00	39	2.31	0.17								
						1995	2.70	2.00	39	2.31	0.17								
						1996	3.30	2.00	60	2.57	0.16								
						1997	3.10	2.00	60	2.48	0.16								
						1998	3.10	2.00	60	2.48	0.16								
						1999	3.00	2.00	46	2.44	0.19								
						2000	3.10	2.00	46	2.48	0.20								
						2001	3.10	2.00	56	2.48	0.20								
						2002	3.60	5.00	56	4.38	0.04	MILL INLAY AND OVERLAY	2002						
						6	S.H.-28	002500	108.126	115.734	N	1993	2.60	2.30	62	2.43			
1994	2.70	2.30	38	2.47	0.18							SEALCOAT	1994						
1995	2.70	2.30	38	2.47	0.18														
1996	3.30	2.30	53	2.74	0.14														
1997	3.10	2.30	53	2.65	0.12														
1998	3.10	2.30	53	2.65	0.15														
1999	3.10	2.30	50	2.65	0.15														
2000	3.10	2.30	50	2.65	0.16														
*2001	3.10	2.30	55	2.65	0.17														
6	S.H.-28	002500	108.126	116.350	N							2002	3.70	5.00	55	4.42	0.05	MILL INLAY AND OVERLAY	2002
												6	S.H.-28	002500	115.734	121.380	N	1993	3.00
						1994	2.90	2.70	38	2.78	0.21							SEALCOAT	1994
						1995	2.90	2.70	38	2.78	0.21								
						1996	3.30	2.70	55	2.96	0.15								
						1997	3.20	2.70	55	2.92	0.14								
						1998	3.20	2.70	55	2.92	0.16								
						1999	3.10	2.60	46	2.82	0.18								
						2000	3.10	2.60	46	2.82	0.19								
						*2001	3.10	2.60	51	2.82	0.18								
						6	S.H.-28	002500	116.350	121.380	N							2002	4.00
6	S.H.-28	002500	121.380	126.300	N													1993	3.00
												1994	3.00	2.40	38	2.66	0.17	SEALCOAT	1994
												1995	3.00	2.40	38	2.66	0.17		
												1996	3.40	2.40	57	2.84	0.12		
												*1997	3.20	2.40	57	2.75	0.11		
												1998	3.30	2.40	57	2.80	0.10		
												1999	3.20	2.40	50	2.75	0.12		
												2000	3.20	2.40	50	2.75	0.14		
												2001	3.10	2.40	53	2.71	0.15		
												2002	4.00	5.00	53	4.55	0.07	COLD IN PLACE RECYCLE WITH OVERLAY	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	S.H.-28	002500	126.300	130.304	N	1993	3.00	2.40	57	2.66		
						1994	3.00	2.40	38	2.66	0.17	
						1995	3.00	2.40	38	2.66	0.17	
						1996	3.40	2.40	57	2.84	0.12	
						*1997	3.20	2.40	57	2.75	0.11	PLANT MIX OVERLAY
						1998	3.70	5.00	49	4.41	0.16	
						1999	3.70	4.00	58	3.86	0.16	
						2000	3.70	4.00	58	3.86	0.17	
						2001	3.50	4.00	57	3.77	0.19	
						2002	3.50	4.00	57	3.77	0.19	COLD IN PLACE RECYCLE WITH OVERLAY2002
6	S.H.-28	002500	130.304	135.106	N	1993	3.10	3.00	53	3.04		
						1994	3.20	2.90	35	3.03	0.24	
						1995	3.20	2.90	35	3.03	0.24	
						1996	3.40	2.90	49	3.12	0.18	
						1997	3.10	2.90	49	2.98	0.16	PLANT MIX OVERLAY
						1998	3.70	5.00	49	4.41	0.10	
						1999	3.60	4.00	51	3.82	0.09	
						2000	3.70	4.00	51	3.86	0.10	
						2001	3.50	3.30	57	3.38	0.12	
						2002	3.50	3.30	57	3.38	0.11	
6	S.H.-28	002500	135.106	135.645	N	1993	3.00	4.00	38	3.58		
						1994	2.90	4.00	38	3.53	0.24	
						1995	2.90	4.00	38	3.53	0.24	
						1996	3.20	4.00	42	3.66	0.11	
						1997	2.70	4.00	42	3.45	0.13	
						1998	2.60	4.00	42	3.41	0.12	
						1999	2.50	4.00	28	3.36	0.10	
						2000	2.40	4.00	28	3.32	0.20	
						2001	2.60	3.70	50	3.23	0.15	
						2002	2.80	3.70	50	3.32	0.15	
6	S.H.-29	002510	000.000	004.230	N	1993	2.30	2.00	59	2.11		
						1994	2.30	1.80	42	1.97	0.22	
						1995	2.30	1.80	42	1.97	0.22	SEALCOAT
						1996	2.40	1.80	62	2.02	0.17	
						1997	2.30	1.80	62	1.98	0.18	
						1998	2.30	1.80	62	1.98	0.17	
						1999	2.40	1.80	52	2.01	0.18	
						2000	2.50	1.80	52	2.06	0.19	
						2001	2.50	1.80	53	2.06	0.19	
						2002	2.40	1.80	53	2.02	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	S.H.-31	002450	000.000	004.735	N	1993	2.40	2.50	57	2.45		
						1994	2.60	2.30	40	2.42	0.33	
						*1995	2.60	2.20	40	2.36	0.33	
						1996	3.10	5.00	30	4.21	0.35	PLANT MIX OVERLAY
						1997	3.50	5.00	30	4.37	0.19	
						1998	3.60	5.00	30	4.42	0.20	
						1999	3.50	4.70	62	4.20	0.20	
						2000	3.50	4.70	62	4.20	0.23	
						2001	3.50	4.50	62	4.08	0.24	
						2002	3.50	4.40	62	4.02	0.26	
6	S.H.-31	002450	004.735	007.331	N	1993	2.40	2.50	57	2.45		SEALCOAT
						1994	2.60	2.30	40	2.42	0.33	
						*1995	2.60	2.20	40	2.36	0.33	PLANT MIX OVERLAY
						1996	2.50	2.10	42	2.26	0.34	
						1997	2.40	2.10	42	2.22	0.33	
						1998	2.40	2.00	42	2.16	0.34	
						1999	2.30	2.00	63	2.12	0.31	SEALCOAT
						2000	2.40	2.00	63	2.16	0.33	
						2001	2.40	2.00	63	2.16	0.35	
						2002	2.60	2.00	63	2.24	0.30	
6	S.H.-31	002450	007.331	014.100	N	2002	3.30	3.90	64	3.65	0.15	
6	S.H.-31	002450	007.331	014.135	N	1993	2.10	2.00	50	2.04		SEALCOAT
						1994	2.10	2.00	37	2.04	0.33	
						1995	3.50	5.00	37	4.37	0.00	PLANT MIX OVERLAY
						1996	3.80	5.00	59	4.50	0.11	
						1997	3.50	5.00	59	4.37	0.12	
						1998	3.40	4.70	59	4.16	0.11	
						1999	3.40	4.20	64	3.86	0.12	
						2000	3.40	4.20	64	3.86	0.14	
						*2001	3.40	4.20	64	3.86	0.14	
6	S.H.-31	002450	014.100	021.025	N	2002	3.30	5.00	34	4.35	0.10	PLANT MIX OVERLAY
6	S.H.-31	002450	014.135	019.098	N	1993	2.40	2.30	43	2.34		SEALCOAT
						1994	2.40	2.30	30	2.34	0.28	
						1995	2.40	2.30	30	2.34	0.28	
						1996	3.20	2.30	34	2.67	0.26	
						1997	3.00	2.30	34	2.59	0.24	
						1998	2.90	2.30	34	2.54	0.27	
						1999	2.90	2.30	33	2.54	0.28	
						2000	3.00	2.30	33	2.59	0.30	
						*2001	3.00	5.00	33	4.16	0.31	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	S.H.-31	002450	019.098	021.025	N	1993	2.70	2.50	47	2.57		SEALCOAT	1993
						1994	2.50	2.50	31	2.50	0.16		
						1995	2.50	2.50	31	2.50	0.16		
						1996	2.60	2.50	31	2.53	0.17		
						1997	3.10	2.50	31	2.72	0.19		
						1998	3.10	2.50	34	2.72	0.20		
						1999	3.20	2.50	36	2.76	0.19		
						2000	3.20	2.50	36	2.76	0.22		
						*2001	3.20	5.00	36	4.32	0.21		
6	S.H.-32	002480	000.000	007.929	N	1993	2.30	1.90	46	2.05		SEALCOAT	1993
						1994	2.30	1.80	34	1.99	0.35		
						1995	3.50	5.00	34	4.42	0.00	PLANT MIX OVERLAY	1995
						1996	4.00	5.00	42	4.61	0.07		
						1997	3.90	5.00	42	4.57	0.07		
						1998	3.80	4.60	42	4.27	0.09		
						1999	3.80	4.60	46	4.27	0.09		
						2000	3.80	4.30	46	4.09	0.11		
						2001	3.80	4.30	46	4.09	0.12		
						2002	3.70	4.20	46	3.99	0.11		
6	S.H.-32	002480	007.929	014.535	N	1993	2.40	2.00	52	2.16		SEALCOAT	1993
						1994	2.50	2.00	45	2.20	0.18		
						1995	2.50	2.00	45	2.20	0.18		
						1996	3.00	2.00	44	2.40	0.15		
						1997	2.90	1.90	44	2.30	0.17		
						1998	2.90	1.90	44	2.30	0.16		
						1999	2.70	1.90	44	2.22	0.17		
						2000	2.80	1.90	44	2.26	0.17		
						2001	2.70	1.90	44	2.22	0.19		
						2002	2.60	1.90	44	2.18	0.16		
6	S.H.-32	002480	014.535	018.886	N	1993	2.10	2.00	51	2.04		SEALCOAT	1993
						1994	2.20	2.00	46	2.08	0.34		
						1995	2.20	2.00	46	2.08	0.34		
						1996	2.70	2.00	48	2.28	0.23		
						1997	2.60	2.00	48	2.24	0.24		
						1998	2.50	2.00	48	2.20	0.24		
						1999	2.60	2.00	54	2.24	0.23		
						2000	2.80	2.00	54	2.32	0.19		
						2001	2.70	2.00	54	2.28	0.19		
						2002	2.60	2.00	54	2.24	0.16		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	S.H.-32	002480	018.886	022.700	N	1993	1.60	1.00	61	1.24		SEALCOAT	1993
						1994	1.70	1.00	43	1.28	0.20		
						1995	1.70	1.00	43	1.28	0.20		
						1996	2.50	1.00	46	1.60	0.15		
						1997	3.00	1.00	46	1.80	0.12		
						1998	2.90	1.00	46	1.76	0.10		
						1999	2.90	1.00	60	1.76	0.10		
						2000	2.90	1.00	60	1.76	0.09		
						2001	2.80	1.00	60	1.72	0.11		
						2002	2.70	1.00	60	1.68	0.09		
6	S.H.-32	002480	022.700	024.271	N	1993	2.10	1.50	56	1.74		SEALCOAT	1997
						1994	2.20	1.50	43	1.78	0.27		
						1995	2.20	1.50	43	1.78	0.27		
						1996	3.10	1.50	41	2.14	0.20		
						1997	3.00	1.50	41	2.10	0.20		
						1998	2.90	1.50	41	2.06	0.19		
						1999	2.90	1.50	57	2.06	0.19		
						2000	2.90	1.50	57	2.06	0.20		
						2001	2.80	1.50	57	2.02	0.21		
						2002	2.80	1.50	57	2.02	0.20		
6	S.H.-32	002480	024.271	025.100	N	1993	2.30	2.20	57	2.24		SEALCOAT	1997
						1994	2.30	2.00	39	2.12	0.58		
						1995	2.30	2.00	39	2.12	0.58		
						1996	2.60	1.90	36	2.18	0.22		
						1997	2.70	1.90	36	2.22	0.17		
						1998	2.70	1.90	36	2.22	0.17		
						1999	2.70	1.90	44	2.22	0.16		
						2000	2.70	1.90	44	2.22	0.18		
						2001	2.60	1.90	44	2.18	0.16		
						2002	2.60	1.90	44	2.18	0.17		
6	S.H.-32	002480	025.100	028.386	N	1993	2.70	1.90	56	2.23		SEALCOAT	1997
						1994	2.70	1.80	56	2.17	0.16		
						1995	2.70	1.80	56	2.17	0.16		
						1996	3.40	1.80	35	2.46	0.16		
						1997	3.40	1.80	35	2.46	0.17		
						1998	3.30	1.80	35	2.41	0.17		
						1999	3.20	1.80	54	2.37	0.18		
						2000	3.10	1.80	54	2.33	0.20		
						2001	3.10	1.80	54	2.33	0.19		
						2002	2.90	1.80	54	2.25	0.18		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	S.H.-33	002075	334.200	334.767	N	1993	1.40	2.70	49	2.13									
						1994	1.40	2.70	43	2.13	0.19	SEALCOAT	1994						
						1995	1.40	2.70	43	2.13	0.19								
						1996	2.20	2.70	46	2.48	0.24								
						1997	2.20	2.70	46	2.48	0.23								
						1998	2.00	2.70	46	2.39	0.23								
						1999	1.60	2.70	48	2.21	0.19								
						2000	1.80	2.70	48	2.30	0.19								
						2001	1.70	2.70	48	2.26	0.20								
						2002	1.60	2.60	48	2.16	0.20								
						6	S.H.-33	002075	334.767	335.318	N	1993	1.90	2.70	45	2.35			
												1994	1.40	2.70	44	2.13	0.20	SEALCOAT	1994
1995	1.40	2.70	44	2.13	0.20														
1996	1.40	2.70	39	2.12	0.31														
1997	1.40	2.50	39	2.00	0.22														
1998	1.30	2.10	39	1.74	0.23														
1999	1.20	2.10	44	1.69	0.32														
2000	1.30	2.10	44	1.74	0.35														
2001	1.20	2.10	44	1.69	0.39														
2002	1.30	2.10	44	1.74	0.39														
6	S.H.-33	002075	335.318	335.762	N							1993	1.90	2.50	48	2.22			
												1994	1.20	2.50	44	1.89	0.07	SEALCOAT	1994
						1995	1.20	2.50	44	1.89	0.07								
						1996	2.10	2.50	39	2.31	0.19								
						1997	1.40	2.50	39	1.98	0.08								
						1998	1.40	2.50	39	1.98	0.11								
						1999	1.50	2.50	50	2.02	0.13								
						2000	1.50	2.10	50	1.82	0.18								
						2001	1.60	2.10	50	1.86	0.14								
						2002	1.80	2.10	50	1.96	0.13								
						6	S.H.-33	002075	335.762	338.079	N	1993	2.40	2.00	52	2.17			
												1994	2.40	2.00	46	2.17	0.24	SEALCOAT	1994
1995	2.40	2.00	46	2.17	0.24														
1996	3.10	1.90	45	2.43	0.29														
1997	2.90	1.90	45	2.34	0.35														
1998	2.80	1.90	45	2.30	0.34														
1999	2.70	1.90	50	2.25	0.32														
2000	2.70	1.90	50	2.25	0.34														
2001	2.80	1.90	50	2.30	0.33														
2002	2.80	1.90	50	2.30	0.30							SEALCOAT	2002						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	S.H.-33	002075	338.079	338.405	N	1993	2.10	2.70	51	2.45		
						1994	2.60	2.70	49	2.65	0.32	SEALCOAT
						1995	2.60	2.70	49	2.65	0.32	
						1996	3.40	2.70	43	2.99	0.13	
						1997	3.20	2.70	43	2.90	0.13	
						1998	3.10	2.10	43	2.51	0.14	
						1999	3.10	2.10	43	2.51	0.17	
						2000	3.20	2.10	50	2.55	0.18	
						2001	3.20	2.10	50	2.55	0.15	
						2002	2.80	2.10	50	2.39	0.13	SEALCOAT
6	S.H.-33	002075	338.405	338.696	N	1993	2.80	2.30	55	2.50		
						1994	2.70	2.30	49	2.46	0.14	SEALCOAT
						1995	2.70	2.30	49	2.46	0.14	
						1996	3.20	2.30	48	2.67	0.14	
						1997	3.20	2.30	48	2.67	0.08	
						1998	2.80	2.00	48	2.33	0.09	
						1999	2.80	2.00	61	2.33	0.12	
						2000	2.90	2.00	61	2.37	0.12	
						2001	2.80	2.00	61	2.33	0.09	
						2002	2.60	2.00	61	2.25	0.16	SEALCOAT
6	S.H.-33	002075	338.696	339.265	N	1993	2.50	2.80	54	2.67		
						1994	2.70	2.80	51	2.75	0.15	SEALCOAT
						1995	2.70	2.70	51	2.70	0.15	
						1996	3.40	2.60	42	2.93	0.15	
						1997	3.00	2.20	42	2.53	0.17	
						1998	3.10	2.20	42	2.57	0.17	
						1999	3.00	2.20	55	2.53	0.17	
						2000	3.10	2.20	55	2.57	0.16	
						2001	3.00	2.20	55	2.53	0.14	
						2002	3.00	2.20	55	2.53	0.15	SEALCOAT
6	S.H.-33	002075	339.265	339.765	N	1993	2.60	3.50	53	3.09		
						1994	2.60	3.50	50	3.09	0.24	SEALCOAT
						1995	2.60	3.50	50	3.09	0.24	
						1996	3.30	3.50	39	3.41	0.11	
						1997	3.00	3.50	39	3.27	0.17	
						1998	3.00	2.00	39	2.44	0.20	
						1999	2.80	2.00	47	2.35	0.22	
						2000	2.80	2.00	47	2.35	0.21	
						2001	2.80	2.00	47	2.35	0.22	
						2002	2.80	2.00	47	2.35	0.17	SEALCOAT

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
6	S.H.-33	002460	000.000	008.627	N	1993	2.50	2.00	53	2.19								
						1994	2.60	2.00	34	2.23	0.11							
						1995	2.60	2.00	34	2.23	0.11							
						1996	3.00	5.00	28	4.14	0.20	C.R.A.B.S.						
						1997	3.70	5.00	28	4.42	0.11							
						1998	3.70	5.00	28	4.42	0.10							
						1999	3.70	5.00	53	4.42	0.11							
						2000	3.80	5.00	53	4.47	0.12							
						2001	3.80	5.00	43	4.47	0.13							
						2002	3.60	5.00	43	4.38	0.15							
						6	S.H.-33	002460	008.627	017.000	N	1993	2.60	2.50	60	2.54		
												1994	2.80	2.50	32	2.62	0.20	
*1995	2.80	2.50	32	2.62	0.20													
1996	2.90	5.00	33	4.06	0.20							C.R.A.B.S.						
1997	3.60	5.00	33	4.37	0.11													
1998	3.60	5.00	28	4.37	0.10													
1999	3.60	5.00	44	4.38	0.10													
2000	3.70	5.00	44	4.42	0.11													
2001	3.70	5.00	30	4.42	0.12													
2002	3.50	5.00	30	4.33	0.14													
6	S.H.-33	002460	017.000	020.500	N							1993	2.60	2.50	60	2.54		
												1994	2.80	2.50	32	2.62	0.20	
						*1995	2.80	2.50	32	2.62	0.20							
						1996	2.90	2.50	33	2.67	0.18							
						1997	3.20	2.50	33	2.80	0.12							
						*1998	3.20	2.50	28	2.81	0.13							
						1999	3.70	5.00	43	4.42	0.08							
						2000	3.70	5.00	43	4.43	0.10							
						2001	3.80	5.00	24	4.47	0.11							
						2002	3.50	5.00	24	4.34	0.11							
						6	S.H.-33	002460	020.500	024.680	N	1993	2.60	2.50	60	2.54		
												1994	2.80	2.50	32	2.62	0.20	
*1995	2.80	2.50	32	2.62	0.20													
1996	2.90	2.50	33	2.67	0.18													
1997	3.20	2.50	33	2.80	0.12													
*1998	3.20	2.50	28	2.81	0.13													
1999	3.50	5.00	39	4.34	0.03							C.R.A.B.S.						
2000	3.50	5.00	39	4.34	0.03													
2001	3.50	5.00	49	4.34	0.03													
2002	3.50	5.00	49	4.34	0.03													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
6	S.H.-33	002460	024.680	029.070	N	1993	2.40	2.00	64	2.16							
						1994	2.50	2.00	39	2.20	0.12						
						1995	2.50	2.00	39	2.20	0.12						
						1996	2.90	2.00	40	2.39	0.15						
						1997	2.90	2.00	40	2.39	0.16						
						1998	2.80	2.00	40	2.35	0.16						
						1999	3.20	5.00	48	4.22	0.04	C.R.A.B.S.					1999
						2000	3.30	5.00	48	4.24	0.05						
						2001	3.30	5.00	52	4.24	0.05						
						2002	3.20	4.80	52	4.08	0.05						
6	S.H.-33	002460	029.070	033.276	N	1993	2.70	2.20	49	2.40							
						1994	2.70	2.20	35	2.40	0.10						
						1995	2.70	2.20	35	2.40	0.10						
						1996	2.90	2.20	42	2.50	0.13						
						1997	2.80	2.20	42	2.46	0.13						
						1998	2.80	2.20	42	2.46	0.11						
						1999	2.60	2.20	54	2.37	0.11						
						2000	2.70	2.20	54	2.42	0.11						
						2001	2.60	2.20	49	2.37	0.13						
						2002	2.70	2.20	49	2.42	0.11						
6	S.H.-33	002460	033.276	034.000	N	1993	2.70	3.00	51	2.87							
						1994	3.00	2.70	33	2.82	0.06						
						1995	3.00	2.60	33	2.76	0.06						
						1996	3.10	2.60	35	2.81	0.13						
						1997	3.00	2.60	35	2.77	0.12						
						1998	2.90	2.60	35	2.73	0.16						
						1999	2.70	2.60	54	2.64	0.14						
						2000	2.70	2.60	54	2.64	0.16						
						2001	2.40	3.00	45	2.73	0.24						
						2002	2.60	3.00	45	2.82	0.22						
6	S.H.-33	002460	034.000	038.477	N	1993	2.80	1.80	37	2.20							
						1994	2.90	1.80	34	2.24	0.28	SEALCOAT				1993	
						1995	2.90	1.80	34	2.24	0.28						
						1996	2.90	1.80	38	2.28	0.34						
						1997	2.90	1.80	38	2.28	0.28						
						1998	2.80	1.80	38	2.23	0.36						
						1999	2.80	1.80	44	2.23	0.33						
						2000	2.80	1.80	44	2.24	0.35						
						2001	2.80	1.80	43	2.24	0.40						
						2002	2.60	1.80	43	2.15	0.38						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
6	S.H.-33	002460	038.477	043.620	N	1993	2.70	2.00	38	2.28		SEALCOAT	1993
						1994	2.70	2.00	36	2.28	0.26		
						1995	2.70	2.00	36	2.28	0.26	C.R.A.B.S.	
						1996	3.00	2.50	33	2.71	0.26		
						1997	2.90	2.50	33	2.67	0.25		
						1998	2.80	2.50	33	2.63	0.30		
						1999	2.80	2.50	39	2.63	0.28		
						2000	2.80	2.50	39	2.63	0.31	SEALCOAT	
						2001	2.90	2.50	48	2.67	0.29		
						2002	2.80	2.50	48	2.63	0.27		
6	S.H.-33	002460	043.620	044.730	N	1993	3.00	1.50	58	2.17			1995
						1994	3.10	1.50	25	2.21	0.09		
						1995	3.50	5.00	25	4.32	0.00	C.R.A.B.S.	
						1996	4.10	5.00	29	4.59	0.04		
						1997	3.90	5.00	29	4.50	0.04		
						1998	3.90	4.90	29	4.45	0.06		
						1999	3.90	4.90	41	4.45	0.04		
						2000	3.80	4.90	41	4.40	0.05	SEALCOAT	
						2001	3.90	4.80	45	4.39	0.05		
						2002	3.60	4.80	45	4.26	0.04		
6	S.H.-33	002460	044.730	051.708	N	1993	3.20	1.50	57	2.26			1995
						1994	3.20	1.50	27	2.25	0.24		
						1995	3.50	5.00	27	4.32	0.00	C.R.A.B.S.	
						1996	3.90	5.00	33	4.50	0.10		
						1997	3.80	5.00	33	4.46	0.09		
						1998	3.80	4.50	33	4.18	0.12		
						1999	3.80	4.50	41	4.18	0.12	C.R.A.B.S.	
						2000	3.70	4.50	41	4.14	0.12	SEALCOAT	
						2001	3.80	4.40	44	4.13	0.11		
						2002	3.50	4.40	44	3.99	0.12		
6	S.H.-33	002460	051.708	058.911	N	1993	3.10	1.00	60	1.92			1994
						1994	3.10	1.50	32	2.20	0.15	SEALCOAT	
						1995	3.10	1.50	32	2.20	0.15		
						1996	3.30	1.50	32	2.29	0.19		
						1997	3.20	1.50	32	2.25	0.22		
						*1998	3.10	1.50	32	2.20	0.24		
						1999	3.60	5.00	42	4.38	0.06	C.R.A.B.S.	
						*2000	4.00	5.00	42	4.55	0.05		
						2001	4.00	5.00	56	4.55	0.06		
						2002	3.70	4.80	56	4.30	0.07		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	S.H.-33	002460	058.911	066.044	N	1993	3.10	2.80	57	2.93									
						1994	3.00	2.80	42	2.88	0.10	SEALCOAT	1994						
						1995	3.00	2.80	42	2.88	0.10								
						1996	3.40	2.80	49	3.06	0.21	SEALCOAT	1996						
						1997	3.30	2.80	49	3.01	0.20								
						1998	3.30	2.80	49	3.01	0.20								
						1999	3.20	2.80	58	2.97	0.21								
						2000	3.30	2.80	58	3.02	0.25								
						2001	3.40	2.80	58	3.06	0.27								
						2002	3.20	2.80	58	2.97	0.29								
						6	S.H.-33	002460	066.044	069.803	N	1993	3.50	4.50	58	4.06			
												1994	3.70	4.00	39	3.86	0.11		
1995	3.70	4.00	39	3.86	0.11														
1996	4.00	4.00	60	4.00	0.17							SEALCOAT	1996						
1997	3.90	4.00	60	3.95	0.16														
1998	3.80	4.00	60	3.91	0.15														
1999	3.80	3.80	62	3.80	0.13														
2000	3.90	3.50	62	3.67	0.15														
2001	3.90	3.50	62	3.67	0.15														
2002	3.60	3.30	62	3.43	0.16														
6	S.H.-33	002460	069.803	073.436	N							1993	3.60	4.00	57	3.82			
												1994	3.60	4.00	36	3.82	0.06	SEALCOAT	1994
						1995	3.60	4.00	36	3.82	0.06								
						1996	4.10	4.00	61	4.04	0.12	SEALCOAT	1996						
						1997	3.90	4.00	61	3.95	0.12								
						1998	3.80	4.00	61	3.91	0.09								
						1999	3.90	3.90	61	3.90	0.09								
						2000	3.90	3.50	61	3.67	0.10								
						2001	4.00	3.50	61	3.72	0.09								
						2002	3.60	3.30	61	3.43	0.08								
						6	S.H.-33	002460	073.436	077.858	N	1993	2.50	2.80	53	2.66			
												1994	2.50	2.80	38	2.66	0.16	SEALCOAT	1994
1995	2.50	2.40	38	2.44	0.16														
1996	3.10	2.40	40	2.71	0.22							SEALCOAT	1996						
1997	2.90	2.30	40	2.56	0.23														
1998	2.80	2.30	40	2.52	0.24														
1999	2.70	1.90	50	2.25	0.24														
2000	2.80	1.90	50	2.30	0.24														
2001	2.80	1.90	50	2.30	0.27														
2002	2.80	1.90	50	2.30	0.26														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	S.H.-33	002460	077.858	078.236	N	1993	2.50	2.50	49	2.50									
						1994	2.60	2.50	39	2.54	0.07	SEALCOAT	1994						
						1995	2.60	2.50	39	2.54	0.07								
						1996	3.10	2.50	28	2.77	0.14								
						1997	2.80	2.20	28	2.47	0.15								
						1998	2.60	2.20	28	2.38	0.18								
						1999	2.60	2.00	46	2.27	0.16								
						2000	2.70	2.00	46	2.31	0.19								
						2001	2.50	2.00	46	2.22	0.20								
						2002	2.60	2.00	46	2.27	0.21								
						6	S.H.-33	002460	078.236	078.482	N	1993	2.50	4.00	44	3.36			
												1994	2.40	4.00	41	3.31	0.08	SEALCOAT	1994
1995	2.40	4.00	41	3.31	0.08														
1996	3.60	4.00	33	3.82	0.13														
1997	3.30	4.00	33	3.70	0.15														
1998	3.30	4.00	33	3.70	0.07														
1999	3.20	4.00	33	3.65	0.15														
2000	3.20	4.00	46	3.65	0.20														
2001	3.10	4.00	46	3.60	0.26														
2002	3.20	4.00	46	3.65	0.21														
6	S.H.-33	002460	078.482	078.857	N							1993	2.00	4.50	46	3.42			
												1994	1.90	4.50	36	3.38	0.10	SEALCOAT	1994
						1995	1.90	4.50	36	3.39	0.10								
						1996	2.50	4.50	42	3.63	0.21								
						1997	2.10	4.50	42	3.46	0.15								
						1998	2.00	3.00	42	2.56	0.16								
						1999	1.90	3.00	50	2.52	0.17								
						2000	2.00	3.00	50	2.56	0.19								
						2001	2.20	3.00	50	2.65	0.22								
						2002	2.20	3.00	50	2.65	0.16								
						6	S.H.-33	002460	078.857	079.285	N	1993	0.60	1.90	43	1.34			
												1994	0.70	1.90	38	1.38	0.06	SEALCOAT	1994
1995	0.70	1.90	38	1.38	0.06														
1996	2.20	1.90	38	2.02	0.24														
1997	2.20	1.90	38	2.02	0.23														
1998	2.10	1.90	42	1.98	0.23														
1999	2.00	1.90	47	1.94	0.25														
2000	2.40	1.90	47	2.11	0.24														
2001	2.30	1.90	47	2.07	0.21														
2002	2.10	1.90	47	1.98	0.23														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	S.H.-33	002460	099.292	100.000	N	2002	2.50	2.40	58	2.44	0.13	
6	S.H.-33	002460	099.441	100.000	N	1993	2.40	2.00	58	2.17		
						1994	2.30	2.00	36	2.13	0.15	
						1995	2.30	2.00	36	2.13	0.15	
						1996	2.60	2.00	38	2.26	0.10	
						1997	2.40	2.00	38	2.17	0.13	
						1998	4.00	5.00	38	4.55	0.14	PLANT MIX OVERLAY
						1999	3.20	4.00	58	3.64	0.04	
						2000	3.40	4.00	58	3.73	0.04	
						*2001	3.40	4.00	58	3.73	0.04	
6	S.H.-33	002460	100.000	102.726	N	1993	2.90	2.00	50	2.40		
						1994	2.90	2.00	22	2.40	0.11	
						1995	2.90	2.00	22	2.40	0.11	
						1996	3.30	2.00	21	2.58	0.16	
						1997	3.30	2.00	21	2.58	0.17	
						1998	3.20	2.00	21	2.53	0.19	C.R.A.B.S.
						1999	3.20	2.00	50	2.53	0.13	
						2000	3.30	2.00	50	2.58	0.16	
						2001	3.20	2.00	50	2.53	0.18	
						2002	3.00	2.00	50	2.44	0.18	
6	S.H.-33	002460	102.726	104.226	N	1993	3.40	2.50	44	2.87		
						1994	3.30	2.50	24	2.83	0.17	
						1995	3.30	2.50	24	2.83	0.17	
						1996	3.20	2.40	23	2.73	0.15	
						1997	3.20	2.10	23	2.55	0.16	
						1998	3.20	2.10	23	2.55	0.20	
						1999	3.00	2.10	38	2.47	0.20	
						2000	3.00	2.10	38	2.47	0.24	
						2001	2.80	2.10	38	2.39	0.26	
						2002	2.70	2.00	38	2.29	0.27	
6	S.H.-33	002460	104.226	109.220	N	1993	2.90	3.00	50	2.95		
						1994	2.90	2.80	29	2.84	0.10	
						1995	2.90	2.80	29	2.84	0.10	
						1996	3.50	2.80	32	3.11	0.15	
						1997	3.50	2.40	32	2.89	0.16	
						1998	3.40	2.40	32	2.84	0.21	
						1999	3.30	2.40	45	2.80	0.21	
						2000	3.30	2.20	45	2.69	0.23	
						2001	3.30	2.20	45	2.69	0.25	
						2002	3.10	2.20	45	2.60	0.28	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
6	S.H.-33	002460	109.220	111.287	N	1993	2.90	3.00	56	2.95								
						1994	2.80	2.80	36	2.80	0.12							
						1995	2.80	2.80	36	2.80	0.12							
						1996	3.30	2.80	39	3.02	0.16							
						1997	3.30	2.80	39	3.02	0.16							
						1998	3.20	2.50	39	2.81	0.20							
						1999	3.10	2.50	56	2.76	0.20							
						2000	2.90	2.50	56	2.67	0.19							
						2001	2.80	2.40	56	2.57	0.23							
						2002	2.80	2.10	56	2.41	0.21							
						6	S.H.-33	002460	111.287	115.500	N	1993	2.90	3.00	59	2.95		
												1994	2.80	3.00	41	2.91	0.17	
1995	2.80	3.00	41	2.91	0.17													
1996	3.30	2.90	39	3.07	0.17													
1997	3.20	2.90	39	3.03	0.18													
*1998	3.20	2.50	39	2.81	0.21													
1999	3.20	5.00	51	4.19	0.22							C.R.A.B.S.						
2000	3.40	5.00	51	4.28	0.09													
2001	3.40	5.00	51	4.28	0.09													
2002	3.10	5.00	51	4.15	0.10													
6	S.H.-33	002460	115.500	118.255	N							1993	2.90	3.00	59	2.95		
												1994	2.80	3.00	41	2.91	0.17	
						1995	2.80	3.00	41	2.91	0.17							
						1996	3.30	2.90	39	3.07	0.17							
						1997	3.20	2.90	39	3.03	0.18							
						*1998	3.20	2.50	39	2.81	0.21							
						1999	3.20	3.40	56	3.31	0.17	SEALCOAT						
						2000	3.30	3.40	56	3.35	0.18							
						2001	3.30	3.40	56	3.35	0.19							
						2002	3.30	3.40	56	3.35	0.19							
						6	S.H.-33	002460	118.255	120.440	N	1993	3.10	4.00	59	3.59		
												1994	3.00	4.00	39	3.55	0.09	
1995	3.00	4.00	39	3.55	0.09													
1996	3.70	4.00	45	3.86	0.14													
1997	3.50	2.90	45	3.16	0.17													
1998	3.50	2.40	45	2.89	0.21													
1999	3.40	2.40	55	2.83	0.19							SEALCOAT						
2000	3.50	2.40	55	2.88	0.20													
2001	3.50	2.40	55	2.88	0.21													
2002	3.40	2.40	55	2.83	0.21													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
6	S.H.-33	002460	120.440	125.440	N	1993	3.30	4.00	55	3.68			
						1994	3.40	4.00	37	3.73	0.04		
						1995	3.40	4.00	37	3.73	0.04		
						1996	3.80	4.00	39	3.91	0.09		
						1997	3.70	4.00	39	3.86	0.12		
						1998	3.70	4.00	39	3.86	0.16		
						1999	3.70	4.00	45	3.86	0.16	SEALCOAT	1999
						2000	3.70	4.00	45	3.86	0.16		
						2001	3.70	4.00	45	3.86	0.16		
						2002	3.50	4.00	45	3.78	0.16		
						6	S.H.-33	002460	125.440	131.164	N	1993	3.30
1994	3.40	4.80	34	4.17	0.06								
1995	3.40	4.80	34	4.17	0.06								
1996	4.20	4.80	39	4.53	0.11								
1997	4.00	4.80	39	4.44	0.12								
1998	3.90	4.80	39	4.39	0.14								
1999	3.80	4.80	57	4.36	0.14							SEALCOAT	1999
2000	3.90	4.80	57	4.39	0.14								
2001	3.90	4.70	57	4.34	0.13								
2002	3.80	4.70	57	4.29	0.14								
6	S.H.-33	002460	131.164	135.830	N							1993	3.20
						1994	3.30	4.50	34	3.96	0.08	SEALCOAT	1994
						1995	3.30	4.50	34	3.96	0.08		
						1996	4.00	4.50	37	4.27	0.08		
						1997	3.70	4.50	37	4.14	0.08		
						*1998	3.70	4.50	37	4.14	0.11		
						1999	3.70	4.50	50	4.14	0.11	SEALCOAT	1999
						2000	3.70	4.50	50	4.14	0.11		
						2001	3.70	4.50	50	4.14	0.12		
						2002	3.60	4.50	50	4.09	0.14		
						6	S.H.-33	002460	136.000	140.515	N	1993	2.50
1994	2.40	4.00	34	3.28	0.24							SEALCOAT	1994
1995	2.40	4.00	34	3.28	0.24								
1996	3.60	4.00	27	3.82	0.32								
1997	3.20	4.00	27	3.64	0.29								
1998	3.20	4.00	27	3.63	0.34								
1999	3.10	4.00	35	3.59	0.38							SEALCOAT	1999
2000	3.20	4.00	35	3.63	0.35								
2001	3.20	4.00	35	3.63	0.36								
2002	3.20	4.00	35	3.63	0.38								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	S.H.-33	002460	140.515	141.787	N	1993	2.70	4.00	26	3.41									
						1994	2.70	4.00	17	3.41	0.26	SEALCOAT	1994						
						1995	2.70	4.00	17	3.41	0.26								
						1996	3.30	4.00	29	3.68	0.24								
						1997	3.00	4.00	29	3.55	0.24								
						1998	3.00	4.00	29	3.55	0.29								
						1999	3.00	4.00	48	3.54	0.29	SEALCOAT	1999						
						2000	3.10	4.00	48	3.59	0.31								
						2001	3.00	3.90	48	3.49	0.31								
						2002	2.80	3.90	48	3.40	0.33								
						6	S.H.-33	002460	141.787	149.549	N	1993	3.10	3.50	35	3.33			
												1994	3.20	3.50	19	3.37	0.20		
1995	3.20	3.50	19	3.37	0.20														
1996	3.70	3.50	14	3.58	0.24														
1997	3.70	3.50	14	3.58	0.20														
1998	3.60	3.50	14	3.54	0.27														
1999	3.50	3.50	43	3.50	0.28							SEALCOAT	1999						
2000	3.60	3.50	43	3.54	0.30														
2001	3.60	3.50	43	3.54	0.34														
2002	3.30	3.50	43	3.41	0.36														
6	S.H.-33	002460	149.549	149.770	N							1993	3.40	3.50	20	3.45			
												1994	3.20	3.50	10	3.37	0.12		
						1995	3.20	3.50	10	3.37	0.12								
						1996	3.60	3.50	90	3.54	0.18								
						1997	3.30	3.50	90	3.41	0.17								
						1998	3.40	3.50	90	3.45	0.19								
						1999	3.30	3.50	90	3.41	0.16	SEALCOAT	1999						
						2000	3.30	3.50	43	3.41	0.17								
						2001	3.40	3.50	43	3.45	0.17								
						2002	3.30	3.50	43	3.41	0.19								
						6	S.H.-33	002460	149.770	155.084	N	1993	2.60	4.00	35	3.37			
												1994	2.70	3.50	23	3.14	0.19		
1995	2.70	3.00	23	2.86	0.19														
1996	3.10	3.00	32	3.04	0.18														
1997	2.90	3.00	32	2.95	0.17														
1998	2.90	3.00	32	2.95	0.21														
1999	2.90	3.00	39	2.95	0.22							SEALCOAT	1999						
2000	2.90	3.00	39	2.95	0.24														
2001	2.90	3.00	39	2.95	0.26														
2002	2.80	3.00	39	2.90	0.26														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	S.H.-43	002400	000.010	003.868	N	1993	2.40	2.00	51	2.20			
						1994	3.00	5.00	51	4.24	0.19	PLANT MIX OVERLAY	1994
						1995	3.00	5.00	51	4.24	0.19		
						1996	3.90	5.00	38	4.58	0.11		
						1997	3.60	4.50	38	4.16	0.07		
						1998	3.60	4.50	38	4.16	0.08		
						1999	3.50	4.50	41	4.12	0.09		
						2000	3.50	4.50	41	4.12	0.09		
						2001	3.50	4.50	41	4.12	0.10		
						2002	3.30	4.50	41	4.04	0.13		
						6	S.H.-47	002490	000.000	000.250	N	1993	
1994	3.40	3.50	49	3.46	0.22								
*1995	3.40	3.00	49	3.15	0.22								
1996	1.60	2.00	59	1.84	0.13							SEALCOAT	1996
1997	1.70	2.00	59	1.88	0.13								
1998	1.50	2.00	59	1.80	0.13								
1999	1.60	2.00	59	1.84	0.15								
2000	1.70	2.00	41	1.88	0.21								
2001	1.80	2.00	41	1.92	0.17								
2002	1.30	2.00	41	1.73	0.17								
6	S.H.-47	002490	000.250	000.579	N							1993	
						1994	3.40	3.50	49	3.46	0.22		
						*1995	3.40	3.00	49	3.15	0.22		
						1996	3.00	3.00	58	3.00	0.23	SEALCOAT	1996
						1997	2.80	3.00	58	2.92	0.17		
						1998	2.80	3.00	58	2.92	0.19		
						1999	2.70	3.00	47	2.88	0.21		
						2000	2.80	3.00	47	2.92	0.25		
						2001	2.60	3.00	47	2.84	0.19		
						2002	2.60	2.40	47	2.47	0.27		
						6	S.H.-47	002490	000.579	000.753	N	1993	
1994	2.50	4.00	45	3.43	0.25								
1995	2.50	3.00	45	2.81	0.25								
1996	2.90	3.00	56	2.96	0.22							SEALCOAT	1996
1997	2.70	3.00	56	2.88	0.28								
1998	3.00	3.00	56	3.00	0.28								
1999	2.70	3.00	56	2.88	0.28								
2000	2.80	3.00	47	2.92	0.31								
2001	2.80	3.00	47	2.92	0.32								
2002	2.60	2.50	47	2.53	0.24								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
6	S.H.-47	002490	000.753	006.138	N	1993	2.50	2.90	45	2.73			
						1994	2.50	2.80	33	2.67	0.37		
						1995	2.50	2.70	33	2.61	0.37		
						1996	3.20	2.70	56	2.90	0.18	SEALCOAT	1996
						1997	3.10	2.70	56	2.86	0.17		
						1998	3.10	2.70	56	2.86	0.16		
						1999	3.10	2.70	44	2.86	0.17		
						2000	3.20	2.70	44	2.90	0.18		
						2001	3.20	2.70	44	2.90	0.19		
						2002	3.00	2.70	44	2.82	0.17		
6	S.H.-47	002490	006.138	007.279	N	1993	2.20	3.00	42	2.67			
						1994	2.30	2.70	29	2.53	0.19		
						1995	2.30	2.70	29	2.53	0.19		
						1996	3.10	2.70	60	2.86	0.22	SEALCOAT	1996
						1997	2.80	2.70	60	2.74	0.20		
						1998	2.80	2.70	60	2.74	0.17		
						1999	3.00	2.70	48	2.82	0.11		
						2000	2.90	2.70	48	2.78	0.16		
						2001	2.90	2.70	48	2.78	0.17		
						2002	3.00	2.50	48	2.70	0.15		
6	S.H.-47	002490	007.279	008.200	N	1993	1.50	2.00	55	1.79			
						1994	1.40	1.80	32	1.63	0.60		
						1995	1.40	1.80	32	1.63	0.60		
						1996	2.60	1.80	61	2.13	0.20	SEALCOAT	1996
						1997	3.00	1.80	61	2.29	0.19		
						1998	2.90	1.80	61	2.25	0.13		
						1999	2.80	1.80	60	2.21	0.14		
						2000	2.90	1.80	60	2.25	0.17		
						2001	2.80	1.80	60	2.20	0.17		
						2002	2.40	1.80	60	2.04	0.16		
6	S.H.-47	002490	008.200	008.900	N	1993	2.50	4.00	60	3.38			
						1994	2.60	4.00	40	3.42	0.25		
						1995	2.60	3.50	40	3.12	0.25		
						1996	2.90	3.50	61	3.25	0.13	SEALCOAT	1996
						1997	3.10	3.50	61	3.33	0.21		
						1998	3.00	3.50	61	3.29	0.20		
						1999	2.90	3.50	58	3.25	0.18		
						2000	3.00	3.50	58	3.29	0.21		
						2001	2.90	3.50	58	3.25	0.21		
						2002	2.80	3.50	58	3.21	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
6	S.H.-47	002490	008.900	012.420	N	1993	1.80	1.50	60	1.62			
						1994	1.80	1.40	36	1.56	0.42		
						1995	1.80	1.40	36	1.56	0.42		
						1996	2.30	1.40	65	1.77	0.22	SEALCOAT	1996
						1997	2.60	1.40	65	1.89	0.24		
						1998	2.50	1.40	65	1.85	0.22		
						1999	2.40	1.40	59	1.81	0.21		
						2000	2.40	1.40	59	1.81	0.24		
						2001	2.30	5.00	59	3.88	0.24		
						2002	2.90	4.30	59	3.72	0.08		
6	S.H.-48	002440	000.000	000.478	N	1993	1.50	4.00	38	3.05	SEALCOAT	1993	
						1994	1.70	4.00	33	3.12	0.09		
						1995	1.70	4.00	33	3.12	0.09		
						1996	2.40	4.00	37	3.39	0.12		
						1997	1.80	4.00	37	3.16	0.09		
						1998	1.70	4.00	37	3.12	0.14		
						1999	1.80	4.00	37	3.16	0.12		
						2000	1.90	4.00	59	3.20	0.14		
						2001	1.70	4.00	59	3.12	0.13		
						2002	2.10	4.00	59	3.27	0.10		
6	S.H.-48	002440	000.478	000.720	N	1993	1.90	2.70	43	2.36	SEALCOAT	1993	
						1994	2.20	2.30	35	2.25	0.28		
						1995	2.20	2.30	35	2.25	0.28		
						1996	2.60	2.30	39	2.42	0.21		
						*1997	2.40	2.30	39	2.34	0.18		
						1998	1.50	3.00	37	2.42	0.24		
						1999	1.60	3.00	37	2.46	0.24		
						2000	1.70	3.00	59	2.50	0.28		
						2001	1.60	3.00	59	2.46	0.29		
						2002	1.50	2.50	59	2.12	0.19		
6	S.H.-48	002440	000.720	002.270	N	1993	1.90	2.70	43	2.36	SEALCOAT	1993	
						1994	2.20	2.30	35	2.25	0.28		
						1995	2.20	2.30	35	2.25	0.28		
						1996	2.60	2.30	39	2.42	0.21		
						*1997	2.40	2.30	39	2.34	0.18		
						1998	4.10	5.00	38	4.65	0.02	C.R.A.B.S.	1998
						1999	3.70	4.50	51	4.19	0.05		
						2000	3.70	4.50	51	4.16	0.06		
						2001	3.50	4.50	51	4.11	0.06		
						2002	3.50	4.50	51	4.12	0.07		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	S.H.-48	002440	002.270	005.000	N	1993	1.90	2.70	43	2.36		SEALCOAT	1993
						1994	2.20	2.30	35	2.25	0.28		
						1995	2.20	2.30	35	2.25	0.28		
						1996	2.60	2.30	39	2.42	0.21		
						*1997	2.40	2.30	39	2.34	0.18		
						*1998	3.50	5.00	40	4.37	0.06	C.R.A.B.S.	1998
						1999	3.20	4.50	52	3.95	0.10		
						2000	3.30	4.50	52	4.00	0.11		
						2001	3.30	4.50	52	4.00	0.11		
						2002	3.30	4.50	52	4.00	0.12		
6	S.H.-48	002440	005.000	011.000	N	1993	1.90	2.70	43	2.36		SEALCOAT	1993
						1994	2.20	2.30	35	2.25	0.28		
						1995	2.20	2.30	35	2.25	0.28		
						1996	2.60	2.30	39	2.42	0.21		
						*1997	2.40	2.30	39	2.34	0.18		
						*1998	3.50	5.00	40	4.37	0.06	C.R.A.B.S.	1998
						1999	3.60	5.00	48	4.41	0.05		
						2000	3.60	5.00	48	4.41	0.06		
						2001	3.60	5.00	48	4.41	0.07		
						2002	3.50	5.00	48	4.37	0.08		
6	S.H.-48	002440	011.000	013.000	N	1993	2.30	3.00	51	2.70		SEALCOAT	1993
						1994	2.40	2.70	40	2.57	0.19		
						1995	2.40	2.70	40	2.57	0.19		
						1996	3.10	2.70	48	2.86	0.20		
						*1997	2.80	2.70	48	2.74	0.18		
						1998	3.80	5.00	48	4.50	0.04	C.R.A.B.S.	1998
						1999	3.70	5.00	53	4.45	0.05		
						2000	3.70	5.00	53	4.45	0.06		
						2001	3.70	4.90	53	4.40	0.07		
						2002	3.50	4.90	53	4.31	0.09		
6	S.H.-48	002440	013.000	013.971	N	1993	2.30	3.00	51	2.70		SEALCOAT	1993
						1994	2.40	2.70	40	2.57	0.19		
						1995	2.40	2.70	40	2.57	0.19		
						1996	3.10	2.70	48	2.86	0.20		
						*1997	2.80	2.70	48	2.74	0.18		
						1998	2.90	2.70	45	2.78	0.20		
						1999	3.00	2.70	51	2.82	0.16		
						2000	2.90	2.70	51	2.78	0.18		
						2001	2.90	2.70	51	2.78	0.20		
						2002	2.50	2.70	51	2.61	0.18	SEALCOAT	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	S.H.-48	002440	013.971	014.370	N	1993	2.40	2.50	31	2.46		SEALCOAT	1993
						1994	3.20	2.50	33	2.76	0.14		
						1995	3.20	2.50	33	2.76	0.14		
						1996	3.20	2.50	25	2.76	0.18		
						1997	3.10	2.50	25	2.73	0.21		
						1998	3.00	2.50	25	2.69	0.24		
						1999	2.90	2.40	31	2.59	0.25		
						2000	2.70	2.40	31	2.51	0.27		
						2001	2.50	2.40	31	2.43	0.29		
						2002	2.10	2.40	31	2.28	0.30	SEALCOAT	2002
6	S.H.-48	002440	014.370	014.800	N	1993	1.30	2.50	33	2.04		SEALCOAT	1993
						1994	2.30	2.50	36	2.42	0.18		
						1995	2.30	2.50	36	2.42	0.18		
						1996	2.70	2.50	32	2.57	0.16		
						1997	2.40	2.50	32	2.46	0.19		
						1998	2.40	2.40	32	2.40	0.16		
						1999	2.20	2.40	39	2.32	0.23		
						2000	2.30	2.40	39	2.36	0.23		
						2001	2.20	2.40	39	2.32	0.21		
						2002	2.20	2.40	39	2.32	0.23	SEALCOAT	2002
6	S.H.-48	002440	014.800	015.058	N	1993	1.40	4.00	40	3.00		SEALCOAT	1993
						1994	0.30	4.00	37	2.58	0.20		
						1995	0.30	4.00	37	2.58	0.20		
						1996	1.40	4.00	43	3.00	0.16		
						1997	1.20	4.00	43	2.92	0.11		
						1998	1.10	4.00	43	2.89	0.11		
						1999	1.10	4.00	43	2.89	0.13		
						2000	1.30	4.00	39	2.96	0.16		
						2001	1.40	4.00	39	3.00	0.16		
						2002	1.30	4.00	39	2.96	0.07	SEALCOAT	2002
6	S.H.-48	002440	015.058	015.515	N	1993	2.80	3.00	37	2.91		SEALCOAT	1993
						1994	2.70	3.00	37	2.87	0.41		
						1995	2.70	3.00	37	2.87	0.41		
						1996	3.20	3.00	33	3.08	0.36		
						1997	3.20	3.00	33	3.08	0.23		
						1998	3.30	3.00	33	3.12	0.23		
						1999	3.00	3.00	42	3.00	0.35		
						2000	3.00	3.00	42	3.00	0.35		
						2001	2.90	3.00	42	2.95	0.42		
						2002	3.00	3.00	42	3.00	0.41	SEALCOAT	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	S.H.-48	002440	015.515	021.000	N	1993	2.70	2.50	49	2.58		SEALCOAT	1993
						1994	2.70	2.50	39	2.58	0.37		
						1995	2.70	2.50	39	2.58	0.37		
						1996	3.10	2.50	44	2.74	0.28		
						1997	3.00	2.50	44	2.70	0.24		
						1998	3.00	2.50	44	2.70	0.27		
						1999	3.00	2.50	47	2.70	0.31		
						2000	2.80	2.50	47	2.62	0.32		
						2001	2.80	2.50	47	2.62	0.37		
						2002	2.50	2.40	47	2.44	0.31	SEALCOAT	2002
6	S.H.-48	002440	021.000	022.000	N	1993	2.70	4.50	48	3.75		SEALCOAT	1993
						1994	2.90	4.50	42	3.83	0.21		
						1995	2.90	4.00	42	3.54	0.21		
						1996	3.50	4.00	46	3.79	0.09		
						1997	3.40	4.00	46	3.75	0.09		
						1998	3.40	4.00	46	3.75	0.11		
						1999	3.40	4.00	51	3.75	0.10		
						2000	3.40	4.00	51	3.75	0.11		
						2001	3.40	4.00	51	3.75	0.11		
						2002	3.10	3.70	51	3.45	0.09	SEALCOAT	2002
6	S.H.-48	002440	022.000	024.140	N	1993	2.50	3.00	40	2.79		SEALCOAT	1993
						1994	2.70	3.00	37	2.87	0.38		
						1995	2.70	3.00	37	2.87	0.38		
						1996	2.90	3.00	43	2.95	0.30		
						1997	3.00	3.00	43	3.00	0.21		
						1998	2.90	3.00	43	2.95	0.26		
						1999	2.90	3.00	47	2.95	0.30		
						2000	2.90	3.00	47	2.95	0.32		
						2001	2.90	3.00	47	2.95	0.30		
						2002	2.60	3.00	47	2.83	0.23	SEALCOAT	2002
6	S.H.-48	002440	024.140	024.409	N	1993	2.50	3.00	41	2.79		SEALCOAT	1993
						1994	2.30	3.00	41	2.71	0.44		
						1995	2.30	3.00	41	2.71	0.44		
						1996	3.20	3.00	27	3.08	0.30		
						1997	2.70	3.00	27	2.87	0.25		
						1998	2.90	3.00	27	2.95	0.33		
						1999	3.40	3.00	27	3.16	0.24		
						2000	3.40	3.00	47	3.15	0.25		
						2001	3.50	3.00	47	3.20	0.22		
						2002	3.20	3.00	47	3.08	0.25	SEALCOAT	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
6	S.H.-75	002230	217.186	222.637	N	1993	2.20	1.90	56	2.03			
						1994	3.10	1.90	35	2.43	0.13	C.R.A.B.S.	1995
						1995	3.50	5.00	35	4.33	0.00		
						1996	3.60	5.00	47	4.37	0.08		
						1997	3.40	5.00	47	4.28	0.08		
						1998	3.40	5.00	47	4.28	0.09		
						1999	3.40	5.00	51	4.28	0.08		
						2000	3.50	5.00	51	4.38	0.10		
						2001	3.50	5.00	52	4.33	0.09		
						2002	3.40	4.30	52	3.89	0.10		
6	S.H.-75	002230	222.637	226.951	N	1993	2.10	2.00	56	2.04			
						1994	3.00	2.00	38	2.44	0.19		
						1995	3.50	5.00	38	4.33	0.00	C.R.A.B.S.	1995
						1996	3.70	5.00	45	4.42	0.11	SEALCOAT	1996
						1997	3.40	5.00	45	4.28	0.10		
						1998	3.30	5.00	45	4.24	0.12		
						1999	3.30	5.00	49	4.24	0.13		
						2000	3.30	5.00	49	4.24	0.12		
						2001	3.30	5.00	52	4.24	0.12		
						2002	3.30	4.40	52	3.91	0.14		
6	S.H.-75	002230	226.951	232.456	N	1993	2.90	4.50	56	3.78			
						1994	3.20	4.50	39	3.92	0.13		
						1995	3.20	4.50	39	3.92	0.13		
						1996	3.70	4.50	51	4.14	0.09	SEALCOAT	1996
						1997	3.30	4.50	51	3.96	0.10		
						1998	3.30	4.50	51	3.96	0.06		
						1999	3.30	4.50	54	3.96	0.07		
						2000	3.40	4.50	54	4.00	0.07		
						2001	3.40	4.50	53	4.00	0.07		
						2002	3.50	4.50	53	4.05	0.07		
6	S.H.-75	002230	232.456	236.196	N	1993	3.00	4.50	56	3.83			
						1994	2.70	4.50	56	3.69	0.15		
						1995	2.70	4.50	56	3.69	0.15		
						1996	4.00	4.50	50	4.27	0.06	SEALCOAT	1996
						1997	3.70	4.50	50	4.14	0.09		
						1998	3.60	4.50	50	4.09	0.04		
						1999	3.60	4.50	54	4.09	0.05		
						2000	3.60	4.50	54	4.09	0.04		
						2001	3.60	4.50	56	4.09	0.05		
						2002	3.70	4.50	56	4.14	0.04		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
6	S.H.-75	002230	236.196	240.290	N	1993	3.00	4.50	56	3.83			
						1994	2.30	4.50	40	3.51	0.17		
						1995	2.30	4.50	40	3.51	0.17		
						1996	4.00	4.50	50	4.27	0.06	SEALCOAT	1996
						1997	3.70	4.50	50	4.14	0.09		
						1998	3.70	4.50	50	4.14	0.05		
						1999	3.70	4.50	55	4.14	0.04		
						2000	3.70	4.50	55	4.14	0.05		
						2001	3.70	4.50	57	4.14	0.05		
						2002	3.60	4.50	57	4.09	0.04		
6	S.H.-75	002230	240.290	244.325	N	1993	3.20	4.00	56	3.64			
						1994	2.40	4.00	39	3.28	0.28		
						1995	2.40	4.00	39	3.28	0.28		
						1996	4.00	4.00	50	4.00	0.08	SEALCOAT	1996
						1997	3.80	4.00	50	3.91	0.09		
						1998	3.70	4.00	50	3.86	0.05		
						1999	3.70	4.00	55	3.86	0.05		
						2000	3.80	4.00	55	3.91	0.05		
						2001	3.80	4.00	56	3.91	0.05		
						2002	3.60	4.00	56	3.82	0.05		
6	S.H.-87	002520	000.000	004.592	N	1993	2.70	3.00	54	2.86			
						1994	2.80	3.00	54	2.91	0.29		
						1995	2.80	3.00	54	2.91	0.29		
						1996	3.40	3.00	27	3.17	0.22		
						1997	3.30	3.00	27	3.13	0.22		
						1998	3.20	3.00	27	3.08	0.27		
						1999	3.20	3.00	33	3.08	0.24	SEALCOAT	1999
						2000	3.20	3.00	33	3.08	0.26		
						2001	3.20	3.00	33	3.08	0.30		
						2002	3.10	3.00	33	3.04	0.28		
6	S.H.-87	002520	004.592	009.145	N	1993	3.10	3.00	56	3.04			
						1994	3.20	3.00	56	3.08	0.25		
						1995	3.20	3.00	56	3.08	0.25		
						1996	3.60	3.00	37	3.26	0.24		
						1997	3.50	3.00	37	3.21	0.24		
						1998	3.30	3.00	37	3.13	0.29		
						1999	3.50	3.00	40	3.21	0.26	SEALCOAT	1999
						2000	3.50	3.00	40	3.22	0.25		
						2001	3.40	3.00	40	3.17	0.27		
						2002	3.20	3.00	40	3.08	0.28		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
6	U.S.-91	002350	120.561	122.866	N	2002	3.40	2.90	44	3.10	0.43		
6	U.S.-91	002350	120.561	122.930	N	1993	3.10	3.50	47	3.33			
						1994	3.20	3.50	47	3.37	0.31		
						1995	3.20	3.50	47	3.37	0.31		
						1996	3.70	3.50	45	3.58	0.35		
						1997	3.60	3.50	45	3.54	0.30		
						1998	3.50	3.50	45	3.50	0.33		
						1999	3.50	3.50	44	3.50	0.41		
						2000	3.50	3.50	44	3.50	0.41		
						*2001	3.50	3.50	44	3.50	0.35		
6	U.S.-93	002220	082.600	082.770	N	1993	1.90	3.00	43	2.50			
						*1994	2.40	3.00	37	2.73	0.26		
						1995	2.40	3.00	37	2.73	0.26	SEALCOAT	
						1996	2.50	3.00	17	2.77	0.20	1995	
						1997	2.80	3.00	17	2.91	0.18		
						1998	2.80	3.00	17	2.91	0.18		
						1999	3.10	3.00	17	3.04	0.16		
						2000	3.00	3.00	44	3.00	0.17		
						2001	3.30	2.90	18	3.07	0.18		
						2002	2.70	2.90	18	2.81	0.18		
6	U.S.-93	002220	082.770	083.055	N	1993	2.50	2.40	44	2.44			
						*1994	2.40	2.40	31	2.40	0.04		
						1995	3.50	5.00	31	4.32	0.00	PLANT MIX OVERLAY	
						1996	3.60	5.00	20	4.37	0.08	1995	
						1997	3.40	4.50	20	4.00	0.08		
						1998	3.30	4.50	20	3.96	0.13		
						1999	3.40	4.50	27	4.00	0.11		
						2000	3.50	4.00	27	3.77	0.13		
						2001	3.40	3.90	19	3.67	0.13		
						2002	3.40	3.90	19	3.67	0.12		
6	U.S.-93	002220	083.055	090.700	N	1993	2.90	2.30	54	2.58			
						*1994	2.90	2.20	34	2.53	0.13		
						1995	3.50	5.00	34	4.28	0.00	PLANT MIX OVERLAY	
						1996	4.10	4.50	27	4.30	0.07	1995	
						1997	3.90	4.00	27	3.95	0.06		
						1998	3.90	4.00	27	3.95	0.10		
						1999	3.90	4.00	40	3.95	0.09		
						2000	3.90	4.00	40	3.95	0.10		
						2001	3.90	3.40	32	3.63	0.10		
						2002	3.70	3.20	32	3.43	0.10		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	U.S.-93	002220	090.700	095.330	N	1993	3.10	2.50	57	2.78		
						*1994	3.10	2.50	41	2.78	0.24	
						1995	3.10	2.50	41	2.78	0.24	
						1996	3.30	2.50	47	2.88	0.19	SEALCOAT
						1997	3.20	2.50	47	2.83	0.16	1996
						1998	3.20	2.50	47	2.83	0.13	
						1999	3.00	2.50	61	2.73	0.18	
						2000	3.00	2.50	61	2.73	0.18	
						2001	2.90	2.40	48	2.63	0.18	
						2002	3.00	2.40	48	2.68	0.15	
6	U.S.-93	002220	095.330	096.332	N	1993	3.00	2.50	58	2.73		NEW CONST OR RECONST (FLEX)
						1994	2.80	2.50	39	2.64	0.22	
						1995	2.80	2.50	39	2.64	0.22	
						1996	3.30	2.50	47	2.88	0.11	SEALCOAT
						1997	3.10	2.50	47	2.78	0.13	1996
						1998	3.20	2.50	47	2.83	0.12	
						1999	2.90	2.50	43	2.69	0.17	
						2000	3.00	2.50	43	2.73	0.18	
						2001	3.10	2.50	36	2.78	0.17	
						2002	3.00	2.50	36	2.73	0.20	
6	U.S.-93	002220	096.332	102.100	N	1993	2.90	2.50	54	2.69		SEALCOAT
						1994	2.90	2.50	39	2.69	0.15	
						1995	2.90	2.50	39	2.69	0.15	
						1996	3.30	2.50	43	2.88	0.13	
						1997	3.20	2.50	43	2.83	0.13	
						1998	3.20	2.50	43	2.83	0.12	
						1999	3.00	2.50	59	2.73	0.15	
						2000	3.20	2.50	59	2.83	0.17	
						2001	3.20	2.50	53	2.83	0.17	
						2002	2.90	2.50	53	2.69	0.15	
6	U.S.-93	002220	102.100	108.479	N	1993	2.90	2.50	42	2.69		SEALCOAT
						1994	3.10	2.50	39	2.78	0.18	
						1995	3.10	2.50	39	2.78	0.18	
						1996	3.40	2.50	43	2.92	0.16	
						1997	3.30	2.50	43	2.88	0.15	
						1998	3.20	2.50	43	2.83	0.16	
						1999	3.20	2.50	59	2.83	0.19	
						2000	3.30	2.50	59	2.88	0.21	
						2001	3.30	2.50	52	2.88	0.21	
						2002	3.00	2.50	52	2.73	0.17	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	U.S.-93	002220	108.479	109.100	N	1993	2.90	3.00	34	2.95		SEALCOAT	1993
						1994	3.00	3.00	41	3.00	0.15		
						1995	3.00	3.00	41	3.00	0.15		
						1996	3.00	3.00	36	3.00	0.17		
						1997	3.00	3.00	36	3.00	0.15		
						1998	3.00	3.00	36	3.00	0.17		
						*1999	2.90	3.00	53	2.95	0.17		
						2000	3.00	3.00	53	3.00	0.14		
						2001	3.00	2.90	51	2.94	0.14		
						2002	2.70	2.40	51	2.53	0.15		
6	U.S.-93	002220	109.100	109.485	N	1993	2.90	3.00	34	2.95		SEALCOAT	1993
						1994	3.00	3.00	41	3.00	0.15		
						1995	3.00	3.00	41	3.00	0.15		
						1996	3.00	3.00	36	3.00	0.17		
						1997	3.00	3.00	36	3.00	0.15		
						1998	3.00	3.00	36	3.00	0.17		
						*1999	2.90	3.00	53	2.95	0.17		
						2000	3.50	5.00	53	4.33	0.12	COLD IN PLACE RECYCLE	2000
						2001	3.00	5.00	51	4.10	0.12		
						2002	2.80	5.00	51	4.01	0.12		
6	U.S.-93	002220	109.485	111.700	N	1993	2.50	2.40	37	2.44		SEALCOAT	1993
						1994	2.60	2.40	40	2.49	0.20		
						1995	2.60	2.40	40	2.49	0.20		
						1996	3.20	2.30	38	2.72	0.13		
						1997	2.90	2.30	38	2.58	0.16		
						1998	2.90	2.30	38	2.58	0.17		
						*1999	3.00	2.30	53	2.63	0.15		
						2000	3.50	5.00	59	4.28	0.10	COLD IN PLACE RECYCLE	2000
						2001	3.50	5.00	45	4.28	0.09		
						2002	3.40	5.00	45	4.23	0.10		
6	U.S.-93	002220	111.700	112.091	N	1993	2.50	2.40	37	2.44		SEALCOAT	1993
						1994	2.60	2.40	40	2.49	0.20		
						1995	2.60	2.40	40	2.49	0.20		
						1996	3.20	2.30	38	2.72	0.13		
						1997	2.90	2.30	38	2.58	0.16		
						1998	2.90	2.30	38	2.58	0.17		
						*1999	3.00	2.30	53	2.63	0.15		
						2000	3.50	2.30	41	2.86	0.09		
						2001	3.70	2.30	39	2.96	0.06		
						2002	3.50	2.30	39	2.86	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	U.S.-93	002220	112.091	113.497	N	1993	2.70	2.70	42	2.70		SEALCOAT	1993
						1994	2.90	2.70	41	2.79	0.17		
						1995	2.90	2.70	41	2.79	0.17		
						1996	3.30	2.70	45	2.98	0.10		
						1997	3.10	2.70	45	2.88	0.12		
						1998	3.10	2.70	45	2.88	0.12		
						1999	3.30	5.00	60	4.19	0.11		
						2000	3.50	5.00	60	4.28	0.12	COLD IN PLACE RECYCLE	2000
						2001	3.60	5.00	42	4.33	0.10		
						2002	3.40	5.00	42	4.24	0.10		
6	U.S.-93	002220	113.497	115.534	N	1993	2.50	2.80	45	2.65		SEALCOAT	1993
						1994	2.80	2.80	38	2.80	0.18		
						1995	2.80	2.80	38	2.80	0.18	SEALCOAT	1995
						1996	3.30	2.50	43	2.87	0.13		
						1997	3.10	2.30	43	2.67	0.14		
						1998	3.10	2.30	43	2.67	0.15		
						1999	3.20	2.30	63	2.72	0.14		
						2000	3.50	2.30	63	2.86	0.13	SEALCOAT	2000
						2001	3.40	2.30	46	2.82	0.13		
						2002	3.30	2.30	46	2.77	0.14		
6	U.S.-93	002220	115.534	121.958	N	1993	2.80	3.00	46	2.90		SEALCOAT	1993
						1994	2.80	2.80	28	2.80	0.09		
						1995	2.80	2.80	28	2.80	0.09	SEALCOAT	1995
						1996	3.40	2.80	37	3.08	0.12		
						1997	3.20	2.50	37	2.83	0.11		
						1998	3.20	2.50	37	2.83	0.12		
						1999	3.10	2.50	49	2.78	0.13		
						2000	3.10	2.50	49	2.78	0.13		
						2001	3.00	2.50	42	2.73	0.14		
						2002	2.80	2.40	42	2.58	0.13		
6	U.S.-93	002220	121.958	129.180	N	1993	2.70	3.50	55	3.12			
						1994	2.80	3.50	34	3.16	0.03		
						1995	2.80	3.50	34	3.17	0.03		
						1996	3.50	3.40	38	3.44	0.09		
						1997	3.30	3.40	38	3.35	0.10		
						1998	3.20	3.40	38	3.30	0.06		
						1999	3.20	3.00	56	3.09	0.06		
						2000	3.20	3.00	56	3.09	0.06	SEALCOAT	2000
						2001	3.20	3.00	53	3.09	0.06		
						2002	2.90	2.60	53	2.74	0.05		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	U.S.-93	002220	129.180	131.267	N	1993	2.80	2.80	61	2.80									
						1994	2.90	2.80	40	2.84	0.03	PLANT MIX OVERLAY	1994						
						1995	2.90	2.80	40	2.84	0.03								
						1996	3.60	2.80	49	3.17	0.08								
						1997	3.40	2.80	49	3.08	0.10								
						1998	3.40	2.40	49	2.87	0.06								
						1999	3.30	2.40	63	2.82	0.06								
						2000	3.40	2.40	63	2.87	0.07	SEALCOAT	2000						
						2001	3.50	2.40	51	2.91	0.07								
						2002	3.30	2.40	51	2.82	0.06								
						6	U.S.-93	002220	131.267	137.000	N	1993	2.60	2.00	58	2.28			
												1994	3.00	5.00	23	4.05	0.22	PLANT MIX OVERLAY	1994
1995	3.00	5.00	23	4.05	0.22														
1996	4.20	4.50	41	4.35	0.08														
1997	4.10	4.50	41	4.31	0.08														
1998	4.10	4.50	41	4.31	0.08														
1999	4.10	4.50	48	4.31	0.10														
2000	4.10	4.50	48	4.31	0.13							SEALCOAT	2000						
2001	4.10	4.20	45	4.15	0.14														
2002	3.80	4.10	45	3.95	0.11														
6	U.S.-93	002220	137.000	140.762	N							1993	2.20	2.50	59	2.35			
												1994	2.30	2.50	40	2.40	0.29		
						1995	2.30	2.50	40	2.40	0.29								
						1996	3.10	2.50	37	2.78	0.17								
						1997	3.10	2.50	37	2.78	0.16								
						1998	3.00	2.40	37	2.68	0.15								
						1999	3.00	2.40	56	2.68	0.19	SEALCOAT	1999						
						2000	3.20	2.40	56	2.77	0.17								
						2001	3.20	2.40	43	2.77	0.16								
						2002	3.00	2.40	43	2.68	0.16								
						6	U.S.-93	002220	140.762	148.580	N	1993	2.90	2.00	60	2.42			
												1994	2.90	2.00	43	2.42	0.06		
1995	2.90	2.00	43	2.42	0.06														
1996	3.50	2.00	48	2.71	0.12														
1997	3.30	2.00	48	2.61	0.13														
1998	3.30	2.00	48	2.61	0.10														
1999	3.30	2.00	62	2.61	0.12							SEALCOAT	1999						
2000	3.40	2.00	62	2.66	0.10														
2001	3.30	2.00	49	2.61	0.11														
2002	3.10	2.00	49	2.51	0.10														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
6	U.S.-93	002220	148.580	150.000	N	1993	2.30	2.50	61	2.40			
						1994	2.30	2.50	42	2.40	0.14		
						1995	2.30	2.50	42	2.40	0.14		
						1996	2.80	2.50	41	2.64	0.15		
						1997	2.60	2.50	41	2.54	0.17		
						1998	2.60	2.50	41	2.54	0.14		
						1999	2.60	2.50	56	2.54	0.15	SEALCOAT	1999
						2000	2.70	2.50	56	2.59	0.14		
						2001	2.70	2.50	37	2.59	0.13		
						2002	2.60	2.50	37	2.54	0.14		
6	U.S.-93	002220	150.000	153.437	N	1993	2.50	3.00	61	2.76			
						1994	2.60	2.90	42	2.75	0.02		
						1995	2.60	2.90	42	2.75	0.02		
						1996	2.70	2.70	49	2.70	0.16		
						1997	2.60	2.50	49	2.54	0.18		
						1998	2.70	2.50	49	2.59	0.13		
						1999	2.60	2.50	61	2.54	0.14	SEALCOAT	1999
						2000	2.70	2.50	61	2.59	0.13		
						2001	2.70	2.50	50	2.59	0.14		
						2002	2.50	2.50	50	2.50	0.14		
6	U.S.-93	002220	153.437	159.562	N	1993	2.50	2.30	60	2.39			
						1994	2.50	2.30	40	2.39	0.03		
						*1995	2.50	2.30	40	2.39	0.03		
						1996	2.80	2.30	46	2.53	0.17		
						1997	2.70	2.30	46	2.48	0.19		
						1998	2.70	2.20	46	2.43	0.15		
						1999	2.60	2.20	59	2.38	0.16	SEALCOAT	1999
						2000	2.70	2.20	59	2.43	0.15		
						2001	2.70	2.20	45	2.43	0.14		
						2002	2.50	2.20	45	2.34	0.15		
6	U.S.-93	002220	159.562	160.382	N	1993	2.50	2.30	60	2.39			
						1994	2.50	2.30	40	2.39	0.03		
						*1995	2.50	2.30	40	2.39	0.03	NEW CONST OR RECONST (FLEX)	1995
						1996	3.60	5.00	24	4.33	0.05		
						1997	3.40	5.00	24	4.23	0.07		
						1998	3.30	5.00	24	4.19	0.06		
						1999	3.20	5.00	55	4.14	0.07		
						2000	3.30	5.00	55	4.19	0.08		
						2001	3.30	5.00	50	4.19	0.08		
						2002	3.20	5.00	50	4.14	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	U.S.-93	002220	244.325	251.000	N	1993	2.60	2.50	50	2.54									
						1994	2.60	2.50	50	2.54	0.22	SEALCOAT	1994						
						1995	2.60	2.50	50	2.54	0.22								
						1996	2.90	2.50	46	2.68	0.17								
						1997	2.80	2.40	46	2.58	0.17								
						1998	2.80	2.40	46	2.58	0.16								
						1999	2.70	2.40	44	2.54	0.18								
						2000	2.80	2.40	44	2.58	0.17								
						2001	2.80	2.40	45	2.58	0.20								
						2002	2.60	2.30	45	2.44	0.18								
						6	U.S.-93	002220	251.000	256.820	N	1993	2.60	2.50	55	2.54			
												1994	2.70	2.50	42	2.59	0.15	SEALCOAT	1994
1995	2.70	2.50	42	2.59	0.15														
1996	3.00	2.50	50	2.73	0.18														
1997	2.90	2.50	50	2.68	0.18														
1998	2.90	2.50	50	2.68	0.17														
1999	2.90	2.50	45	2.68	0.19														
2000	2.90	2.50	45	2.68	0.20														
2001	2.90	2.40	48	2.63	0.20														
2002	2.70	2.40	48	2.54	0.19														
6	U.S.-93	002220	256.820	263.851	N							1993	2.20	1.50	51	1.83			
												1994	2.20	1.50	38	1.83	0.28	SEALCOAT	1994
						1995	2.20	1.50	38	1.83	0.28								
						1996	2.90	1.50	53	2.16	0.19								
						1997	2.70	1.50	53	2.06	0.19								
						1998	2.60	1.50	53	2.02	0.19								
						1999	2.60	1.50	53	2.02	0.20								
						2000	2.70	1.50	53	2.06	0.20								
						2001	2.70	1.50	55	2.06	0.21								
						2002	2.60	1.50	55	2.02	0.19								
						6	U.S.-93	002220	263.851	266.200	N	1993	2.10	1.80	43	1.94			
												1994	1.90	1.80	41	1.84	0.43	SEALCOAT	1994
1995	1.90	1.80	41	1.84	0.43														
1996	2.60	1.80	45	2.17	0.21														
1997	2.40	1.80	45	2.08	0.20														
1998	2.40	1.80	45	2.08	0.21														
1999	2.30	1.80	50	2.03	0.21														
2000	2.40	1.80	50	2.08	0.21														
2001	2.30	1.80	51	2.03	0.21														
2002	2.40	1.80	51	2.08	0.21														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
6	U.S.-93	002220	266.200	268.663	N	1993	1.60	1.50	54	1.54									
						1994	1.60	1.50	29	1.54	0.41	SEALCOAT	1994						
						*1995	1.60	1.50	29	1.54	0.41								
						1996	2.90	1.70	53	2.26	0.19								
						1997	2.60	1.70	53	2.12	0.18								
						1998	2.60	1.70	53	2.12	0.20								
						1999	2.70	1.70	54	2.17	0.19								
						2000	2.70	1.70	54	2.17	0.20								
						2001	2.70	1.70	52	2.17	0.20								
						2002	2.70	1.70	52	2.17	0.21								
						6	U.S.-93	002220	268.663	269.639	N	1993	1.60	1.50	54	1.54			
												1994	1.60	1.50	29	1.54	0.41		
*1995	1.60	1.50	29	1.54	0.41														
1996	3.70	5.00	57	4.38	0.10							NEW CONST OR RECONST (FLEX)	1996						
1997	3.00	5.00	57	4.05	0.07														
1998	2.90	5.00	57	4.00	0.08														
1999	3.00	5.00	56	4.05	0.11														
2000	3.10	5.00	56	4.10	0.10														
2001	3.00	5.00	49	4.05	0.12														
2002	3.40	5.00	49	4.24	0.11														
6	U.S.-93	002220	269.639	273.300	N							1993	1.60	1.50	54	1.54			
												1994	1.60	1.50	29	1.54	0.41		
						*1995	1.60	1.50	29	1.54	0.41								
						1996	2.80	1.00	47	1.84	0.20								
						1997	2.60	1.00	47	1.75	0.21								
						1998	2.50	1.00	47	1.70	0.22								
						1999	2.50	1.00	51	1.70	0.23								
						2000	2.70	1.00	51	1.80	0.23								
						2001	2.80	1.00	59	1.84	0.22	SEALCOAT	2001						
						2002	2.70	1.00	59	1.80	0.19								
						6	U.S.-93	002220	273.300	275.000	N	1993	2.10	3.00	51	2.57			
												1994	2.10	3.00	41	2.57	0.23	SEALCOAT	1994
1995	2.10	3.00	41	2.57	0.23														
1996	2.80	3.00	53	2.90	0.21														
1997	2.50	3.00	53	2.76	0.26														
1998	2.50	3.00	53	2.76	0.25														
1999	2.50	3.00	50	2.76	0.23														
2000	2.50	3.00	50	2.76	0.24														
2001	2.50	3.00	62	2.76	0.23							SEALCOAT	2001						
2002	2.40	3.00	62	2.71	0.21														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
6	U.S.-93	002220	275.000	280.821	N	1993	2.60	2.90	55	2.75			
						1994	2.50	2.90	38	2.71	0.28	SEALCOAT	1994
						1995	2.50	2.90	38	2.71	0.28		
						1996	3.20	2.90	53	3.04	0.19		
						1997	3.00	2.90	53	2.94	0.20		
						1998	2.90	2.90	53	2.90	0.21		
						1999	2.90	2.80	54	2.84	0.22		
						2000	3.00	2.80	54	2.89	0.21		
						2001	2.90	2.80	60	2.84	0.23	SEALCOAT	2001
						2002	2.90	2.80	60	2.84	0.19		
6	U.S.-93	002220	280.821	286.000	N	1993	2.40	1.50	55	1.92			
						*1994	2.50	1.50	38	1.97	0.44		
						1995	2.60	3.50	35	3.07	0.39		
						1996	3.20	3.50	47	3.35	0.12		
						1997	3.00	3.50	47	3.26	0.14		
						1998	3.00	3.00	47	3.00	0.14		
						1999	2.90	3.00	50	2.95	0.17		
						2000	3.00	3.00	50	3.00	0.17		
						2001	3.00	3.00	59	3.00	0.17	SEALCOAT	2001
						2002	2.90	3.00	59	2.95	0.17		
6	U.S.-93	002220	286.000	292.421	N	1993	2.40	1.50	55	1.92			
						*1994	2.50	1.50	38	1.97	0.44		
						1995	3.50	5.00	38	4.29	0.00	C.R.A.B.S.	1995
						1996	4.00	5.00	59	4.52	0.06		
						1997	3.80	5.00	59	4.43	0.10		
						1998	3.70	5.00	59	4.38	0.08		
						1999	3.70	5.00	56	4.38	0.07		
						2000	3.80	5.00	56	4.43	0.07		
						2001	3.80	5.00	56	4.43	0.07		
						2002	3.60	5.00	56	4.33	0.08		
6	U.S.-93	002220	292.421	299.000	N	1993	2.20	1.90	57	2.04			
						*1994	2.20	1.90	37	2.04	0.38		
						1995	3.50	5.00	37	4.29	0.00	C.R.A.B.S.	1995
						1996	4.10	5.00	57	4.57	0.05		
						1997	3.80	5.00	57	4.43	0.09		
						1998	3.80	5.00	57	4.43	0.06		
						1999	3.80	5.00	57	4.43	0.06		
						2000	3.80	5.00	57	4.43	0.06		
						2001	3.80	3.70	57	3.74	0.07		
						2002	3.60	3.70	57	3.65	0.07		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
6	U.S.-93	002220	299.000	304.251	N	1993	2.20	1.90	57	2.04			
						*1994	2.20	1.90	37	2.04	0.38	PLANT MIX OVERLAY	1995
						1995	3.50	5.00	28	4.28	0.00		
						1996	4.20	5.00	55	4.61	0.07		
						1997	4.00	5.00	55	4.52	0.10		
						1998	4.10	5.00	55	4.56	0.10		
						1999	4.10	5.00	52	4.56	0.13		
						2000	4.10	5.00	52	4.56	0.13		
						2001	4.10	5.00	48	4.57	0.13		
						2002	3.80	5.00	48	4.42	0.16		
6	U.S.-93	002220	304.251	304.675	N	1993	2.50	2.60	40	2.55			
						1994	2.60	2.60	34	2.60	0.44	SEALCOAT	1995
						1995	3.50	2.60	34	3.00	0.00		
						1996	2.90	2.60	32	2.73	0.28		
						1997	2.70	2.60	32	2.64	0.32		
						1998	2.70	2.60	32	2.64	0.35		
						1999	3.50	2.60	56	3.00	0.13		
						2000	3.50	2.60	56	3.00	0.18		
						2001	3.50	5.00	52	4.32	0.19		
						2002	3.20	5.00	52	4.18	0.22		
6	U.S.-93	002220	304.675	304.938	N	1993	1.40	4.50	42	3.09			
						1994	1.40	4.50	28	3.09	0.23	SEALCOAT	1995
						1995	1.40	4.50	28	3.09	0.23		
						1996	2.00	4.50	36	3.35	0.16		
						1997	1.80	4.50	36	3.25	0.15		
						1998	1.90	4.50	36	3.30	0.16		
						1999	1.80	4.50	36	3.25	0.15		
						2000	2.00	4.50	56	3.35	0.17		
						2001	2.00	4.50	52	3.35	0.14		
						2002	2.10	4.50	52	3.40	0.14		
6	U.S.-93	002220	304.938	305.380	N	1993	1.90	2.50	43	2.23			
						1994	1.70	2.50	22	2.14	0.34	SEALCOAT	1995
						1995	1.70	2.50	22	2.14	0.34		
						1996	1.90	2.50	20	2.23	0.25		
						1997	1.60	2.50	20	2.09	0.26		
						1998	1.60	2.50	20	2.09	0.30		
						*1999	1.50	2.50	34	2.05	0.33		
						2000	2.20	4.50	49	3.46	0.46		
						2001	2.10	4.50	41	3.41	0.41		
						2002	2.20	4.50	41	3.46	0.35		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	U.S.-93	002220	305.380	305.819	N	1993	1.90	2.50	43	2.23		
						1994	1.70	2.50	22	2.14	0.34	
						1995	1.70	2.50	22	2.14	0.34	SEALCOAT
						1996	1.90	2.50	20	2.23	0.25	
						1997	1.60	2.50	20	2.09	0.26	
						1998	1.60	2.50	20	2.09	0.30	
						*1999	1.50	2.50	34	2.05	0.33	
						2000	3.60	5.00	34	4.37	0.19	PLANT MIX OVERLAY
						2001	1.60	5.00	44	3.46	0.22	
						2002	2.20	5.00	44	3.73	0.15	
6	U.S.-93	002220	305.819	310.000	N	1993	2.50	2.20	52	2.34		
						1994	2.60	2.00	32	2.28	0.21	
						1995	2.60	2.00	32	2.28	0.21	SEALCOAT
						1996	3.10	2.00	43	2.52	0.18	
						1997	3.00	2.00	43	2.47	0.16	
						1998	3.00	2.00	43	2.47	0.20	
						*1999	3.00	2.00	34	2.47	0.23	
						2000	3.80	5.00	33	4.42	0.14	PLANT MIX OVERLAY
						2001	3.80	5.00	57	4.42	0.13	
						2002	3.60	5.00	57	4.33	0.16	
6	U.S.-93	002220	310.000	315.040	N	1993	2.50	2.20	52	2.34		
						1994	2.60	2.00	32	2.28	0.21	
						1995	2.60	2.00	32	2.28	0.21	SEALCOAT
						1996	3.10	2.00	43	2.52	0.18	
						1997	3.00	2.00	43	2.47	0.16	
						1998	3.00	2.00	43	2.47	0.20	
						*1999	3.00	2.00	34	2.47	0.23	
						2000	3.20	2.00	35	2.57	0.23	
						*2001	3.10	2.00	42	2.52	0.21	
6	U.S.-93	002220	310.000	315.592	N	2002	4.10	5.00	42	4.57	0.07	PLANT MIX OVERLAY
6	U.S.-93	002220	315.040	316.000	N	*1993	2.50	2.30	53	2.39		
						1994	2.40	2.30	45	2.34	0.22	
						1995	2.40	2.30	45	2.34	0.22	SEALCOAT
						1996	2.90	2.30	44	2.58	0.20	
						1997	2.80	2.30	44	2.53	0.18	
						1998	2.80	2.30	44	2.53	0.20	
						1999	2.90	2.30	45	2.58	0.20	
						2000	2.90	2.30	45	2.58	0.21	
						*2001	2.90	2.30	45	2.58	0.20	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-93	002220	315.592	316.000	N	2002	4.10	5.00	42	4.57	0.03	
6	U.S.-93	002220	316.000	320.987	N	*1993	2.50	2.30	53	2.39		
						1994	3.00	5.00	47	4.04	0.32	PLANT MIX OVERLAY
						1995	3.00	5.00	47	4.04	0.32	
						1996	4.20	5.00	48	4.61	0.18	
						1997	4.00	5.00	48	4.52	0.18	
						1998	4.00	5.00	48	4.52	0.21	
						1999	4.00	5.00	46	4.52	0.22	
						2000	4.00	5.00	46	4.52	0.23	
						2001	4.00	5.00	51	4.52	0.23	
						2002	3.90	5.00	51	4.47	0.22	
6	U.S.-93	002220	320.987	326.000	N	*1993	2.40	2.50	49	2.45		
						1994	3.00	5.00	49	4.04	0.32	PLANT MIX OVERLAY
						1995	3.00	5.00	49	4.04	0.32	
						1996	4.20	5.00	45	4.61	0.17	
						1997	4.00	5.00	45	4.52	0.17	
						1998	4.00	5.00	45	4.52	0.19	
						1999	4.00	5.00	38	4.52	0.21	
						2000	4.00	5.00	38	4.52	0.22	
						2001	4.00	5.00	48	4.52	0.22	
						2002	3.90	5.00	48	4.47	0.22	
6	U.S.-93	002220	326.000	331.792	N	*1993	2.40	2.50	49	2.45		
						1994	2.70	2.90	41	2.80	0.28	
						1995	2.70	2.90	41	2.80	0.28	
						1996	3.20	2.90	54	3.04	0.25	
						1997	3.00	2.90	54	2.94	0.25	
						1998	3.10	2.90	54	2.99	0.27	
						1999	3.10	2.90	53	2.99	0.30	SEALCOAT
						2000	3.20	2.90	53	3.04	0.28	
						2001	3.10	2.90	56	2.99	0.28	
						2002	3.00	2.90	56	2.94	0.25	
6	U.S.-93	002220	331.792	337.000	N	1993	2.80	3.00	62	2.90		
						*1994	2.90	3.00	39	2.95	0.19	
						1995	3.00	3.00	40	3.00	0.19	
						1996	3.40	3.00	55	3.18	0.19	
						1997	3.20	3.00	55	3.09	0.18	
						1998	3.20	3.00	55	3.09	0.19	
						1999	3.20	3.00	48	3.09	0.19	SEALCOAT
						2000	3.30	3.00	48	3.14	0.19	SEALCOAT
						2001	3.30	3.00	57	3.14	0.18	
						2002	3.10	3.00	57	3.04	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS									
6	U.S.-93	002220	337.000	341.100	N	1993	2.80	3.00	62	2.90												
						*1994	2.90	3.00	39	2.95	0.19											
						1995	2.60	5.00	35	3.86	0.29											
						1996	4.00	5.00	73	4.52	0.05											
						1997	3.60	5.00	73	4.33	0.09											
						1998	3.70	5.00	73	4.38	0.06											
						1999	3.70	4.80	58	4.27	0.06											
						2000	3.60	4.80	58	4.23	0.08	SEALCOAT					2000					
						2001	3.70	4.80	64	4.27	0.06											
						2002	3.50	4.80	64	4.18	0.06											
						6	U.S.-93	002220	341.100	347.837	N	1993	2.40	1.40	56	1.87						
												*1994	2.60	1.40	35	1.96	0.31					
												1995	2.00	1.30	34	1.61	0.41					
1996	1.90	1.30	34	1.56	0.41																	
1997	1.40	5.00	34	3.39	0.17																	
1998	3.50	5.00	73	4.28	0.07																	
1999	3.50	5.00	49	4.33	0.07																	
2000	3.40	5.00	49	4.28	0.10							SEALCOAT					2000					
2001	3.40	5.00	62	4.28	0.08																	
2002	3.40	5.00	62	4.28	0.08																	
6	U.S.-93	002220	347.837	350.819	N							1993	2.00	5.00	62	3.66						
												1994	2.00	5.00	46	3.66	0.56					
												1995	2.00	4.80	46	3.55	0.56					
						1996	1.90	4.80	46	3.50	0.41											
						1997	2.90	4.80	46	3.95	0.09											
						*1998	3.80	4.80	73	4.35	0.06											
						1999	3.60	4.80	39	4.26	0.06											
						2000	3.40	4.80	39	4.17	0.07	SEALCOAT					2000					
						2001	3.60	4.80	55	4.26	0.07											
						2002	3.40	4.80	55	4.17	0.06											
						6	U.S.-93	002222	000.000	000.391	N	1993	1.50	3.00	51	2.42						
												1994	1.40	3.00	51	2.38	0.17					
												1995	1.40	5.00	51	3.62	0.17					
1996	3.30	5.00	46	4.34	0.05																	
1997	3.00	5.00	46	4.23	0.05																	
1998	3.00	5.00	73	4.23	0.08																	
1999	3.10	5.00	39	4.27	0.09																	
2000	3.00	4.50	39	3.92	0.09																	
2001	3.20	4.50	55	4.00	0.09																	
2002	3.00	4.00	55	3.62	0.11																	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS---
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS	
6	U.S.-93	002240	222.835	224.200	N	1993	1.80	2.20	44	2.00			
						1994	1.80	2.10	44	1.95	0.21		
						*1995	1.80	2.10	44	1.95	0.21		
						1996	2.50	5.00	37	3.81	0.12	NEW CONST OR RECONST (FLEX)	1996
						1997	3.30	5.00	37	4.19	0.11		
						1998	3.10	5.00	37	4.10	0.11		
						1999	3.30	5.00	69	4.19	0.11		
						2000	3.40	5.00	69	4.24	0.12		
						2001	3.30	5.00	61	4.19	0.13		
						2002	3.20	5.00	61	4.14	0.13		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	U.S.-93	002240	224.200	229.182	N	1993	2.60	2.20	52	2.39		
						1994	2.60	2.20	52	2.39	0.21	
						*1995	2.60	2.20	52	2.39	0.21	SEALCOAT
						1996	2.80	2.20	36	2.48	0.18	
						1997	3.20	2.20	36	2.67	0.18	
						1998	3.00	2.20	36	2.57	0.16	
						1999	3.00	2.20	55	2.57	0.17	SEALCOAT
						2000	3.20	2.20	55	2.67	0.15	
						2001	3.20	2.20	55	2.67	0.15	
						2002	3.00	2.20	55	2.57	0.15	
6	U.S.-93	002240	229.182	233.000	N	1993	2.90	3.50	47	3.21		
						1994	2.90	3.50	47	3.21	0.15	
						1995	2.90	3.50	47	3.21	0.15	SEALCOAT
						1996	3.50	3.50	42	3.50	0.19	
						1997	3.30	3.50	42	3.40	0.18	
						1998	3.20	3.50	42	3.35	0.20	
						1999	3.30	3.50	55	3.40	0.16	SEALCOAT
						2000	3.30	3.50	55	3.40	0.17	
						2001	3.30	3.50	56	3.40	0.18	
						2002	3.10	3.50	56	3.30	0.16	
6	U.S.-93	002240	233.000	238.000	N	1993	3.00	3.50	48	3.26		
						1994	3.00	3.50	48	3.26	0.14	
						1995	3.00	3.50	48	3.26	0.14	
						1996	3.50	3.50	41	3.50	0.21	
						1997	3.30	3.50	41	3.40	0.20	
						1998	3.20	3.50	41	3.35	0.22	
						1999	3.10	3.50	59	3.30	0.21	SEALCOAT
						2000	3.20	3.50	59	3.35	0.21	
						2001	3.10	3.50	56	3.30	0.22	
						2002	3.00	3.50	56	3.26	0.23	
6	U.S.-93	002240	238.000	246.498	N	1993	2.70	3.00	53	2.85		
						1994	2.80	3.00	53	2.90	0.15	
						1995	2.80	3.00	53	2.90	0.15	
						1996	3.30	3.00	47	3.14	0.15	
						1997	3.10	3.00	47	3.04	0.14	
						1998	3.00	3.00	47	3.00	0.15	
						1999	3.00	3.00	61	3.00	0.14	SEALCOAT
						2000	3.00	3.00	61	3.00	0.16	
						2001	2.90	2.50	56	2.69	0.17	
						2002	2.80	2.50	56	2.64	0.16	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
6	U.S.-93	002240	246.498	247.532	N	1993	2.50	3.00	41	2.76							
						1994	2.80	3.00	41	2.90	0.07						
						1995	2.80	3.00	41	2.90	0.07						
						1996	3.50	3.00	39	3.23	0.12						
						1997	3.10	3.00	39	3.04	0.15						
						1998	3.10	2.90	39	2.99	0.15						
						1999	3.10	2.90	40	2.99	0.15	SEALCOAT					1999
						2000	3.10	2.90	40	2.99	0.19						
						2001	3.10	2.90	50	2.99	0.16						
						2002	3.20	2.90	50	3.04	0.19						
6	U.S.-93	002240	247.532	247.786	N	1993	3.10	2.50	36	2.78							
						1994	2.90	2.50	36	2.69	0.19						
						1995	2.90	2.50	36	2.69	0.19						
						1996	3.40	2.50	13	2.92	0.19						
						1997	3.00	2.50	13	2.73	0.20						
						1998	2.90	2.50	13	2.69	0.22						
						1999	3.00	2.50	13	2.73	0.21	SEALCOAT					1999
						2000	2.90	2.50	40	2.69	0.26						
						2001	2.90	2.50	50	2.69	0.26						
						2002	3.00	2.50	50	2.73	0.28						
6	U.S.-93	002240	247.786	248.277	N	1993	2.40	2.40	38	2.40							
						1994	2.60	2.40	38	2.48	0.14						
						1995	2.60	2.40	38	2.48	0.14						
						1996	2.80	2.40	18	2.57	0.22						
						1997	2.60	2.40	18	2.48	0.19						
						1998	2.40	2.20	18	2.28	0.17						
						1999	2.60	2.20	42	2.37	0.25	SEALCOAT					1999
						2000	2.50	2.20	42	2.33	0.24						
						2001	2.40	2.20	52	2.28	0.23						
						2002	2.60	2.20	52	2.37	0.27						
6	U.S.-93	002240	248.277	248.555	N	1993	2.20	2.40	41	2.31	SEALCOAT			1993			
						1994	1.90	2.40	41	2.17	0.06						
						1995	1.90	2.40	41	2.17	0.06						
						1996	2.40	2.40	24	2.40	0.15						
						1997	2.20	2.40	24	2.31	0.12						
						1998	2.10	2.30	24	2.21	0.15						
						1999	1.80	2.30	44	2.07	0.15	SEALCOAT					1999
						2000	2.00	2.30	44	2.16	0.15						
						2001	1.80	2.30	18	2.07	0.15						
						2002	2.00	2.30	18	2.16	0.29						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH	REMARKS
---	-------	--------------	-----------------------	--------------------	-----	------	----	----	----	--------------------------	---------